



Three neprilysin-like membrane metallopeptidases

Patent number: EP1069188
Publication date: 2001-01-17
Inventor: CULOUSCOU JEAN-MICHEL (FR); AGNEL MAGALI (FR); JAGERSCHMIDT ALEXANDRE (FR)
Applicant: SANOFI SYNTHELABO (FR)
Classification:
- **international:** C12N15/57; C12N9/64; C12N5/10; C07K16/40; A61K38/48; A61K48/00; C12Q1/68; C12Q1/37
- **european:** C12N9/64F2C24
Application number: EP19990401767 19990715
Priority number(s): EP19990401767 19990715

Cited documents:

 WO9953077
 EP0272928

Abstract of EP1069188

SNEPa, SNEPb or SNEPc polypeptides, the corresponding polynucleotide sequences and methods for producing such polypeptides by recombinant techniques are disclosed. Also disclosed are methods for utilizing SNEPa, SNEPb or SNEPc polypeptides and polynucleotides in the design of protocols for the treatment of diseases, to mimic or antagonize effect of endogenous neurotransmitters and hormones, or to diagnose or treat any disorder related to abnormal expression of these proteins, among others and diagnostic assays for such conditions.

Data supplied from the **esp@cenet** database - Worldwide

(19)



Europäisches Patentamt
European Patent Office
Office européen des brevets



(11)

EP 1 069 188 A1

(12)

EUROPEAN PATENT APPLICATION

(43) Date of publication:
17.01.2001 Bulletin 2001/03

(51) Int Cl.7: **C12N 15/57**, C12N 9/64,
C12N 5/10, C07K 16/40,
A61K 38/48, A61K 48/00,
C12Q 1/68, C12Q 1/37

(21) Application number: **99401767.1**

(22) Date of filing: **15.07.1999**

(84) Designated Contracting States:
AT BE CH CY DE DK ES FI FR GB GR IE IT LI LU
MC NL PT SE
Designated Extension States:
AL LT LV MK RO SI

- **Agnel, Magali**
92500 Rueil Malmaison (FR)
- **Culouscou, Jean-Michel**
78110 Le Vésinet (FR)

(71) Applicant: **Sanofi-Synthélabo**
75013 Paris (FR)

(74) Representative:
Thouret-Lemaître, Elisabeth et al
Sanofi-Synthélabo
Service Brevets
174, avenue de France
75013 Paris (FR)

(72) Inventors:
• **Jagerschmidt, Alexandre**
92340 Bourg-la-Reine (FR)

(54) **Three neprilysin-like membrane metallopeptidases**

(57) SNEPa, SNEPb or SNEPc polypeptides, the corresponding polynucleotide sequences and methods for producing such polypeptides by recombinant techniques are disclosed. Also disclosed are methods for utilizing SNEPa, SNEPb or SNEPc polypeptides and poly-

nucleotides in the design of protocols for the treatment of diseases, to mimic or antagonize effect of endogenous neurotransmitters and hormones, or to diagnose or treat any disorder related to abnormal expression of these proteins, among others and diagnostic assays for such conditions.

EP 1 069 188 A1

Description**FIELD OF THE INVENTION**

5 **[0001]** The invention relates to newly identified polynucleotides, polypeptides encoded by them and to the use of such polynucleotides and polypeptides, and to their production. More particularly, the polypeptides of the present invention are novel membrane metallopeptidase proteins, hereinafter referred to as human SNEP. Three variants are described and referred to as human SNEPa, SNEPb and SNEPc.

10 **BACKGROUND OF THE INVENTION**

[0002] Membrane-associated metallopeptidases belonging to the neprilysin family (M13) (Rawling N.D. and Barrett A.J. (1993) *Biochem.J.*, 290:205-218) play key roles in the post-translational processing and/or metabolism of neuropeptides and peptide hormones. Neutral endopeptidase-24.11 (NEP) is the prototype of this family of zinc metallopeptidases that also includes the endothelin-converting enzymes (ECE), the erythrocyte cell-surface antigen KELL, the product of the PEX gene and the newly described XCE enzyme. This family of mammalian proteases is structurally related to the bacterial enzymes thermolysin and lactococcal endopeptidase O.

[0003] These proteins are type II membrane-bound proteases and share structural similarities including a short N-terminal intracellular region, the presence of a unique transmembrane spanning domain and a large extracellular C-terminal part where the catalytic site is located. These proteins share also a consensus His-Glu-Xaa-Xaa-His (or HEXXH) motif as well as a conserved Glu residue located 50 to 60 residues C-terminal to the HEXXH motif.

[0004] Neutral endopeptidase has been shown to degrade enkephalins and many other biologically active peptides (Iijima H. et al. (1992) *Am.J.Physiol.* 262:L725-733). Several alternatively spliced forms of NEP-24.11 have been described (for a review, see Rawling N.D. and Barrett A.J. (1993) *Biochem.J.*, 290:205-218). ECE is expressed predominantly in endothelial cells and is responsible for the conversion of big-endothelins into endothelins (Yanagisawa et al. (1988) *Nature* 332:411-415). Two ECE homologs have been described, named ECE-1 (Xu D. et al. (1994) *Cell* 78: 473-485) and ECE-2 (Emoto N. and Yanagisawa M. (1995) *J.Biol.Chem.* 270: 15262-15268). Three human variants of ECE-1 having distinct subcellular localization (ECE-1a, ECE-1b and ECE-1c), have also been recently described (Schweizer A. et al. (1997) *Biochem.J.* 328:871-877). It was shown that in addition to the production of mature endothelins, ECE-1 could also act as a peptidyl dipeptidase in hydrolysing bradikinin, suggesting a broader specificity for such enzymes (Hoang M.V. and Turner A.J. (1997) *Biochem.J.* 327:23-26).

[0005] The erythrocyte cell-surface antigen KELL is classified as a member of the neprilysin family of zinc endopeptidases because of its sequence homology to neprilysin. KELL possesses all of the potential catalytic residues found in the neprilysin family, but no activity has so far been described for it.

35 **[0006]** The product of the PEX gene was localized in bone and kidney and has been associated with X-linked hypophosphatemic rickets. This enzyme was recently shown to degrade parathyroid hormone-derived peptides, suggesting its potential implication in metabolic bone diseases (Lipman et al. (1998) *J.Biol.Chem.* 273:13729-13737).

[0007] XCE is a newly described protein consisting of 775 amino-acids and showing sequence homologies with both ECE-1 and NEP (Valdenaire et al. (1999) *Mol. Brain Res.* 64:211-221). XCE is expressed preferentially in the central nervous system, although its substrate remains to be elucidated.

40 **[0008]** We have identified a novel transcript that codes for new human members of this family of metallopeptidases, that are mainly expressed in the brain and kidney, but also found in other regions such as heart, lung, pancreas and liver. Since the deduced amino acid sequence of this transcript is most closely related to that of the human neutral endopeptidase-24.11 sequence, we have called these proteins SNEP. Due to alternative splicing, three variants are described and referred to as human SNEPa, SNEPb and SNEPc. The substrates for SNEP have not been identified. However, since the deduced amino acid sequences of these SNEPs are related to the neprilysin family of metalloproteases, this strongly suggests a role for these proteins in peptide maturation and/or degradation.

45 **[0009]** Activators or inhibitors of these proteins may be used for example, to treat both acute and chronic renal insufficiency, renal and hepatic ischemia, pain, stroke, hypertensive disease, cancer, inflammation, as well as in cardiovascular, neuronal, pancreatic, prostatic, renal, respiratory or hepatic diseases, in modulating peptide activation and/or degradation in brain or kidney or another organ or to diagnose or treat any disorder related to abnormal expression of said SNEPa, SNEPb or SNEPc proteins.

55 **SUMMARY OF THE INVENTION**

[0010] The present inventors have found three new membrane metallopeptidases belonging to the neprilysin family of proteins. These new proteins may be responsible for some cardiovascular, hepatic, neuronal, pancreatic, renal or respiratory disorders, or may be targets to regulate abnormal peptide maturation and/or degradation and abnormal

EP 1 069 188 A1

function of the metallopeptidases linked to various pathologies.

[0011] In accordance with one aspect of the present invention, there is provided novel mature polypeptides which are membrane metallopeptidase proteins, as well as fragments, analogs, other variants or derivatives. The polypeptides of the present invention are of human origin.

5 [0012] In accordance with another aspect of the present invention, there are provided polynucleotides which encode such polypeptides.

[0013] In accordance with yet a further aspect of the present invention, there is provided a process for producing such polypeptides by recombinant techniques.

10 [0014] In still another aspect, the invention relates to methods to identify activators and inhibitors using the materials provided by the invention, and means of treatment of physiological and/or pathological conditions associated with the variants of SNEP.

[0015] Yet another aspect of the invention relates to diagnostic assays for detecting diseases associated with inappropriate SNEPa, SNEPb or SNEPc activity or levels.

15 [0016] These and other aspects of the present invention should be apparent to those skilled in the art from the teachings herein.

BRIEF DESCRIPTION OF THE FIGURES

20 [0017] The following drawings are illustrative of the embodiments of the invention and are not meant to limit the scope of the invention as encompassed by the claims.

[0018] Figure 1 illustrates the phylogenic relationship between SNEPa, SNEPb and SNEPc and other members of the neprilysin family. The length of each of the branches represents the distance between sequence pairs. Alignment was performed with the clustal algorithm of MEGALIGN (version 3.10a) from DNASTAR.

25 _HNEP: human neutral endopeptidase (accession M81591)

_HKBLO: human KELL blood protein (accession M64934)

30 _HPEX: human PEX protein (accession U75645)

_HECE1A: human endothelin converting enzyme 1A (accession D29683)

_HECE1B: human endothelin converting enzyme 1B (accession D29683)

35 _HXCE: human XCE protein (accession Y16187)

BECE2: bovin endothelin converting enzyme 2 (accession U27341)

40 [0019] Figure 2 shows an amino acid sequence comparison of the SNEP metallopeptidase variants with other members of the neprilysin family of metallopeptidases, from the phylogenic tree of Figure 1. The alignment was performed with the clustal algorithm of MEGALIGN (version 3.10a) from DNASTAR. Regions of homology to other members of the membrane metallopeptidase protein family are shaded in black.

45 _HNEP: human neutral endopeptidase (accession M81591)

_HKBLO: human KELL blood protein (accession M64934)

_HPEX: human PEX protein (accession U75645)

50 _HECE1A: human endothelin converting enzyme 1A (accession D29683)

_HECE1B: human endothelin converting enzyme 1B (accession D29683)

55 _HXCE: human XCE protein (accession Y16187)

BECE2: bovin endothelin converting enzyme 2 (accession U27341)

[0020] Figure 3 illustrates secondary structural features of SNEPa protein with the hydrophilicity, hydrophobicity, the

propensity to generate alpha helices, beta sheets, turns or coiled regions, the propensity to be on the surface of the protein and the flexible regions. The boxed areas are the areas which correspond to the regions indicated. The hydrophobicity plot illustrates hydrophobic areas of the protein sequence which are in the lipid bilayer and hydrophilic areas which are outside the lipid bilayer. The antigenicity of the protein fragments is higher in hydrophilic and flexible areas exposed to the surface. The analysis was performed with PROTEAN (version 3.08a) from DNASTAR.

[0021] Figure 4 illustrates secondary structural features of SNEPb protein with the hydrophilicity, hydrophobicity, the propensity to generate alpha helices, beta sheets, turns or coiled regions, the propensity to be on the surface of the protein and the flexible regions. The boxed areas are the areas which correspond to the regions indicated. The hydrophobicity plot illustrates hydrophobic areas of the protein sequence which are in the lipid bilayer and hydrophilic areas which are outside the lipid bilayer. The antigenicity of the protein fragments is higher in hydrophilic and flexible areas exposed to the surface. The analysis was performed with PROTEAN (version 3.08a) from DNASTAR.

[0022] Figure 5 illustrates secondary structural features of SNEPc protein with the hydrophilicity, hydrophobicity, the propensity to generate alpha helices, beta sheets, turns or coiled regions, the propensity to be on the surface of the protein and the flexible regions. The boxed areas are the areas which correspond to the regions indicated. The hydrophobicity plot illustrates hydrophobic areas of the protein sequence which are in the lipid bilayer and hydrophilic areas which are outside the lipid bilayer. The antigenicity of the protein fragments is higher in areas hydrophilic and flexible exposed to the surface. The analysis was performed with PROTEAN (version 3.08a) from DNASTAR.

DESCRIPTION OF THE INVENTION

Definitions

[0023] The following definitions are provided to facilitate understanding of certain terms used frequently herein.

[0024] "Metallopeptidase Activity" or "Biological Activity of the metallopeptidase" refers to the metabolic or physiologic function of said SNEP variants including similar activities or improved activities or these activities with decreased undesirable side-effects. Also included are antigenic and immunogenic activities of said SNEP variants.

[0025] "SNEP polypeptide" refers among others to a polypeptide comprising the amino acid sequence set forth in SEQ ID NO : 2, SEQ ID NO : 4 or SEQ ID NO : 6 or an allelic variant thereof.

[0026] "SNEP gene" or "SNEP polynucleotide" refer to a polynucleotide comprising the nucleotide sequence set forth in SEQ ID NO : 1, SEQ ID NO : 3 or SEQ ID NO : 5 or variants or allelic variants thereof and/or their complements.

[0027] "Antibodies" as used herein include polyclonal and monoclonal antibodies, chimeric, single chain, and humanized antibodies, as well as Fab fragments, including the products of an Fab or other immunoglobulin expression library.

[0028] "Isolated" means altered by the hand of man from the natural state. If an "isolated" composition or substance occurs in nature, it has been changed or removed from its original environment, or both. For example, a polynucleotide or a polypeptide naturally present in a living animal is not "isolated" but the same polynucleotide or polypeptide separated from the coexisting materials of its natural state is "isolated", as the term is employed herein.

[0029] "Polynucleotide" generally refers to any polyribonucleotide or polydeoxyribonucleotide, which may be unmodified RNA or DNA or modified RNA or DNA. "Polynucleotides" include, without limitation single- and double-stranded DNA, DNA that is a mixture of single- and double-stranded regions, single- and double-stranded RNA, and RNA that is a mixture of single- and double-stranded regions, hybrid molecules comprising DNA and RNA that may be single-stranded or, more typically, double-stranded or a mixture of single- and double-stranded regions. In addition, "polynucleotide" refers to triple-stranded regions comprising RNA or DNA or both RNA and DNA. The term polynucleotide also includes DNAs or RNAs containing one or more modified bases and DNAs or RNAs with backbones modified for stability or for other reasons. "Modified" bases include, for example, tritylated bases and unusual bases such as inosine. A variety of modifications has been made to DNA and RNA; thus, "polynucleotide" embraces chemically, enzymatically or metabolically modified forms of polynucleotides as typically found in nature, as well as the chemical forms of DNA and RNA characteristic of viruses and cells. "Polynucleotide" also embraces relatively short polynucleotides, often referred to as oligonucleotides.

[0030] "Polypeptide" refers to any peptide or protein comprising two or more amino acids joined to each other by peptide bonds or modified peptide bonds, i.e., peptide isosteres. "Polypeptide" refers to both short chains, commonly referred to as peptides, oligopeptides or oligomers, and to longer chains, generally referred to as proteins. Polypeptides may contain amino acids other than the 20 gene-encoded amino acids. "Polypeptides" include amino acid sequences modified either by natural processes, such as post-translational processing, or by chemical modification techniques which are well known in the art. Such modifications are well described in basic texts and in more detailed monographs, as well as in a voluminous research literature. Modifications can occur anywhere in a polypeptide, including the peptide backbone, the amino acid side-chains and the amino or carboxyl termini. It will be appreciated that the same type of modification may be present in the same or varying degrees at several sites in a given polypeptide. Also, a given

polypeptide may contain many types of modifications. Polypeptides may be branched as a result of ubiquitination, and they may be cyclic, with or without branching. Cyclic, branched and branched cyclic polypeptides may result from post-translation natural processes or may be made by synthetic methods. Modifications include acetylation, acylation, ADP-ribosylation, amidation, covalent attachment of flavin, covalent attachment of a heme moiety, covalent attachment of a nucleotide or nucleotide derivative, covalent attachment of a lipid or lipid derivative, covalent attachment of phosphatidylinositol, cross-linking, cyclization, disulfide bond formation, demethylation, formation of covalent cross-links, formation of cystine, formation of pyroglutamate, formylation, gamma-carboxylation, glycosylation, GPI anchor formation, hydroxylation, iodination, methylation, myristoylation, oxidation, proteolytic processing, phosphorylation, prenylation, racemization, selenoylation, sulfation, transfer-RNA mediated addition of amino acids to proteins such as arginylation, and ubiquitination. See, for instance, PROTEINS -STRUCTURE AND MOLECULAR PROPERTIES, 2nd Ed., T. E. Creighton, W. H. Freeman and Company, New York, 1993 and Wold, F., Post-translational Protein Modifications: Perspectives and Prospects, pgs. 1-12 in POSTTRANSLATIONAL COVALENT MODIFICATION OF PROTEINS, B. C. Johnson, Ed., Academic Press, New York, 1983; Seifter *et al.*, "Analysis for protein modifications and nonprotein cofactors", *Meth Enzymol* (1990) 182:626-646 and Rattan *et al.*, "Protein Synthesis: Post-translational Modifications and Aging", *Ann NY Acad Sci* (1992) 663:48-62.

[0031] "Variant" as the term is used herein, is a polynucleotide or polypeptide that differs from a reference polynucleotide or polypeptide respectively, but retains essential properties. A typical variant of a polynucleotide differs in nucleotide sequence from another, reference polynucleotide. Changes in the nucleotide sequence of the variant may or may not alter the amino acid sequence of a polypeptide encoded by the reference polynucleotide. Nucleotide changes may result in amino acid substitutions, additions, deletions, fusions and truncations in the polypeptide encoded by the reference sequence, as discussed below. A typical variant of a polypeptide differs in amino acid sequence from another reference polypeptide. Generally, differences are limited so that the sequences of the reference polypeptide and the variant are closely similar overall and, in many regions, identical. A variant and reference polypeptide may differ in amino acid sequence by one or more substitutions, additions, deletions in any combination. A substituted or inserted amino acid residue may or may not be one encoded by the genetic code. A variant of a polynucleotide or polypeptide may be a naturally occurring such as an allelic variant, or it may be a variant that is not known to occur naturally. Non-naturally occurring variants of polynucleotides and polypeptides may be made by mutagenesis techniques or by direct synthesis.

[0032] "Identity" is a measure of the identity of nucleotide sequences or amino acid sequences. In general, the sequences are aligned so that the highest order match is obtained. "Identity" *per se* has an art-recognized meaning and can be calculated using published techniques. See, e.g.: (COMPUTATIONAL MOLECULAR BIOLOGY, Lesk, A. M., ed., Oxford University Press, New York, 1988; BIOCOMPUTING: INFORMATICS AND GENOME PROJECTS, Smith, D. W., ed., Academic Press, New York, 1993; COMPUTER ANALYSIS OF SEQUENCE DATA, PART I, Griffin, A. M., and Griffin, H. G., eds., Humana Press, New Jersey, 1994; SEQUENCE ANALYSIS IN MOLECULAR BIOLOGY, von Heinje, G., Academic Press, 1987; and SEQUENCE ANALYSIS PRIMER, Gribskov, M. and Devereux, J., eds., M Stockton Press, New York, 1991). While there exists a number of methods to measure identity between two polynucleotide or polypeptide sequences, the term "identity" is well known to skilled artisans (Carillo, H., and Lipton, D., *SIAM J Applied Math* (1988) 48:1073). Methods commonly employed to determine identity or similarity between two sequences include, but are not limited to, those disclosed in Guide to Huge Computers, Martin J. Bishop, ed., Academic Press, San Diego, 1994, and Carillo, H., and Lipton, D., *SIAM J Applied Math* (1988) 48:1073. Methods to determine identity and similarity are codified in computer programs. Preferred computer program methods to determine identity and similarity between two sequences include, but are not limited to, GCS program package (Devereux, J., *et al.*, *Nucleic Acids Research* (1984) 12(1):387), BLASTP, BLASTN, FASTA (Atschul, S. F. *et al.*, *J Molec Biol* (1990) 215:403).

[0033] As an illustration, by a polynucleotide having a nucleotide sequence having at least, for example, 95% "identity" to a reference nucleotide sequence of SEQ ID NO : 1, SEQ ID NO : 3 or SEQ ID NO : 5 is intended that the nucleotide sequence of the polynucleotide is identical to the reference sequence except that the polynucleotide sequence may include up to five point mutations per each 100 nucleotides of the reference nucleotide sequence of SEQ ID NO : 1, SEQ ID NO : 3 or SEQ ID NO : 5. In other words, to obtain a polynucleotide having a nucleotide sequence at least 95% identical to a reference nucleotide sequence, up to 5% of the nucleotides in the reference sequence may be deleted or substituted with another nucleotide, or a number of nucleotides up to 5% of the total nucleotides in the reference sequence may be inserted into the reference sequence. These mutations of the reference sequence may occur at the 5 or 3 terminal positions of the reference nucleotide sequence or anywhere between those terminal positions, interspersed either individually among nucleotides in the reference sequence or in one or more contiguous groups within the reference sequence.

[0034] Similarly, by a polypeptide having an amino acid sequence having at least, for example, 95% "identity" to a reference amino acid sequence is intended that the amino acid sequence of the polypeptide is identical to the reference sequence except that the polypeptide sequence may include up to five amino acid alterations per each 100 amino acids of the reference amino acid of SEQ ID NO : 2, SEQ ID NO : 4 or SEQ ID NO : 6. In other words, to obtain a

polypeptide having an amino acid sequence at least 95% identical to a reference amino acid sequence, up to 5% of the amino acid residues in the reference sequence may be deleted or substituted with another amino acid, or a number of amino acids up to 5% of the total amino acid residues in the reference sequence may be inserted into the reference sequence. These alterations of the reference sequence may occur at the amino or carboxy terminal positions of the reference amino acid sequence or anywhere between those terminal positions, interspersed either individually among residues in the reference sequence or in one or more contiguous groups within the reference sequence.

Polypeptides of the Invention.

[0035] In one aspect, the present invention relates to SNEPa, SNEPb and SNEPc polypeptides. The SNEPa, SNEPb and SNEPc polypeptides include the polypeptides of SEQ ID NO : 2, SEQ ID NO : 4 or SEQ ID NO : 6; as well as polypeptides comprising the amino acid sequences of SEQ ID NO : 2, SEQ ID NO : 4 or SEQ ID NO : 6; and polypeptides comprising the amino acid sequences which have at least 80% identity to that of SEQ ID NO : 2, SEQ ID NO : 4 or SEQ ID NO : 6 over their entire length, and still more preferably at least 90% identity, and even still more preferably at least 95% identity to SEQ ID NO : 2, SEQ ID NO : 4 or SEQ ID NO : 6. Furthermore, those with at least 97-99% are highly preferred. Also included within SNEPa, SNEPb and SNEPc polypeptides are polypeptides having the amino acid sequence which have at least 80% identity to the polypeptide having the amino acid sequence of SEQ ID NO : 2, SEQ ID NO : 4 or SEQ ID NO : 6 over its entire length, and still more preferably at least 90% identity, and even still more preferably at least 95% identity to SEQ ID NO : 2, SEQ ID NO : 4 or SEQ ID NO : 6. Furthermore, those with at least 97-99% are highly preferred. SNEPa, SNEPb and SNEPc polypeptides comprising an amino acid sequence having at least 80% identity, preferably at least 90% identity, and even still more preferably at least 95% to the amino acid sequences encoded by the cDNA contained in pcDNA3/SNEPa, pcDNA3/SNEPb and pcDNA3/SNEPc described hereafter are also included within the present invention. Preferably SNEPa, SNEPb and SNEPc polypeptides exhibit at least one biological activity of a peptidase.

[0036] The SNEPa, SNEPb or SNEPc polypeptides may be in the form of the "mature" protein or may be a part of a larger protein such as a fusion protein. It is often advantageous to include an additional amino acid sequence which contains secretory or leader sequences, pro-sequences, sequences which aid in purification such as multiple histidine residues, or an additional sequence for stability during recombinant production.

[0037] Fragments of the SNEPa, SNEPb or SNEPc polypeptides are also included in the invention. A fragment refers to a polypeptide having an amino acid sequence that entirely is the same as part, but not all, of the amino acid sequence of the aforementioned SNEPa, SNEPb or SNEPc polypeptides. As with SNEPa, SNEPb and SNEPc polypeptides, fragments may be "free-standing" or comprised within a larger polypeptide of which they form a part or region, most preferably as a single continuous region. Representative examples of polypeptide fragments of the invention, include, for example, fragments from about amino acid number 1-20, 21-40, 41-60, 61-80, 81-100, and 101 to the end of SNEPa, SNEPb or SNEPc polypeptides. In this context "about" includes the particularly recited ranges larger or smaller by several, 5, 4, 3, 2 or 1 amino acids at either extreme or at both extremes.

[0038] Preferred fragments include, for example, truncation polypeptides having the amino acid sequence of SNEPa, SNEPb or SNEPc polypeptides, except for deletion of a continuous series of residues that includes the amino terminus, or a continuous series of residues that includes the carboxyl terminus or deletion of two continuous series of residues, one including the amino terminus and one including the carboxyl terminus. Also preferred are fragments characterized by structural or functional attributes such as fragments that comprise alpha-helix and alpha-helix forming regions, beta-sheet and beta-sheet-forming regions, turn and turn-forming regions, coil and coil-forming regions, hydrophilic regions, hydrophobic regions, alpha amphipathic regions, beta amphipathic regions, flexible regions, surface-forming regions, substrate binding region, and high antigenic index regions. Other preferred fragments are biologically active fragments. Biologically active fragments are those that mediate peptidase activity, including those with a similar activity or an improved activity, or with a decreased undesirable activity. Also included are those that are antigenic or immunogenic in an animal, especially in a human.

[0039] Preferably, all of these polypeptide fragments retain the biological activity of the peptidases, including antigenic activity. Variants of the defined sequence and fragments also form part of the present invention. Preferred variants are those that vary from the referents by conservative amino acid substitutions i.e., those that substitute a residue with another of like characteristics. Typical such substitutions are among Ala, Val, Leu and Ile; among Ser and Thr; among the acidic residues Asp and Glu; among Asn and Gln; and among the basic residues Lys and Arg; or aromatic residues Phe and Tyr. Particularly preferred are variants in which several, 5-10, 1-5, or 1-2 amino acids are substituted, deleted, or added in any combination.

[0040] The SNEPa, SNEPb or SNEPc polypeptides of the invention can be prepared in any suitable manner. Such polypeptides include isolated naturally occurring polypeptides, recombinantly produced polypeptides, synthetically produced polypeptides, or polypeptides produced by a combination of these methods. Means for preparing such polypeptides are well understood in the art.

Polynucleotides of the Invention

[0041] Another aspect of the invention relates to SNEPa, SNEPb or SNEPc polynucleotides. SNEPa, SNEPb or SNEPc polynucleotides include isolated polynucleotides which encode the SNEPa, SNEPb or SNEPc polypeptides and fragments, and polynucleotides closely related thereto. More specifically, SNEPa polynucleotides of the invention include a polynucleotide comprising the nucleotide sequence set forth in SEQ ID NO : 1 encoding a SNEPa polypeptide of SEQ ID NO : 2, and polynucleotide having the particular sequence of SEQ ID NO : 1.

[0042] SNEPb polynucleotides of the invention include a polynucleotide comprising the nucleotide sequence set forth in SEQ ID NO : 3 encoding a SNEPa polypeptide of SEQ ID NO : 4, and polynucleotide having the particular sequence of SEQ ID NO : 3.

[0043] SNEPc polynucleotides of the invention include a polynucleotide comprising the nucleotide sequence set forth in SEQ ID NO : 5 encoding a SNEPa polypeptide of SEQ ID NO : 6, and polynucleotide having the particular sequence of SEQ ID NO : 5.

[0044] SNEPa, SNEPb or SNEPc polynucleotides further include a polynucleotide comprising a nucleotide sequence that has at least 80% identity to a nucleotide sequence encoding the SNEPa, SNEPb and SNEPc polypeptides of SEQ ID NO : 2, SEQ ID NO : 4 or SEQ ID NO : 6 respectively over their entire length, and a polynucleotide that is at least 80% identical to that having SEQ ID NO : 1, SEQ ID NO : 3 or SEQ ID NO : 5 respectively over their entire length. In this regard, polynucleotides at least 90% identical are particularly preferred, and those with at least 95% are especially preferred. Furthermore, those with at least 97% are highly preferred and those with at least 98-99% are most highly preferred, with at least 99% being the most preferred. Also included under SNEPa, SNEPb or SNEPc polynucleotides of the invention is a nucleotide sequence which has sufficient identity to a nucleotide sequence contained in SEQ ID NO : 1, SEQ ID NO : 3 or SEQ ID NO : 5 or contained in the cDNA inserts in the plasmids deposited with the ATCC Deposit numbers PTA-187, PTA-189 and 203984 (see herein-below) to hybridize under conditions useable for amplification or for use as a probe or marker. Moreover, SNEPa, SNEPb or SNEPc polynucleotides include a nucleotide sequence which has at least 80% identity to a nucleotide sequence encoding the SNEPa, SNEPb or SNEPc polypeptides expressed by the cDNA inserts deposited at the ATCC with Deposit Numbers PTA-187, PTA-189 and 203984 respectively, and a nucleotide sequence comprising at least 15 contiguous nucleotides of such cDNA inserts. In this regard, polynucleotides at least 90% identical are particularly preferred, and those with at least 95% are especially preferred. Furthermore, those with at least 97% are highly preferred and those with at least 98-99% are most highly preferred, with at least 99% being the most preferred. The invention also provides polynucleotides which are complementary to all the above SNEPa, SNEPb or SNEPc polynucleotides.

[0045] A deposit containing a SNEPa cDNA has been deposited with the American Type Culture Collection (ATCC), 12301 Park Lawn Drive, Rockville, Maryland 20852, USA, on June 08, 1999, and assigned ATCC Deposit Number PTA-187. The deposited material (clone) is a plasmid pcDNA3 which can be obtained from Invitrogen, Inc. containing the full length SNEPa cDNA, referred to as pcDNA3/SNEPa upon deposit. A deposit containing a SNEPb cDNA has been deposited with the American Type Culture Collection (ATCC), 12301 Park Lawn Drive, Rockville, Maryland 20852, USA, on June 08, 1999, and assigned ATCC Deposit Number PTA-189. The deposited material (clone) is a plasmid pcDNA3 which can be obtained from Invitrogen, Inc. containing the full length SNEPb cDNA, referred to as pcDNA3/SNEPb upon deposit. A deposit containing a SNEPc cDNA has been deposited with the American Type Culture Collection (ATCC), 12301 Park Lawn Drive, Rockville, Maryland 20852, USA, on April 30, 1999, and assigned ATCC Deposit Number 203984. The deposited material (clone) is a plasmid pcDNA3 which can be obtained from Invitrogen, Inc. containing the full length SNEPc cDNA, referred to as pcDNA3/SNEPc upon deposit.

[0046] The cDNA inserts are located within *EcoRV*/*NotI* sites in the vector. The nucleotide sequence of the polynucleotides contained in the deposited materials, as well as the amino acid sequence of the polypeptides encoded thereby, are controlling in the event of any conflict with any description of sequences herein.

[0047] The deposits have been made under the terms of the Budapest Treaty on the international recognition of the deposit of micro-organisms for purposes of patent procedure.

[0048] SNEPa, SNEPb and SNEPc of the invention are structurally related to other proteins of the membrane metalloprotease protein family, as shown by the results of sequencing the cDNA of SEQ ID NO : 1, SEQ ID NO : 3 or SEQ ID NO : 5.

[0049] The cDNA sequence of SEQ ID NO : 1 contains an open reading frame (nucleotide number 8 to 2347) encoding a polypeptide of 780 amino acids of SEQ ID NO : 2. The cDNA sequence of SEQ ID NO : 3 contains an open reading frame (nucleotide number 8 to 2269) encoding a polypeptide of 754 amino acids of SEQ ID NO : 4. The cDNA sequence of SEQ ID NO : 5 contains an open reading frame (nucleotide number 8 to 2296) encoding a polypeptide of 763 amino acids of SEQ ID NO : 6.

[0050] Amino acid sequences of SEQ ID NO : 2, SEQ ID NO : 4 and SEQ ID NO : 6 have about 50.6, 51.7 and 47.9 % similarity, respectively (using MEGALIGN version 3.10a) in amino acid residues with human NEP-24.11 (Lopez-Nieto *et al.* (1997) *J.Biol.Chem.* 272, 6471-6478). Nucleotide sequences of SEQ ID NO : 1, SEQ ID NO : 3 and SEQ

EP 1 069 188 A1

ID NO : 5 have about 47.1, 47.5 and 46.1 % similarity respectively (using MEGALIGN version 3.10a) in nucleotide with human NEP-24.11 (Lopez-Nieto et al. (1997) J.Biol.Chem. 272, 6471-6478).

5 **[0051]** Amino acid sequences of SEQ ID NO : 2, SEQ ID NO : 4 and SEQ ID NO : 6 have about 35.0, 34.9 and 34.4 % similarity , respectively (using MEGALIGN version 3.10a) in amino acid residues with human ECE-1A (Schweizer A. et al. (1997) Biochem.J. 328:871-877). Nucleotide sequences of SEQ ID NO : 1, SEQ ID NO : 3 and SEQ ID NO : 5 have about 39.1, 38.3 and 38.9 % similarity respectively (using MEGALIGN version 3.10a) in nucleotide with human ECE-1A (Schweizer A. et al. (1997) Biochem.J. 328:871-877).

10 **[0052]** Amino acid sequences of SEQ ID NO : 2, SEQ ID NO : 4 and SEQ ID NO : 6 have about 34.9, 33.0, 33.9 % similarity , respectively (using MEGALIGN version 3.10a) in amino acid residues with human ECE-1B (Schweizer A. et al. (1997) Biochem.J. 328:871-877). Nucleotide sequences of SEQ ID NO : 1, SEQ ID NO : 3 and SEQ ID NO : 5 have about 38.0, 37.9 and 38.0 % similarity respectively (using MEGALIGN version 3.10a) in nucleotide with human ECE-1B (Schweizer A. et al. (1997) Biochem.J. 328:871-877).

15

20

25

30

35

40

45

50

55

Table 1*

5 CCTGCTGATGGGGAAGTCCGAAGGCCCGTGGGGATGGTGGAGAGCGCTGGCCGTGC
 AGGGCAGAAGCGCCCGGGGTTCTTGAGGGGGGGCTGCTGCTGCTGCTGCTGGTGACC
 GCTGCCCTGGTGGCCTTGGGTGTCCTCTACGCCGACCGCAGAGGGAAGCAGCTGCCACGCC
 10 TTGCTAGCCGGCTGTGCTTCTTACAGGAGGAGAGGACCTTTGTAAAACGAAAACCCCGAGG
 GATCCCAGAGGCCCAAGAGGTGAGCGAGGTCTGCACCAACCCCTGGCTGCGTGATAGCAGCT
 GCCAGGATCCTCCAGAACATGGACCCGACCACGGAACCGTGTGACGACTTCTACCAGTTTG
 CATGCGGAGGCTGGCTGCGGCGCCACGTGATCCCTGAGACCAACTCAAGATACAGCATCTT
 15 TGACGTCCTCCGCGACGAGCTGGAGGTCACTCTCAAAGCGGTGCTGGAGAATTCGACTGCC
 AAGGACCGGCCGGCTGTGGAGAAGGCCAGGACGCTGTACCGTCTCTGCATGAACCAGAGT
 GTGATAGAGAAGCGAGGCTCTCAGCCCCTGCTGGACATCTTGGAGGTGGTGGGAGGCTGGC
 20 CGGTGGCGATGGACAGGTGGAACGAGACCGTAGGACTCGAGTGGGAGCTGGAGCGGCAGC
 TGGCGCTGATGAACTCACAGTTCAACAGGCGCGTCCTCATCGACCTCTTCATCTGGAACGA
 CGACCAGAACTCCAGCCGGCACATCATCTACATAGACCAGCCACCTTGGGCATGCCCTCC
 25 CGAGAGTACTACTTCAACGGCGGCAGCAACCGGAAGGTGCGGGAAGCCTACCTGCAGTTCA
 TGGTGTCAGTGGCCACGTTGCTGCGGGAGGATGCAAACCTGCCAGGGACAGCTGCCTGGT
 GCAGGAGGACATGGTGCAGGTGCTGGAGCTGGAGACACAGCTGGCCAAGGCCACGGTACC
 30 CCAGGAGGAGAGACACGACGTCATCGCCTTGTACCACCGGATGGGACTGGAGGAGCTGCA
 AAGCCAGTTTGGCCTGAAGGGATTTGACTGGACTCTGTTTCATACAAACTGTGCTATCCTCTG
 TCAAAATCAAGCTGCTGCCAGATGAGGAAGTGGTGGTCTATGGCATCCCCTACCTGCAGAA
 35 CCTTGAAAACATCATCGACACCTACTCAGCCAGGACCATAACAGAACTACCTGGTCTGGCGC
 CTGGTGCTGGACCGCATTGGTAGCCTAAGCCAGAGATTCAAGGACACACGAGTGAACCTACC
 GCAAGGCGCTGTTTGGCACAATGGTGGAGGAGGTGCGCTGGCGTGAATGTGTGGGCTACGT
 40 CAACAGCAACATGGAGAACGCCGTGGGCTCCCTCTACGTCAGGGAGGCGTTCCCTGGAGAC
 AGCAAGAGCATGGTCAGAGAACTCATTGACAAGGTGCGGACAGTGTTTGTGGAGACGCTG
 GACGAGCTGGGCTGGATGGACGAGGAGTCCAAGAAGAAGGCGCAGGAGAAGGCCATGAGC
 45 ATCCGGGAGCAGATCGGGCACCTGACTACATCTGGAGGAGACGAACAGGCGCCTGG

50

55

ACGAGGAGTACTCCAATCTGAACTTCTCAGAGGACCTGTACTTTGAGAACAGTCTGCA
 GAACCTCAAGGTGGGCGCCAGCGGAGCCTCAGGAAGCTTCGGGAAAAGGTGGACCCAAA
 5 TCTCTGGATCATCGGGGCGGCGGTGGTCAATGCGTTCTACTCCCCAAACCGAAACCAGATT
 GTATTCCCTGCCGGGATCCTCCAGCCCCCTTCTTCAGCAAGGAGCAGCCACAGGCCTTGAA
 CTTTGGAGGCATTGGGATGGTGTATCGGGCACGAGATCACGCACGGCTTTGACGACAATGGC
 10 CGGAACTTCGACAAGAATGGCAACATGATGGATTGGTGGAGTAACTTCTCCACCCAGCACT
 TCCGGGAGCAGTCAGAGTGCATGATCTACCAGTACGGCAACTACTCCTGGGACCTGGCAGA
 CGAACAGAACGTGAACGGATTCAACACCCCTGGGGAAAACATTGCTGACAACGGAGGGGT
 15 GCGGCAAGCCTATAAGGCCTACCTCAAGTGGATGGCAGAGGGTGGCAAGGACCAGCAGCT
 GCGGGCCTGGATCTCACCCATGAGCAGCTCTTCTTCATCAACTATGCCCAGGTGTGGTGCG
 GGTCTACCGGCCCCGAGTTCGCCATCCAATCCATCAAGACAGACGTCCACAGTCCCCTGAA
 20 GTACAGGGTACTGGGGTCGCTGCAGAACCTGGCCGCTTCGCAGACACGTTCCACTGTGCC
 CGGGGCACCCCCATGCACCCCAAGGAGCGATGCCGCGTGTGGTAGCCAAGGCCCTGCCGCG
 CTGTGCGGCCCCACGCCACCTGCTGCTCGGAGGCATCTGTGCGAAGGTGCAGCTAGCGGCG
 25 ACCCAGTGTACGTCCCGCCCCGGCCAACCATGCCAAGCCTGCCTGCCAGGCCTCTGCGCCT
 GGCCTAGGGTGCAGCCACCTGCCTGACACCCAGGGATGAGCAGTGTCCAGTGCAGTACCTG
 GACCGGAGCCCCCTCCACAGACACCCGCGGGGCTCAGTGCCCCCGTCACAGCTCTGTAGAG
 30 ACAATCAACTGTGTCTGCCCACCCTCCAAGGTGCATTGTCTTCCAGTATCTACAGCTTCAG
 ACTTGAGCTAAGTAAATGCTTCAAAGAAAAA

^a A nucleotide sequence of SNEPa metallopeptidase. SEQ ID NO: 1.

Table 2^a

CCTGCTGATGGGGAAGTCCGAAGGCCCGTGGGGATGGTGGAGAGCGCTGGCCGTGCA
 GGGCAGAAGCGCCCGGGGTTCTGGAGGGGGGGCTGCTGCTGCTGCTGCTGCTGGTGACCG
 CTGCCCTGGTGGCCTTGGGTGTCTCTACGCCGACCGCAGAGGGATCCCAGAGGCCCAAGAG
 45 GTGAGCGAGGTCTGCACCACCCCTGGCTGCGTGATAGCAGCTGCCAGGATCCTCCAGAACAT
 GGACCCGACCACGGAACCGTGTGACGACTTCTACCAGTTTGCATGCGGAGGCTGGCTGCGGC
 GCCACGTGATCCCTGAGACCAACTCAAGATACAGCATCTTTGACGTCCTCCGCGACGAGCTG
 50 GAGGTCATCCTCAAAGCGGTGCTGGAGAATTCGACTGCCAAGGACCGCGGCTGTGGAGA

AGGCCAGGACGCTGTACCGCTCCTGCATGAACCAGAGTGTGATAGAGAAGCGAGGCTC
TCAGCCCCTGCTGGACATCTTGGAGGTGGTGGGAGGCTGGCCGGTGGCGATGGACAGGTGG
5 AACGAGACCGTAGGACTCGAGTGGGAGCTGGAGCGGCAGCTGGCGCTGATGAACTCACAGT
TCAACAGGCGCGTCTCATCGACCTCTTCATCTGGAACGACGACCAGAACTCCAGCCGGCAC
ATCATCTACATAGACCAGCCACCTTGGGCATGCCCTCCCGAGAGTACTACTTCAACGGCGG
10 CAGCAACCGGAAGGTGCGGGAAGCCTACCTGCAGTTCATGGTGTCAAGTGGCCACGTTGCTGC
GGGAGGATGCAAACCTGCCCAGGGACAGCTGCCTGGTGCAGGAGGACATGGTGCAGGTGCT
GGAGCTGGAGACACAGCTGGCCAAGGCCACGGTACCCAGGAGGAGAGACACGACGTCATC
15 GCCTTGTACCACCGGATGGGACTGGAGGAGCTGCAAAGCCAGTTTGGCCTGAAGGGATTG
ACTGGACTCTGTTTCATACAACTGTGCTATCCTCTGTCAAAATCAAGCTGCTGCCAGATGAG
GAAGTGGTGGTCTATGGCATCCCTACCTGCAGAACCTTGAAAACATCATCGACACCTACTC
AGCCAGGACCATACAGAACTACCTGGTCTGGCGCCTGGTGTGACCGCATTGGTAGCCTAA
20 GCCAGAGATTCAAGGACACACGAGTGAACCTACCGCAAGGCGCTGTTTGGCACAATGGTGGGA
GGAGGTGCGCTGGCGTGAATGTGTGGGCTACGTCAACAGCAACATGGAGAACGCCGTGGGC
TCCCTCTACGTACGGGAGGCGTTCCCTGGAGACAGCAAGAGCATGGTCAGAGAACTCATTGA
25 CAAGGTGCGGACAGTGTTTGTGGAGACGCTGGACGAGCTGGGCTGGATGGACGAGGAGTCC
AAGAAGAAGGCGCAGGAGAAGGCCATGAGCATCCGGGAGCAGATCGGGCACCTGACTACA
TCCTGGAGGAGACGAACAGGCGCCTGGACGAGGAGTACTCCAATCTGAACTTCTCAGAGGA
30 CCTGTACTTTGAGAACAGTCTGCAGAACCTCAAGGTGGGCGCCAGCGGAGCCTCAGGAAG
CTTCGGGAAAAAGGTGGACCCAAATCTCTGGATCATCGGGGCGGCGGTGGTCAATGCGTTCTA
CTCCCCAAACCGAAACCAGATTGTATTCCCTGCCGGGATCCTCCAGCCCCCTTCTTCAGCAA
GGAGCAGCCACAGGCCTTGAACCTTGGAGGCATTGGGATGGTGATCGGGCACGAGATCACG
35 CACGGCTTTGACGACAATGGCCGGAACCTCGACAAGAATGGCAACATGATGGATTGGTGGGA
GTAACCTTCTCCACCCAGCACTTCCGGGAGCAGTCAGAGTGCATGATCTACCAGTACGGCAAC
TACTCCTGGGACCTGGCAGACGAACAGAACGTGAACGGATTCAACACCTTGGGGAAAAACA
40 TTGCTGACAACGGAGGGGTGCGGCAAGCCTATAAGGCCTACCTCAAGTGGATGGCAGAGGG
TGGCAAGGACCAGCAGCTGCCCCGCTGGATCTACCCATGAGCAGCTCTTCTTCATCAACT
ATGCCCAGGTGTGGTGCGGGTCTACCGGCCGAGTTCGCCATCCAATCCATCAAGACAGAC
45 GTCCACAGTCCCCTGAAGTACAGGGTACTGGGGTCTGCTGCAGAACCTGGCCGCCTTCGCAGA
CACGTTCCACTGTGCCCGGGGACCCCCATGCACCCCAAGGAGCGATGCCGCGTGTGGTAGC
CAAGGCCCTGCCGCGCTGTGCGGCCACGCCACCTGCTGCTCGGAGGCATCTGTGCGAAGG
50 TGCAGCTAGCGGCGACCCAGTGATCGTCCCGCCCCGGCCAACCATGCCAAGCCTGCCTGCCA
GGCCTCTGCGCCTGGCCTAGGGTGCAGCCACCTGCCTGACACCCAGGGATGAGCAGTGTCCA
GTGCAGTACCTGGACCGGAGCCCCCTCCACAGACACCCGCGGGGCTCAGTGCCCCCGTCACA
GCTCTGTAGAGACAACTCAACTGTGTCTGCCACCTCCAAGGTGCATTGTCTTCCAGTATCT
55 ACAGCTTCAGACTTGAGCTAAGTAAATGCTTCAAAGAAAAAAAAAAAAAAAAAAAAA

^a A nucleotide sequence of SNEPb metallopeptidase. SEQ ID NO: 3.

Table 3^a

	CCTGCTGATGGGGAAGTCCGAAGGCCCGTGGGGATGGTGGAGAGCGCTGGCCGTGCA
5	
10	GGGCAGAAGCGCCCGGGGTTCTTGAGGGGGGGCTGCTGCTGCTGCTGCTGGTGACCG
	CTGCCCTGGTGGCCTTGGGTGTCCTCTACGCCGACCGCAGAGGGAAGCAGCTGCCACGCCTT
	GCTAGCCGGCTGTGCTTCTTACAGGAGGAGAGGACCTTTGTAAAACGAAAACCCCGAGGGA
15	TCCCAGAGGCCCAAGAGGTGAGCGAGGTCTGCACCACCCCTGGCTGCGTGATAGCAGCTGCC
	AGGATCCTCCAGAACATGGACCCGACCACGGAACCGTGTGACGACTTCTACCAGTTTGCATG
	CGGAGGCTGGCTGCGGCGCCACGTGATCCCTGAGACCAACTCAAGATACAGCATCTTTGACG
20	TCCTCCGCGACGAGCTGGAGGTATCCTCAAAGCGGTGCTGGAGAATTCGACTGCCAAGGAC
	CGGCCGGCTGTGGAGAAGGCCAGGACGCTGTACCGCTCCTGCATGAACCAGAGTGTGATAG
	AGAAGCGAGGCTCTCAGCCCTGCTGGACATCTTGGAGGTGGTGGGAGGCTGGCCGGTGGC
25	GATGGACAGGTGGAACGAGACCGTAGTTCAACAGGCGCGTCCCTCATCGACCTCTTCATCTGG
	AACGACGACCAGAACTCCAGCCGGCACATCATCTACACCAGCCACCTTGGGCATGCCCTCC
	CGAGAGTACTACTTCAACGGCGGCAGCAACCGGAAGGTGCGGGAAGCCTACCTGCAGTTCA
30	TGGTGTCAGTGGCCACGTTGCTGCGGGAGGATGCAAACCTGCCCAGGGACAGCTGCCTGGTG
	CAGGAGGACATGGTGCAGGTGCTGGAGCTGGAGACACAGCTGGCCAAGGCCACGGTACCCC
	AGGAGGAGAGACACGACGTATCGCCTTGTACCACCGGATGGGACTGGAGGAGCTGCAAAG
35	CCAGTTTGGCCTGAAGGGAATTGACTGGACTCTGTTCATACAACTGTGCTATCCTCTGTCAA
	AATCAAGCTGCTGCCAGATGAGGAAGTGGTGGTCTATGGCATCCCCTACCTGCAGAACCTTG
	AAAACATCATCGACACCTACTCAGCCAGGACCATACAGAACTACCTGGTCTGGCGCCTGGTG
40	CTGGACCGCATTTGGTAGCCTAAGCCAGAGATTCAAGGACACACGAGTGAACCTACCGCAAGG
	CGCTGTTTGGCACAATGGTGGAGGAGGTGCGCTGGCGTGAATGTGTGGGCTACGTCAACAG
	CAACATGGAGAACGCCGTGGGCTCCCTCTACGTCAGGGAGGCGTTCCCTGGAGACAGCAAG
45	AGCATGGTCAGAGAACTCATTGACAAGGTGCGGACAGTGTTTGTGGAGACGCTGGACGAGC
	TGGGCTGGATGGACGAGGAGTCCAAGAAGAAGGCGCAGGAGAAGGCCATGAGCATCCGGG
	AGCAGATCGGGCACCTGACTACATCCTGGAGGAGACGAACAGGCGCCTGGACGAGGAGTA
50	CTCCAATCTGAACCTTCTCAGAGGACCTGTACTTTGAGAACAGTCTGCAGAACCTCAAGGTGG
	G

EP 1 069 188 A1

CGCCCAGCGGAGCCTCAGGAAGCTTCGGGAAAAGGTGGACCCAAATCTCTGGATCATC
 5 GGGGCGGCGGTGGTCAATGCGTTCTACTCCCCAAACCGAAACCAGATTGTATTCCCTGCCGG
 GATCCTCCAGCCCCCTTCTTCAGCAAGGAGCAGCCACAGGCCTTGAACCTTGGAGGCATTG
 GGATGGTGATCGGGCACGAGATCACGCACGGCTTTGACGACAATGGCCGGAACCTCGACAA
 10 GAATGGCAACATGATGGATTGGTGGAGTAACTTCTCCACCCAGCACTTCCGGGAGCAGTCAG
 AGTGCATGATCTACCAGTACGGCAACTACTCCTGGGACCTGGCAGACGAACAGAACGTGAA
 CGGATTCAACACCCTTGGGGAAAACATTGCTGACAACGGAGGGGTGCGGCAAGCCTATAAG
 GCCTACCTCAAGTGGATGGCAGAGGGTGGCAAGGACCAGCAGCTGCCCGGCCTGGATCTCA
 15 CCCATGAGCAGCTCTTCTTCATCAACTATGCCCAGGTGTGGTGCGGGTCCTACCGGCCCGAG
 TTCGCCATCCAATCCATCAAGACAGACGTCCACAGTCCCCTGAAGTACAGGGTACTGGGGTC
 GCTGCAGAACCTGGCCGCCTTCGCAGACACGTTCCACTGTGCCCGGGGCACCCCCATGCACC
 20 CCAAGGAGCGATGCCGCGTGTGGTAGCCAAGGCCCTGCCGCGCTGTGCGGCCCACGCCACC
 TGCTGCTCGGAGGCATCTGTGCGAAGGTGCAGCTAGCGGCGACCCAGTGACGTCCCGCCCC
 GGCCAACCATGCCAAGCCTGCCTGCCAGGCCTCTGCGCCTGGCCTAGGGTGCAGCCACCTGC
 25 CTGACACCCAGGGATGAGCAGTGTCCAGTGCAGTACCTGGACCGGAGCCCCCTCCACAGACA
 CCCGCGGGGCTCAGTGCCCCGTCACAGCTCTGTAGAGACAATCAACTGTGTCTGCCACC
 CTCCAAGGTGATTGTCTTCCAGTATCTACAGCTTCAGACTTGAGCTAAGTAAATGCTTCAA
 30 GAAAAAAAAAAAAAAAAAAAA

^a A nucleotide sequence of SNEPc metalloproteinase. SEQ ID NO: 5.

35

40

45

50

55

Table 4^b

5 MGKSEGPVGMVESAGRAGQKRPGFLEGGLLLLLLLLVTAALVALGVLYADRRGKQLPRLA
 SRLCFLQEERTFVKRKPRGIPEAQEVSEVCTTPGCVIAAARILQNMDPTTEPCDDFYQFACGGW
 10 LRRHVIPETNSRYSIFDVLRLDELEVILKAVLENSTAKDRPAVEKARTLYRSCMNQSVIEKRGSQP
 LLDILEVVGWGPVAMDRWNETVGLEWELERQLALMNSQFNRRVLIDLFIWNDDQNSSRHIIYI
 DQPTLGMPREYYFNGGSRNKVREAYLQFMVSVATLLREDANLPRDSCLVQEDMVQVLELET
 15 QLAKATVPQEERHDVIALYHRMGLEELQSQFGLKGFDTLFIQTVLSSVKIKLLPDEEVVYGI
 PYLQNLNENIIDTYSARTIQNYLVWRLVLDRIQSLSRFKDTRVNYRKALFGTMVEEVRWRECV
 GYVNSNMENAVGSLYVREAFPGDSKSMVRELIDKVRTVFVETLDELGWMDEESKKKAQEKA
 MSIREQIGHDPDYILEETNRRLDDEEYSLNLFSEDLYFENSLQNLKVGARSLRKLREKVDPNLWII
 20 GAAVVNAFYSPNRNQIVFPAGILQPPFFSKEQPQALNFGGIGMVIGHEITHGFDDNGRNFDKNG
 NMMDWWSNFSSTQHFREQSECMYQYGNYSWDLADEQNVNGFNTLGENIADNGGVRQAYKA
 YLKWMAEGGKDQQLPGLDLTHEQLFFINYAQVWCGSYRPEFAIQSIKTDVHSPLKYRVLGSLQ
 25 NLAADFATFHCARGTPMHPKERCVRW

^b An amino acid sequence of a SNEPa metallopeptidase. SEQ ID NO: 2.

Table 5^b

30 MGKSEGPVGMVESAGRAGQKRPGFLEGGLLLLLLLLVTAALVALGVLYADRRGIPEAQEVS
 35 EVCTTPGCVIAAARILQNMDPTTEPCDDFYQFACGGWLRHVIPETNSRYSIFDVLRLDELEVILKA
 VLENSTAKDRPAVEKARTLYRSCMNQSVIEKRGSQPLLDILEVVGWGPVAMDRWNETVGLEWE
 40 LERQLALMNSQFNRRVLIDLFIWNDDQNSSRHIIYIDQPTLGMPREYYFNGGSRNKVREAYLQF
 MVSATLLREDANLPRDSCLVQEDMVQVLELETQLAKATVPQEERHDVIALYHRMGLEELQSQ
 FGLKGFDTLFIQTVLSSVKIKLLPDEEVVYGI
 45 PYLQNLNENIIDTYSARTIQNYLVWRLVLDRIQSLSRFKDTRVNYRKALFGTMVEEVRWRECV
 GYVNSNMENAVGSLYVREAFPGDSKSMVRELIDKVRTVFVETLDELGWMDEESKKKAQEKA
 MSIREQIGHDPDYILEETNRRLDDEEYSLNLFSEDLYFENSLQNLKVGARSLRKLREKVDPNLWII
 50 GAAVVNAFYSPNRNQIVFPAGILQPPFFSKEQPQALNFGGIGMVIGHEITHGFDDNGRNF
 DKNGNMMDWWSNFSSTQHFREQSECMYQYGNYSWDLADEQNVNGFNTLGENIADNGGVRQAYK
 YLKWMAEGGKDQQLPGLDLTHEQLFFINYAQVWCGSYRPEFAIQSIKTDVHSPLKYRVLGSLQ
 NLAADFATFHCARGTPMHPKERCVRW

^b An amino acid sequence of a SNEPb metallopeptidase. SEQ ID NO: 4.

Table 6^b

5 MGKSEGPVGMVESAGRAGQKRPGFLEGGLLLLLLLLVTAALVALGVLYADRRGKQLPRLAS
 RLCFLQEERTFVKRKPRGIPEAQEVSEVCTTPGCVIAAARILQNMDPTTEPCDDFYQFACGGWLR
 10 RHVIPETNSRYSIFDVLRLDELEVILKAVLENSTAKDRPAVEKARTLYRSCMNQSVIEKRGSQPLLD
 ILEVVGWGPVAMDRWNETVVQQARPHRPLHLERRPELQPAHHLHQPTLGMPREYYFNGGSNR
 KVREAYLQFMVSVATLLREDANLPRDSCLVQEDMVQVLELETQLAKATVPQEERHDVIALYHR
 15 MGLEELQSQFGLKGFDTLFIQTVLSSVKIKLLPDEEVVVYGIPYLQNLNIDTYSARTIQNYLV
 WRLVLDRIIGLSQRFKDTRVNYRKALFGTMVEEVRWRECVGYVNSNMENAVGSLYVREAFPG
 DSKSMVRELIDKVRTVFVETLDELGWMDEESKKKAQEKAMSIREQIGHDPYILEETNRRLDEEYS
 20 NLNFSEDLYFENSLQNI.KVGAQRSLRKLREKVDPNLWIIGAAVVNAFYSPNRNQIVFPAGILQPPF
 FSKEQPQALNFGGIGMVGHEITHGFDDNGRNFDKNGNMMDWWSNFSSTQHFREQSECMYQYG
 NYSWDLADEQNVNGFNTLGENIADNGGVRQAYKAYLKWMAEGGKDQQLPGLDLTHEQLFFIN
 25 YAQVWCGSYRPEFAIQSIKTDVHSPLKYRVLGLSLQNLAFAADTFHCARGTPMHPKERCRVW

^b An amino acid sequence of a SNEPc metalloproteinase. SEQ ID NO: 6.

[0053] One polynucleotide of the present invention encoding SNEPa, SNEPb or SNEPc may be obtained from a
 cDNA library derived from mRNA of cells from human brain or kidney using standard cloning and screening methods,
 or using the expressed sequence tag (EST) analysis (Adams, M.D., et al. Science (1991) 252:1651-1656; Adams, M.
 D. et al., Nature, (1992) 355:632-634; Adams, M.D., et al., Nature (1995) 377 Supp:3-174). Polynucleotides of the
 invention can also be obtained from natural sources such as genomic DNA libraries or can be synthesized using well
 known and commercially available techniques.

[0054] The nucleotide sequences encoding SNEPa, SNEPb and SNEPc polypeptides of SEQ ID NO: 2, SEQ ID
 NO: 4 or SEQ ID NO: 6 may be identical to the polypeptides encoding sequences contained in SEQ ID NO: 1, SEQ
 ID NO: 3 or SEQ ID NO: 5, or it may be a sequence, which as a result of the redundancy (degeneracy) of the genetic
 code, also encodes the polypeptides of SEQ ID NO: 2, SEQ ID NO: 4 or SEQ ID NO: 6.

[0055] When the polynucleotides of the invention are used for the recombinant production of SNEPa, SNEPb and
 SNEPc polypeptides, the polynucleotides may include the coding sequence for the mature polypeptides or a fragment
 thereof, by itself; the coding sequences for the mature polypeptides or fragments in reading frame with other coding
 sequences, such as those encoding a leader or secretory sequence, a pre-, or pro- or prepro-protein sequence, or
 other fusion peptide portions. For example, a marker sequence which facilitates purification of the fused polypeptide
 can be encoded. In certain preferred embodiments of this aspect of the invention, the marker sequence is a hexa-
 histidine peptide, as provided in the pQE vector (Qiagen, Inc.) and described in Gentz et al., Proc Natl Acad Sci USA
 (1989) 86:821-824, or is an HA tag, or a Flag tag. The polynucleotide may also contain non-coding 5' and 3' sequences,
 such as transcribed, non-translated sequences, splicing and polyadenylation signals, ribosome binding sites and se-
 quences that stabilize mRNA.

[0056] Further preferred embodiments are polynucleotides encoding SNEPa, SNEPb and SNEPc variants compris-
 ing the amino acid sequence of SNEPa, SNEPb and SNEPc polypeptides of SEQ ID NO: 2, SEQ ID NO: 4 or SEQ
 ID NO: 6 in which several, 20-50, 10-20, 5-10, 1-5, 1-3, 1-2 or 1 amino acid residues are substituted, deleted or added,
 in any combination.

[0057] The present invention further relates to polynucleotides that hybridize to the herein above-described sequenc-
 es. In this regard, the present invention especially relates to polynucleotides which hybridize under stringent conditions
 to the herein above-described polynucleotides. As herein used, the term "stringent conditions" means hybridization
 will occur only if there is at least 95% and preferably at least 97% identity between the sequences.

[0058] Polynucleotides of the invention, which are identical or sufficiently identical to a nucleotide sequence disclosed
 in SEQ ID NO: 1, SEQ ID NO: 3 or SEQ ID NO: 5 or a fragment thereof, or to the cDNA inserts in the plasmids
 deposited at the ATCC with Deposit Numbers PTA-187, PTA-189 and 203984 or a fragment thereof, may be used as

hybridization probes for cDNA and genomic DNA, to isolate full-length cDNAs and genomic clones encoding SNEPa, SNEPb or SNEPc and to isolate cDNA and genomic clones of other genes that have a high sequence similarity to the SNEP gene. Such hybridization techniques are known to those of skill in the art. Typically these nucleotide sequences are 80% identical, preferably 90% identical, more preferably 95% identical to that of the referent. The probes generally will comprise at least 15 nucleotides. Preferably, such probes will have at least 30 nucleotides and may have at least 50 nucleotides. Particularly preferred probes will range between 30 and 50 nucleotides.

[0059] In one embodiment, a method to obtain a polynucleotide encoding SNEPa, SNEPb or SNEPc polypeptides comprises the steps of screening an appropriate library under stringent hybridization conditions with a labeled probe having the SEQ ID NO : 1, the SEQ ID NO : 3, or the SEQ ID NO : 5 or a fragment thereof; and isolating full-length cDNA and genomic clones containing said polynucleotide sequences. Such hybridization techniques are well known to those of skill in the art. Stringent hybridization conditions are as defined above or alternatively conditions under overnight incubation at 42°C in a solution comprising: 50% formamide, 5xSSC (150mM NaCl, 15mM trisodium citrate), 50 mM sodium phosphate (pH7.6), 5x Denhardt's solution, 10 % dextran sulfate, and 20 microgram/ml denatured, sheared salmon sperm DNA, followed by washing the filters in 0.1x SSC at about 65°C.

[0060] The polynucleotides and polypeptides of the present invention may be employed as research reagents and materials for discovery of treatments and diagnostics to animal and human disease.

Vectors and Host Cells

[0061] The present invention also relates to vectors which include the isolated DNA molecules of the present invention, host cells which are genetically engineered with the recombinant vectors, and the production of SNEPa, SNEPb or SNEPc polypeptides or fragments thereof by recombinant techniques.

[0062] The polynucleotides may be joined to a vector containing a selectable marker for propagation in a host. Generally, a plasmid vector is introduced in a precipitate, such as a calcium phosphate precipitate, or in a complex with a charged lipid. If the vector is a virus, it may be packaged in vitro using an appropriate packaging cell line and then transduced into host cells.

[0063] The DNA insert should be operatively linked to an appropriate promoter, such as the phage lambda PL promoter, the E. coli lac, trp and tac promoters, the SV40 early and late promoters and promoters of retroviral LTRs, to name a few. Other suitable promoters will be known to the skilled artisan. The expression constructs will further contain sites for transcription initiation, termination and, in the transcribed region, a ribosome binding site for translation. The coding portion of the mature transcripts expressed by the constructs will preferably include a translation initiating at the beginning and a termination codon (UAA, UGA or UAG) appropriately positioned at the end of the polypeptide to be translated.

[0064] As indicated, the expression vectors will preferably include at least one selectable marker. Such markers include dihydrofolate reductase, zeocin, hygromycin, or neomycin resistance for eukaryotic cell culture and tetracycline or ampicillin resistance genes for culturing in E. coli and other bacteria. Representative examples of appropriate heterologous hosts include, but are not limited to, bacterial cells, such as E. coli, Streptomyces and Salmonella typhimurium cells; fungal cells, such as yeast cells; insect cells such as Drosophila S2 and Spodoptera Sf9 cells; animal cells such as CHO, COS and Bowes melanoma cells; and plant cells. Appropriate culture media and conditions for the above-described host cells are known in the art.

[0065] Among vectors preferred for use in bacteria include pQE70, pQE60 and pQE-9, available from Qiagen; pBS vectors, Phagescript vectors, Bluescript vectors, pNH8A, pNH16a, pNH18A, pNH46A, available from Stratagene; ptrc99a, pKK223-3, pKK233-3, pDR540, and pRIT5 available from Pharmacia. Among preferred eukaryotic vectors are pWLNEO, pSV2CAT, pOG44, pXT1 and pSG available from Stratagene; pSVK3, pBPV, pMSG and pSVL available from Pharmacia; pcDNA3 available from InVitrogen. Other suitable vectors will be readily apparent to the skilled artisan.

[0066] Introduction of the construct into the host cell can be effected by calcium phosphate transfection, DEAE-dextran mediated transfection, cationic lipid-mediated transfection, electroporation, transduction, infection or other methods. Such methods are described in many standard laboratory manuals, such as Davis et al., Basic Methods In Molecular Biology (1986).

[0067] The SNEPa, SNEPb or SNEPc polypeptides may be expressed in a modified form, such as a fusion protein, and may include not only secretion signals, but also additional heterologous functional regions. For instance, a region of additional amino acids, particularly charged amino acids, may be added to the N-terminus of the polypeptides to improve stability and persistence in the host cell, during purification, or during subsequent handling and storage. Also, peptide moieties may be added to the polypeptides to facilitate purification. Such regions may be removed prior to final preparation of the polypeptides. The addition of peptide moieties to polypeptides to engender secretion or excretion, to improve stability and to facilitate purification, among others, are familiar and routine techniques in the art. A preferred fusion protein comprises a heterologous region from immunoglobulin that is useful to solubilize proteins. For example, EP-A-O 464 533 (Canadian counterpart 2045869) discloses fusion proteins comprising various portions of constant

region of immunoglobulin molecules together with another human protein or part thereof. In many cases, the Fc part in a fusion protein is thoroughly advantageous for use in therapy and diagnosis and thus results, for example, in improved pharmacokinetic properties (EP-A 0232 262). On the other hand, for some uses it would be desirable to be able to delete the Fc part after the fusion protein has been expressed, detected and purified in the advantageous manner described. This is the case when Fc portion proves to be a hindrance to use in therapy and diagnosis, for example when the fusion protein is to be used as antigen for immunizations. In drug discovery, for example, human proteins, such as hIL-5, has been fused with Fc portions for the purpose of high-throughput screening assays to identify antagonists of hIL-5. See, D. Bennett et al., *Journal of Molecular Recognition*, Vol. 8:52-58 (1995) and K. Johanson et al., *The Journal of Biological Chemistry*, Vol. 270, No. 16:9459-9471 (1995).

[0068] The SNEP metallopeptidase variants can be recovered and purified from recombinant cell cultures by well-known methods, including ammonium sulfate or ethanol precipitation, acid extraction, anion or cation exchange chromatography, phosphocellulose chromatography, hydrophobic interaction chromatography, affinity chromatography, hydroxylapatite chromatography and lectin chromatography. Most preferably, high performance liquid chromatography ("HPLC") is employed for purification. Polypeptides of the present invention include naturally purified products, products of chemical synthetic procedures, and products produced by recombinant techniques from a prokaryotic or eukaryotic host, including, for example, bacterial, yeast, higher plant, insect and mammalian cells. Depending upon the host employed in a recombinant production procedure, the polypeptides of the present invention may be glycosylated or may be non-glycosylated. In addition, polypeptides of the invention may also include an initial modified methionine residue, in some cases as a result of host-mediated processes.

Diagnostic Assays

[0069] This invention also relates to the use of SNEPa, SNEPb or SNEPc polynucleotides for use as diagnostic reagents. Detection of a mutated form of SNEP gene associated with a dysfunction will provide a diagnostic tool that can add to or define a diagnosis of a disease or susceptibility to a disease which results from under-expression, over-expression or altered expression of SNEPa, SNEPb or SNEPc. Individuals carrying mutations in the SNEP gene may be detected at the DNA level by a variety of techniques.

[0070] Nucleic acids for diagnosis may be obtained from a subject's cells, such as from blood, urine, saliva, tissue biopsy or autopsy material. The genomic DNA may be used directly for detection or may be amplified enzymatically by using PCR or other amplification techniques prior to analysis. RNA or cDNA may also be used in similar fashion. Deletions and insertions can be detected by a change in size of the amplified product in comparison to the normal genotype. Point mutations can be identified by hybridizing amplified DNA to labeled SNEPa, SNEPb or SNEPc nucleotide sequences. Perfectly matched sequences can be distinguished from mismatched duplexes by RNase digestion or by differences in melting temperatures. DNA sequence differences may also be detected by alterations in electrophoretic mobility of DNA fragments in gels, with or without denaturing agents, or by direct DNA sequencing. See, e.g., Myers et al., *Science* (1985) 230:1242. Sequence changes at specific locations may also be revealed by nuclease protection assays, such as RNase and S1 protection or the chemical cleavage method. See Cotton et al., *Proc Natl Acad Sci USA* (1985) 85: 4397-4401. In another embodiment, an array of oligonucleotides probes comprising SNEPa, SNEPb or SNEPc nucleotide sequences or fragments thereof can be constructed to conduct efficient screening of e.g., genetic mutations. Array technology methods are well known and have general applicability and can be used to address a variety of questions in molecular genetics including gene expression, genetic linkage, and genetic variability. (See for example: M.Chee et al., *Science*, Vol 274, pp 610-613 (1996)).

[0071] The diagnostic assays offer a process for diagnosing or determining a susceptibility to the treatment of diseases through detection of mutation in the SNEP gene by the methods described. Said diseases are, in particular, chosen among the following: neuronal diseases, renal diseases, stroke, cardiovascular diseases, hepatic diseases, hypertensive disease, pancreatic diseases, prostatic diseases, respiratory diseases, inflammation, pain, cancer, in modulating drug maturation and/or degradation from the brain or kidney or another organ, to mimic or inhibit effect of some endogenous peptidases in the brain or kidney or another organ disorder related to abnormal expression of SNEPa, SNEPb or SNEPc proteins.

[0072] In addition, the same diseases can be diagnosed by methods determining from a sample derived from a subject an abnormally decreased or increased level of SNEPa, SNEPb or SNEPc polypeptides or SNEPa, SNEPb or SNEPc mRNAs. Decreased or increased expression can be measured at the RNA level using any of the methods well known in the art for the quantitation of polynucleotides, such as, for example, PCR, RT-PCR, RNase protection, Northern blotting and other hybridization methods. Assay techniques that can be used to determine levels of a protein, such as SNEPa, SNEPb or SNEPc proteins, in a sample derived from a host are well-known to those of skill in the art. Such assay methods include radioimmunoassays, enzymatic assays, Western Blot analysis and ELISA assays.

Detection of SNEP Gene Expression

[0073] The expression level of the SNEP gene can be readily assayed by one of ordinary skill in the art. By "assaying the expression level of the gene encoding the SNEPa, SNEPb or SNEPc polypeptides" is intended qualitatively or quantitatively measuring or estimating the level of SNEPa, SNEPb or SNEPc polypeptides or the level of the mRNA encoding SNEPa, SNEPb or SNEPc polypeptides in a biological sample (e.g., by determining or estimating absolute protein level or mRNA level).

[0074] By "biological sample" is intended any biological sample obtained from an individual, cell line, tissue culture, or other source which contains SNEPa, SNEPb or SNEPc polypeptides or SNEPa, SNEPb or SNEPc mRNAs. Such tissues include cerebellum, brain, midbrain, spinal cord, nerve endings, breast, pituitary, colon, prostate, stomach, testis, adrenal gland, small intestine, spleen, heart, placenta, lung, liver, kidney, and pancreas. Biological samples include mammalian tissues which contain SNEPa, SNEPb or SNEPc polypeptides. Preferred mammals include monkeys, apes, cats, dogs, cows, pigs, horses, rabbits, and humans. Particularly preferred are humans.

[0075] Total cellular RNA can be isolated from a biological sample using the single-step guanidinium-thiocyanate-phenol-chloroform method described in Chomczynski and Sacchi (Anal. Biochem. 162:156-159 (1987)). Levels of mRNAs encoding the SNEP metalloproteinase variants are then assayed using any appropriate method. These include Northern blot analysis (Harada et al., Cell 63:303-312 (1990)), S1 nuclease mapping (Harada et al., Cell 63:303-312 (1990)), the polymerase chain reaction (PCR), reverse transcription in combination with the polymerase chain reaction (RT-PCR) (Fujita et al., Cell 49:35-36 (1990)), and reverse transcription in combination with the ligase chain reaction (RT-LCR).

[0076] As discussed here-above, assaying SNEPa, SNEPb or SNEPc polypeptides levels in a biological sample can occur using antibody-based techniques. For example, SNEPa, SNEPb or SNEPc polypeptides expression in tissues can be studied with classical immunohistological methods (Jalkanen, M. et al., J. Cell. Biol. 101:976-985 (1985); Jalkanen, M. et al., J. Cell. Biol. 105: 3087-3096 (1987)). Other antibody-based methods useful for detecting SNEPa, SNEPb or SNEPc polypeptides gene expression include immunoassays, such as the enzyme linked immunosorbent assay (ELISA) and the radioimmunoassay (RIA). Suitable labels are known in the art and include enzyme labels, such as glucose oxidase, and radioisotopes, such as iodine (^{125}I , ^{121}I), carbon (^{14}C), sulfur (^{35}S), tritium (^3H), indium (^{112}In), and technetium ($^{99\text{m}}\text{Tc}$), biotin and fluorescent labels, such as fluorescein and rhodamine.

Chromosome Assays

[0077] The nucleic acid molecules of the present invention are also valuable for chromosome identification. The sequence is specifically targeted to and can hybridize with a particular location on an individual human chromosome. The mapping of DNAs to chromosomes according to the present invention is an important first step in correlating those sequences with genes associated with disease.

[0078] In certain preferred embodiments in this regard, the cDNA herein disclosed is used to clone genomic DNA of SNEPa, SNEPb or SNEPc polypeptides gene. This can be accomplished using a variety of well known techniques and libraries, which generally are available commercially. The genomic DNA then is used for *in situ* chromosome mapping using well known techniques for this purpose.

[0079] In addition, in some cases, sequences can be mapped to chromosomes by preparing PCR primers (preferably 15-25 bp) from the cDNA. Computer analysis of the 3' untranslated region of the gene is used to rapidly select primers that do not span more than one exon in the genomic DNA, thus complicating the amplification process. These primers are then used for PCR screening of somatic cell hybrids containing individual human chromosomes.

[0080] Fluorescence *in situ* hybridization ("FISH") of a cDNA clone to a metaphase chromosomal spread can be used to provide a precise chromosomal location in one step. This technique can be used with probes from the cDNA as short as 50 or 60 bp. For a review of this technique, see Verma et al., Human Chromosomes: A Manual Of Basic Techniques, Pergamon Press, New York (1988).

[0081] Once a sequence has been mapped to a precise chromosomal location, the physical position of the sequence on the chromosome can be correlated with genetic map data. Such data are found, for example, in V. McKusick, Mendelian Inheritance In Man, available on-line through Johns Hopkins University, Welch Medical Library. The relationship between genes and diseases that have been mapped to the same chromosomal region are then identified through linkage analysis (coinheritance of physically adjacent genes).

[0082] Next, it is necessary to determine the differences in the cDNA or genomic sequence between affected and unaffected individuals. If a mutation is observed in some or all of the affected individuals but not in any normal individuals, then the mutation is likely to be the causative agent of the disease.

[0083] Having generally described the invention, the same will be more readily understood by reference to the following examples, which are provided by way of illustration and are not intended as limiting.

Antibodies

[0084] The polypeptides of the invention or their fragments or analogs thereof, or cells expressing them can also be used as immunogens to produce antibodies immunospecific for SNEPa, SNEPb or SNEPc polypeptides. The term "immunospecific" means that the antibodies have substantially greater affinity for the polypeptides of the invention than their affinity for other related polypeptides in the prior art.

[0085] Antibodies generated against SNEPa, SNEPb or SNEPc polypeptides can be obtained by administering the polypeptides or epitope-bearing fragments, analogs or cells to an animal, preferably a nonhuman, using routine protocols. For preparation of monoclonal antibodies, any technique which provides antibodies produced by continuous cell line cultures can be used. Examples include the hybridoma technique (Kohler, G. and Milstein, C., Nature (1975) 256:495-497), the trioma technique, the human B-cell hybridoma technique (Kozbor et al., Immunology Today (1983) 4:72) and the EBV-hybridoma technique (Cole et al., MONOCLONAL ANTIBODIES AND CANCER THERAPY, pp. 77-96, Alan R. Liss, Inc., 1985).

[0086] Techniques for the production of single chain antibodies (U.S. Patent No. 4,946,778) can also be adapted to produce single chain antibodies to polypeptides of this invention. Also, transgenic mice, or other organisms including other mammals, may be used to express humanized antibodies.

[0087] Non-limiting examples of polypeptides or peptides that can be used to generate SNEPa, SNEPb or SNEPc polypeptide-specific antibodies include: a polypeptide comprising amino acid residues from about 1 to about 28 of SEQ ID NO : 2; a polypeptide comprising amino acid residues from about 48 to about 61 of SEQ ID NO : 2; a polypeptide comprising amino acid residues from about 67 to about 94 of SEQ ID NO : 2; a polypeptide comprising amino acid residues from about 104 to about 117 of SEQ ID NO : 2; a polypeptide comprising amino acid residues from about 128 to about 148 of SEQ ID NO : 2; a polypeptide comprising amino acid residues from about 156 to about 172 of SEQ ID NO : 2; a polypeptide comprising amino acid residues from about 175 to about 187 of SEQ ID NO : 2; a polypeptide comprising amino acid residues from about 205 to about 233 of SEQ ID NO : 2; a polypeptide comprising amino acid residues from about 255 to about 276 of SEQ ID NO : 2; a polypeptide comprising amino acid residues from about 288 to about 308 of SEQ ID NO : 2; a polypeptide comprising amino acid residues from about 336 to about 351 of SEQ ID NO : 2; a polypeptide comprising amino acid residues from about 404 to about 427 of SEQ ID NO : 2; a polypeptide comprising amino acid residues from about 444 to about 451 of SEQ ID NO : 2; a polypeptide comprising amino acid residues from about 459 to about 477 of SEQ ID NO : 2; a polypeptide comprising amino acid residues from about 487 to about 511 of SEQ ID NO : 2; a polypeptide comprising amino acid residues from about 514 to about 537 of SEQ ID NO : 2; a polypeptide comprising amino acid residues from about 551 to about 562 of SEQ ID NO : 2; a polypeptide comprising amino acid residues from about 575 to about 582 of SEQ ID NO : 2; a polypeptide comprising amino acid residues from about 617 to about 632 of SEQ ID NO : 2; a polypeptide comprising amino acid residues from about 644 to about 671 of SEQ ID NO : 2; a polypeptide comprising amino acid residues from about 677 to about 689 of SEQ ID NO : 2; a polypeptide comprising amino acid residues from about 697 to about 711 of SEQ ID NO : 2; a polypeptide comprising amino acid residues from about 726 to about 749 of SEQ ID NO : 2; a polypeptide comprising amino acid residues from about 764 to about 779 of SEQ ID NO : 2; and a polypeptide comprising amino acid residues from about 214 to about 230 of SEQ ID NO : 6. As indicated above, the inventors have determined that the above polypeptide fragments are antigenic regions of SNEPa, SNEPb or SNEPc polypeptides.

[0088] The above-mentioned antibodies may be employed to isolate or to identify clones expressing the polypeptide or to purify the polypeptides by affinity chromatography.

[0089] Antibodies against SNEPa, SNEPb or SNEPc polypeptides may also be employed to treat, among others, patients with neuronal diseases, renal diseases, stroke, cardiovascular diseases, hepatic diseases, hypertensive disease, pancreatic diseases, respiratory diseases, inflammation, pain, cancer, in modulating drug maturation and/or degradation from brain or kidney or another organ or to treat any disorder related to abnormal expression of said SNEPa, SNEPb or SNEPc polypeptides.

Vaccines

[0090] Another aspect of the invention relates to a method for inducing an immunological response in a mammal which comprises inoculating the mammal with SNEPa, SNEPb or SNEPc polypeptides, or a fragment thereof, adequate to produce antibody and/or T cell immune response to protect said animal from, among others, patients with neuronal diseases, renal diseases, stroke, cardiovascular diseases, hepatic diseases, hypertensive disease, pancreatic diseases, respiratory diseases, inflammation, pain, cancer, in modulating drug maturation and/or degradation from brain or kidney or another organ or to treat any disorder related to abnormal expression of said SNEPa, SNEPb or SNEPc polypeptides.

[0091] Yet another aspect of the invention relates to a method of inducing immunological response in a mammal which comprises, delivering SNEPa, SNEPb or SNEPc polypeptides via a vector directing expression of SNEPa,

SNEPb or SNEPc polynucleotides in vivo in order to induce such an immunological response to produce antibody to protect said animal from diseases.

[0092] Further aspect of the invention relates to an immunological/vaccine formulation (composition) which, when introduced into a mammalian host, induces an immunological response in that mammal to SNEPa, SNEPb or SNEPc polypeptides wherein the composition comprises SNEPa, SNEPb or SNEPc polypeptides or SNEP gene. The vaccine formulation may further comprise a suitable carrier. Since SNEPa, SNEPb or SNEPc polypeptides may be broken down in the stomach, it is preferably administered parenterally (including subcutaneous, intramuscular, intravenous or intradermal injection). Formulations suitable for parenteral administration include aqueous and non-aqueous sterile injection solutions which may contain anti-oxidants, buffers, bacteriostats and solutes which render the formulation isotonic with the blood of the recipient; and aqueous and non-aqueous sterile suspensions which may include suspending agents or thickening agents. The formulations may be presented in unit-dose or multi-dose containers, for example, sealed ampoules and vials and may be stored in a freeze-dried condition requiring only the addition of the sterile liquid carrier immediately prior to use. The vaccine formulation may also include adjuvant systems for enhancing the immunogenicity of the formulation, such as oil-in water systems and other systems known in the art. The dosage will depend on the specific activity of the vaccine and can be readily determined by routine experimentation.

Screening Assays

[0093] SNEPa, SNEPb or SNEPc polypeptides of the present invention may be employed in a screening process for compounds which bind the peptidase and which activate (activators) or inhibit activation (inhibitors) of the enzyme polypeptides of the present invention. Thus, polypeptides of the invention may also be used to assess the enzymatic cleavage of small molecule substrates in, for example, cells, cell-free preparations, chemical libraries, and natural product mixtures. These substrates may be natural substrates or may be structural or functional mimetics. See Coligan et al., Current Protocols in Immunology 1 (2):Chapter 5 (1991).

[0094] SNEPa, SNEPb or SNEPc polypeptides may be responsible for many biological functions, including many pathologies. Accordingly, it is desirous to find compounds and drugs which stimulate SNEPa, SNEPb or SNEPc on the one hand or which can inhibit the function of SNEPa, SNEPb or SNEPc on the other hand. In general, activators are employed for therapeutic and prophylactic purposes for such conditions as, among others to treat patients with brain disorders, renal disorders, pain, hypertensive disease, stroke, cardiac diseases, pancreatic disease, respiratory disease, cancer and pain, in modulating peptide maturation and/or degradation from brain or kidney or another organ or to treat any disorder related to abnormal expression of said SNEPa, SNEPb or SNEPc polypeptides.

[0095] Inhibitors may be employed for a variety of therapeutic and prophylactic purposes for such conditions as, among others, brain disorders, renal disorders, hypertensive disease, stroke, cardiac diseases, pancreatic disease, respiratory disease, cancer and pain, in modulating peptide maturation and/or degradation from brain or kidney or another organ or to treat any disorder related to abnormal expression of said SNEPa, SNEPb or SNEPc polypeptide.

[0096] In general, such screening procedures involve producing appropriate cells which express the enzyme polypeptide of the present invention on the surface thereof. Such cells include cells from mammals, yeast, Drosophila or E. coli. Cells expressing the enzyme (or cell membrane containing the expressed enzyme) are then contacted with a test compound to observe maturation and/or degradation of substrates, or stimulation or inhibition of a functional response.

[0097] The assays may simply test binding or enzymatic degradation of a candidate compound wherein adherence to the cells bearing the enzyme is detected by means of a label directly or indirectly associated with the candidate compound or in an assay involving competition with a labeled competitor. Further, these assays may test whether the candidate compound results in a signal generated by activation of the enzyme, using detection systems appropriate to the cells bearing the enzyme at their surfaces. Inhibitors of activation are generally assayed in the presence of a known substrate and the effect on activation by the substrate by the presence of the candidate compound is observed. Standard methods for conducting such screening assays are well understood in the art.

[0098] Examples of potential SNEPa, SNEPb or SNEPc inhibitors include drugs, antibodies or, in some cases, oligonucleotides or proteins which are closely related to the substrate of SNEPa, SNEPb or SNEPc, e.g., a fragment of the substrate, or small molecules which bind to the enzymes but do not elicit a response, so that the activity of the enzymes is prevented.

Prophylactic and Therapeutic Methods

[0099] The invention provides methods of treating abnormal conditions related to both an excess of and insufficient amounts of SNEPa, SNEPb or SNEPc activity.

[0100] If the activity of SNEPa, SNEPb or SNEPc is in excess, several approaches are available. One approach comprises administering to a subject an inhibitor compound as hereinabove described along with a pharmaceutically acceptable carrier in an amount effective to inhibit activation by blocking binding of substrate to SNEPa, SNEPb or

SNEPc, or by inhibiting a catalytic event, and thereby alleviating the abnormal condition.

[0101] In another approach, soluble forms of SNEPa, SNEPb or SNEPc polypeptides still capable of binding and/or degrading the substrate in competition with endogenous SNEPa, SNEPb or SNEPc may be administered. Typical embodiments of such competitors comprise fragments of SNEPa, SNEPb or SNEPc polypeptides.

5 [0102] In still another approach, expression of the gene encoding endogenous SNEPa, SNEPb or SNEPc can be inhibited using expression blocking techniques. Known such techniques involve the use of antisense sequences, either internally generated or separately administered. See, for example, O'Connor, J Neurochem (1991) 56:560 in Oligodeoxynucleotides as Antisense Inhibitors of Gene Expression, CRC Press, Boca Raton, FL (1988). Alternatively, oligonucleotides which form triple helices with the gene can be supplied. See, for example, Lee et al., Nucleic Acids Res
10 (1979) 6:3073; Cooney et al., Science (1988) 241:456; Dervan et al., Science (1991) 251:1360. These oligomers can be administered per se or the relevant oligomers can be expressed in vivo.

[0103] For treating abnormal conditions related to an under-expression of SNEPa, SNEPb or SNEPc and their activity, several approaches are also available. One approach comprises administering to a subject a therapeutically effective amount of a compound which activates SNEPa, SNEPb or SNEPc, i.e., an activator as described above; in combination
15 with a pharmaceutically acceptable carrier, to thereby alleviate the abnormal condition. In another approach, soluble forms of SNEPa, SNEPb or SNEPc polypeptides still capable of binding and/or degrading the substrate in competition with endogenous SNEPa, SNEPb or SNEPc may be administered. Typical embodiments of such competitors comprise fragments of SNEPa, SNEPb or SNEPc polypeptides. Alternatively, gene therapy may be employed to effect the endogenous production of SNEPa, SNEPb or SNEPc by the relevant cells in the subject. For example, a polynucleotide
20 of the invention may be engineered for expression in a replication defective retroviral vector, as discussed above. The retroviral expression construct may then be isolated and introduced into a packaging cell transduced with a retroviral plasmid vector containing RNA encoding a polypeptide of the present invention such that the packaging cell now produces infectious viral particles containing the gene of interest. These producer cells may be administered to a subject for engineering cells in vivo and expression of the polypeptide in vivo. For overview of gene therapy, see Chapter
25 20, Gene Therapy and other Molecular Genetic-based Therapeutic Approaches, (and references cited therein) in Human Molecular Genetics, T Strachan and A P Read, BIOS Scientific Publishers Ltd (1996).

Formulation and administration.

30 [0104] Peptides, such as the soluble form of SNEPa, SNEPb or SNEPc polypeptides, and activator and inhibitor peptides or small molecules, may be formulated in combination with a suitable pharmaceutical carrier. Such formulations comprise a therapeutically effective amount of the polypeptide or compound, and a pharmaceutically acceptable carrier or excipient. Such carriers include but are not limited to, saline, buffered saline, dextrose, water, glycerol, ethanol, and combinations thereof. Formulation should suit the mode of administration, and is well within the skill of the art. The
35 invention further relates to pharmaceutical packs and kits comprising one or more containers filled with one or more of the ingredients of the aforementioned compositions of the invention.

[0105] Polypeptides and other compounds of the present invention may be employed alone or in conjunction with other compounds, such as therapeutic compounds.

40 [0106] Preferred forms of systemic administration of the pharmaceutical compositions include injection, typically by intravenous injection. Other injection routes, such as subcutaneous, intramuscular, or intraperitoneal, can be used. Alternative means for systemic administration include transmucosal and transdermal administration using penetrants such as bile salts or fusidic acids or other detergents. In addition, if properly formulated in enteric or encapsulated formulations, oral administration may also be possible. Administration of these compounds may also be topical and/or localized, in the form of salves, pastes, gels and the like.

45 [0107] The dosage range required depends on the choice of peptide, the route of administration, the nature of the formulation, the nature of the subject's condition, and the judgment of the attending practitioner. Suitable dosages, however, are in the range of 0.1-100 mg/kg of subject. Wide variations in the needed dosage, however, are to be expected in view of the variety of compounds available and the differing efficiencies of various routes of administration. For example, oral administration would be expected to require higher dosages than administration by intravenous
50 injection. Variations in these dosage levels can be adjusted using standard empirical routines for optimization, as is well understood in the art.

[0108] Polypeptides used in treatment can also be generated endogenously in the subject, in treatment modalities often referred to as "gene therapy" as described above. Thus, for example, cells from a subject may be engineered with a polynucleotide, such as a DNA or RNA, to encode a polypeptide ex vivo, and for example, by the use of a
55 retroviral plasmid vector. The cells are then introduced into the subject.

Examples

[0109] The examples below are carried out using standard techniques, which are well known and routine to those of skill in the art, except where otherwise described in detail. The examples illustrate, but do not limit the invention.

Example 1

Cloning the human membrane metallopeptidase variants.

[0110] The sequence of the SNEP was first identified by searching in a private database containing over 2 million human ESTs, which was generated using high throughput automated DNA sequence analysis of randomly selected human cDNA clones (Adams, M.D. et al., Nature 377:3-174 (1995); Adams, M.D. et al., Nature 355:632-634 (1992); and Adams, M.D. et al., Science 252:1651-1656 (1991)). Sequence homology comparisons of each EST were performed against the GenBank database using the blastn and tblastn algorithms (Altschul, S.F. et al., J. Mol. Biol. 215: 403-410 (1990)). A specific homology search using the known human NEP-24.11 amino acid sequence against this human EST database revealed one EST, named HGS459814, from a human adult small intestine cDNA library, with approximately 61.2% similarity to the human NEP-24.11. This EST clone, HGS459814, contains an insert of 1.15 kb and the sequence comparison suggested that it contained a partial region of the C-terminal part of the open reading frame of a new metallopeptidase belonging to the neprilysin family (M13) (Rawling N.D. and Barrett A.J. (1993) Biochem.J., 290:205-218). In order to amplify the missing N-terminal part of the SNEP coding region, 5'RACE experiments were performed using human kidney and human total brain Marathon-ready cDNAs (Clontech Inc.) as template and a KlenTaq DNA polymerase (Clontech Inc.).

[0111] A first amplification product of 1.1 Kb was cloned into pT-Adv vector (Clontech Inc.) and sequenced to verify its specificity. Based on this new sequence, a second round of 5'RACE experiments was performed as described above to generate amplification products of 1 kb which were sequenced. Using the sequences thus obtained, a new PCR experiment using Pfu DNA polymerase (Stratagene Inc.) was performed to amplify the entire SNEP coding sequence. Several PCR products ranging from 2.5 to 2.6 kb were generated and sequenced. Sequencing of several cDNAs showed the existence of at least three variants as indicated in SEQ ID NO : 1, SEQ ID NO : 3 and SEQ ID NO : 5. These variants were called SNEPa, SNEPb and SNEPc. These cDNAs were inserted into the *EcoRV*/*NotI* restriction sites of the expression vector pcDNA3 (Invitrogen, Inc). The constructs were named pcDNA3/SNEPa, pcDNA3/SNEPb and pcDNA3/SNEPc.

[0112] These sequences were confirmed by double strand DNA sequencing and the cDNAs were shown to be completely new by a blast search against Genbank release 111.

Example 2

Cloning and Expression of SNEPa, SNEPb and SNEPc in Mammalian Cells.

[0113] A typical mammalian expression vector contains the promoter element, which mediates the initiation of transcription of mRNA, the protein coding sequence, and signals required for the termination of transcription and polyadenylation of the transcript. Additional elements include enhancers, Kozak sequences and intervening sequences flanked by donor and acceptor sites for RNA splicing. Highly efficient transcription can be achieved with the early and late promoters from SV40, the long terminal repeats (LTRS) from Retroviruses, e.g., RSV, HTLV, HIV and the early promoter of the cytomegalovirus (CMV). However, cellular elements can also be used (e.g., the human actin promoter). Suitable expression vectors for use in practicing the present invention include, for example, vectors such as PSVL and PMSG (Pharmacia, Uppsala, Sweden), pRSVcat (ATCC 37152), pSV2dhfr (ATCC 37146) and pBC12MI (ATCC 67109) and pcDNA3(-) (Invitrogen). Mammalian host cells that could be used include, human Hela, HEK 293, H9 and Jurkat cells, mouse NIH3T3 and C127 cells, Cos 1, Cos 7 and CV 1, quail QC1-3 cells, mouse L cells and Chinese hamster ovary (CHO) cells.

[0114] Alternatively, the gene can be expressed in stable cell lines that contain the gene integrated into a chromosome. The co-transfection with a selectable marker such as dhfr, gpt, neomycin, zeocin or hygromycin allows the identification and isolation of the transfected cells.

[0115] The transfected gene can also be amplified to express large amounts of the encoded protein. The DHFR (dihydrofolate reductase) marker is useful to develop cell lines that carry several hundred or even several thousand copies of the gene of interest. Another useful selection marker is the enzyme glutamine synthase (GS) (Murphy et al., Biochem. J. 227:277-279 (1991); Bebbington et al., Bio/Technology 10:169-175 (1992)). Using these markers, the mammalian cells are grown in selective medium and the cells with the highest resistance are selected. These cell lines contain the amplified gene(s) integrated into a chromosome. Chinese hamster ovary (CHO) and NSO cells are often

EP 1 069 188 A1

used for the production of proteins.

[0116] The expression vector pcDNA3(-) contains the strong promoter (CMV) of the Cytomegalovirus. Multiple cloning sites, e.g., with the restriction enzyme cleavage sites EcoRV and NotI, facilitate the cloning of the gene of interest. The vectors contain in addition the 3' intron, the polyadenylation and termination signal of the bovine growth hormone gene.

Example 2(a)

Cloning and Expression in COS Cells.

[0117] The expression plasmids pcDNA3/SNEPa, pcDNA3/SNEPb or pcDNA3/SNEPc are made by cloning a cDNA encoding SNEPa to c into the expression vector pcDNA3(-) (which can be obtained from Invitrogen, Inc.).

[0118] The expression vector pcDNA3(-) contains: (1) an E. coli origin of replication effective for propagation in E. coli and other prokaryotic cells; (2) an ampicillin resistance gene for selection of plasmid-containing prokaryotic cells; (3) an SV40 origin of replication for propagation in eukaryotic cells; (4) a CMV promoter, a polylinker; (5) a polyadenylation from the bovine growth hormone gene arranged so that a cDNA can be conveniently placed under expression control of the CMV promoter and operably linked to the polyadenylation signal by means of restriction sites in the polylinker. pcDNA3(-) contains, in addition, the selectable neomycin marker.

[0119] A DNA fragment encoding the SNEPa or SNEPb or SNEPc polypeptide is cloned into the polylinker region of the vector so that recombinant protein expression is directed by the CMV promoter. The plasmid construction strategy is as follows. The SNEPa or SNEPb or SNEPc cDNA is first cloned in the pBluescript vector (Stratagene), it is then excised from the pBluescript vector with EcoRV and NotI. The vector, pcDNA3(-), is digested with EcoRV and NotI. The digested SNEPa or SNEPb or SNEPc cDNA fragment and the linearized vector are then ligated. The ligation mixture is transformed into E. coli strain DH5alpha (available from GIBCO BRL), and the transformed culture is plated on ampicillin media plates which then are incubated to allow growth of ampicillin resistant colonies. Plasmid DNA is isolated from resistant colonies and examined by restriction analysis or other means for the presence of the SNEP-encoding fragment.

[0120] For expression of recombinant SNEPa or SNEPb or SNEPc polypeptides, COS cells are transfected with the above described pcDNA3/SNEPa, pcDNA3/SNEPb or pcDNA3/SNEPc expression vectors, using DEAE-Dextran, as described, for instance, in Sambrook et al., Molecular Cloning: a Laboratory Manual, Cold Spring Laboratory Press, Cold Spring Harbor, New York (1989), or lipofectamine (available from GIBCO BRL). Cells are incubated under conditions for expression of SNEPa, SNEPb or SNEPc by the cells.

Example 2(b)

Cloning and Expression in HEK293 Cells.

[0121] The vectors pcDNA3/SNEPa, pcDNA3/SNEPb or pcDNA3/SNEPc are used for the expression of SNEPa, SNEPb or SNEPc proteins. Plasmids pcDNA3/SNEPa, pcDNA3/SNEPb or pcDNA3/SNEPc are described in examples 1 and 2. The plasmids contain the mouse neomycin resistance gene under control of the SV40 early promoter. HEK293 Cells transfected with these plasmids can be selected by growing the cells in a selective medium (containing 1 mg/ml Geneticin, Life Technologies). Cells grown in presence of 1 mg/ml concentrations of Geneticin develop resistance to the drug by producing the target enzyme, Neomycin Resistance. If a second gene is linked to the Neomycin Resistance gene, it is usually co-expressed. It is known in the art that this approach may be used to develop cell lines expressing large amounts of the protein of interest, up to 1 pmole per mg of cell membrane in the case of a receptor. Subsequently, when the Geneticin is withdrawn, cell lines are obtained which contain the amplified gene integrated into one or more chromosome(s) of the host cell.

[0122] Clontech's Tet-Off and Tet-On gene expression systems and similar systems can be used to express SNEPa, SNEPb or SNEPc in a regulated way in mammalian cells (Gossen, M. and Bujard, H., Proc. Natl. Acad. Sci. USA 89: 5547-5551 (1992)). For the polyadenylation of the mRNA, other signals, e.g., from the human growth hormone or globin genes can be used as well. Stable cell lines carrying a gene of interest integrated into the chromosomes can also be selected upon co-transfection with a selectable marker such as gpt, G418 or hygromycin.

[0123] HEK293 cells are used for transfection. 20 µg of the expression plasmid pcDNA3/SNEPa, pcDNA3/SNEPb or pcDNA3/SNEPc are transfected using calcium phosphate (Chen C, Okayama H, (1987) Mol. Cell. Biol.; 7: 2745-2752.). The plasmid pcDNA3(-) contains a dominant selectable marker, the neomycin resistance gene from Tn5 encoding an enzyme that confers resistance to a group of antibiotics including Geneticin. The cells are seeded in MEM supplemented with 1 mg/ml Geneticin. After 2 days, the cells are trypsinized and seeded in cloning plates in MEM supplemented with 1 mg/ml Geneticin. After about 10-14 days, single clones are trypsinized and then seeded in Swell

EP 1 069 188 A1

petri dishes or 10 ml flasks. Growing clones are then transferred to new 6-well plates. Expression of the desired gene product is analyzed, for instance, by Northern blot.

Example 3

5

Tissue distribution of SNEP variants mRNA expression.

10

[0124] Northern blot analysis can be carried out to examine SNEP gene expression in human tissues, using methods described by, among others, Sambrook et al., cited above. A cDNA probe containing the entire or a fraction of nucleotide sequence of the SNEPa, SNEPb or SNEPc proteins (SEQ ID NO : 1, SEQ IN NO : 3 or SEQ ID NO : 5) can be labeled with ³²P using the Megaprime DNA labeling system (Amersham Life Science), according to manufacturer's instructions. After labeling, the probe can be purified using a CHROMA SPIN-200 column (Clontech Laboratories, Inc.), according to manufacturer's protocol. The purified labeled probe is then used to examine various human tissues for SNEP variants mRNA expression.

15

[0125] Multiple Tissue Northern (MTN) blots containing various human tissues can be obtained from Clontech and examined with the labeled probe using ExpressHyb hybridization solution (Clontech) according to manufacturer's instructions. Following hybridization and washing, the blots can be mounted and exposed to film at -70°C overnight, and films developed according to standard procedures.

20

[0126] Using such methodologies, SNEP mRNAs were found in several regions such as brain areas, kidney, heart, lung, prostate, and pancreas.

[0127] It will be dear that the invention may be practiced otherwise than as particularly described in the foregoing description and examples.

[0128] Numerous modifications and variations of the present invention are possible in light of the above teachings and, therefore, are within the scope of the appended claims.

25

[0129] The entire disclosure of all publications (including patents, patent applications, journal articles, laboratory manuals, books, or other documents) cited herein are incorporated by reference.

30

35

40

45

50

55

EP 1 069 188 A1

SEQUENCE LISTING

<110> SANOFI-SYNTHELABO

5 <120> THREE MEMBRANE METALLOPEPTIDASES, THEIR ISOLATION AND USE

<130> snep

<140>

10 <141>

<160> 6

<170> PatentIn Ver. 2.1

<210> 1

15 <211> 2714

<212> DNA

<213> Homo sapiens

<220>

<221> CDS

20 <222> (8)..(2347)

<220>

<221> 3'UTR

<222> (2348)..(2713)

<220>

25 <221> 5'UTR

<222> (1)..(7)

<400> 1

ctgctg atg ggg aag tcc gaa ggc ccc gtg ggg atg gtg gag agc gct 49
Met Gly Lys Ser Glu Gly Pro Val Gly Met Val Glu Ser Ala
1 5 10

30 ggc cgt gca ggg cag aag cgc ccg ggg ttc ctg gag ggg ggg ctg ctg 97
Gly Arg Ala Gly Gln Lys Arg Pro Gly Phe Leu Glu Gly Gly Leu Leu
15 20 25 30

ctg ctg ctg ctg ctg gtg acc gct gcc ctg gtg gcc ttg ggt gtc ctc 145
Leu Leu Leu Leu Leu Val Thr Ala Ala Leu Val Ala Leu Gly Val Leu
35 40 45

35 tac gcc gac cgc aga ggg aag cag ctg cca cgc ctt gct agc cgg ctg 193
Tyr Ala Asp Arg Arg Gly Lys Gln Leu Pro Arg Leu Ala Ser Arg Leu
50 55 60

tgc ttc tta cag gag gag agg acc ttt gta aaa cga aaa ccc cga ggg 241
Cys Phe Leu Gln Glu Glu Arg Thr Phe Val Lys Arg Lys Pro Arg Gly
40 65 70 75

atc cca gag gcc caa gag gtg agc gag gtc tgc acc acc cct ggc tgc 289
Ile Pro Glu Ala Gln Glu Val Ser Glu Val Cys Thr Thr Pro Gly Cys
80 85 90

45 gtg ata gca gct gcc agg atc ctc cag aac atg gac ccg acc acg gaa 337
Val Ile Ala Ala Ala Arg Ile Leu Gln Asn Met Asp Pro Thr Thr Glu
95 100 105 110

ccg tgt gac gac ttc tac cag ttt gca tgc gga ggc tgg ctg cgg cgc 385
Pro Cys Asp Asp Phe Tyr Gln Phe Ala Cys Gly Gly Trp Leu Arg Arg
115 120 125

50 cac gtg atc cct gag acc aac tca aga tac agc atc ttt gac gtc ctc 433
His Val Ile Pro Glu Thr Asn Ser Arg Tyr Ser Ile Phe Asp Val Leu
130 135 140

cgc gac gag ctg gag gtc atc ctc aaa cgc gtg ctg gag aat tgc act 481
Arg Asp Glu Leu Glu Val Ile Leu Lys Ala Val Leu Glu Asn Ser Thr
55

EP 1 069 188 A1

	145	150	155	
5	gcc aag gac cgg ccg gct gtg gag aag gcc agg acg ctg tac cgc tcc Ala Lys Asp Arg Pro Ala Val Glu Lys Ala Arg Thr Leu Tyr Arg Ser 160 165 170			529
	tgc atg aac cag agt gtg ata gag aag cga ggc tct cag ccc ctg ctg Cys Met Asn Gln Ser Val Ile Glu Lys Arg Gly Ser Gln Pro Leu Leu 175 180 185 190			577
10	gac atc ttg gag gtg gtg gga ggc tgg ccg gtg gcg atg gac agg tgg Asp Ile Leu Glu Val Val Gly Gly Trp Pro Val Ala Met Asp Arg Trp 195 200 205			625
	aac gag acc gta gga ctc gag tgg gag ctg gag cgg cag ctg gcg ctg Asn Glu Thr Val Gly Leu Glu Trp Glu Leu Glu Arg Gln Leu Ala Leu 210 215 220			673
15	atg aac tca cag ttc aac agg cgc gtc ctc atc gac ctc ttc atc tgg Met Asn Ser Gln Phe Asn Arg Val Leu Ile Asp Leu Phe Ile Trp 225 230 235			721
20	aac gac gac cag aac tcc agc cgg cac atc atc tac ata gac cag ccc Asn Asp Asp Gln Asn Ser Ser Arg His Ile Ile Tyr Ile Asp Gln Pro 240 245 250			769
	acc ttg ggc atg ccc tcc cga gag tac tac ttc aac ggc ggc agc aac Thr Leu Gly Met Pro Ser Arg Glu Tyr Tyr Phe Asn Gly Gly Ser Asn 255 260 265 270			817
25	cgg aag gtg cgg gaa gcc tac ctg cag ttc atg gtg tca gtg gcc acg Arg Lys Val Arg Glu Ala Tyr Leu Gln Phe Met Val Ser Val Ala Thr 275 280 285			865
	ttg ctg cgg gag gat gca aac ctg ccc agg gac agc tgc ctg gtg cag Leu Leu Arg Glu Asp Ala Asn Leu Pro Arg Asp Ser Cys Leu Val Gln 290 295 300			913
30	gag gac atg gtg cag gtg ctg gag ctg gag aca cag ctg gcc aag gcc Glu Asp Met Val Gln Val Leu Glu Leu Glu Thr Gln Leu Ala Lys Ala 305 310 315			961
35	acg gta ccc cag gag gag aga cac gac gtc atc gcc ttg tac cac cgg Thr Val Pro Gln Glu Glu Arg His Asp Val Ile Ala Leu Tyr His Arg 320 325 330			1009
	atg gga ctg gag gag ctg caa agc cag ttt ggc ctg aag gga ttt gac Met Gly Leu Glu Glu Leu Gln Ser Gln Phe Gly Leu Lys Gly Phe Asp 335 340 345 350			1057
40	tgg act ctg ttc ata caa act gtg cta tcc tct gtc aaa atc aag ctg Trp Thr Leu Phe Ile Gln Thr Val Leu Ser Ser Val Lys Ile Lys Leu 355 360 365			1105
	ctg cca gat gag gaa gtg gtg gtc tat ggc atc ccc tac ctg cag aac Leu Pro Asp Glu Glu Val Val Val Tyr Gly Ile Pro Tyr Leu Gln Asn 370 375 380			1153
45	ctt gaa aac atc atc gac acc tac tca gcc agg acc ata cag aac tac Leu Glu Asn Ile Ile Asp Thr Tyr Ser Ala Arg Thr Ile Gln Asn Tyr 385 390 395			1201
50	ctg gtc tgg cgc ctg gtg ctg gac cgc att ggt agc cta agc cag aga Leu Val Trp Arg Leu Val Leu Asp Arg Ile Gly Ser Leu Ser Gln Arg 400 405 410			1249
	ttc aag gac aca cga gtg aac tac cgc aag gcg ctg ttt ggc aca atg Phe Lys Asp Thr Arg Val Asn Tyr Arg Lys Ala Leu Phe Gly Thr Met 415 420 425 430			1297
55	gtg gag gag gtg cgc tgg cgt gaa tgt gtg ggc tac gtc aac agc aac Val Glu Glu Val Arg Trp Arg Glu Cys Val Gly Tyr Val Asn Ser Asn			1345

EP 1 069 188 A1

	435	440	445	
5	atg gag aac gcc gtg ggc tcc ctc tac gtc agg gag gcg ttc cct gga Met Glu Asn Ala Val Gly Ser Leu Tyr Val Arg Glu Ala Phe Pro Gly 450 455 460			1393
	gac agc aag agc atg gtc aga gaa ctc att gac aag gtg cgg aca gtg Asp Ser Lys Ser Met Val Arg Glu Leu Ile Asp Lys Val Arg Thr Val 465 470 475			1441
10	ttt gtg gag acg ctg gac gag ctg ggc tgg atg gac gag gag tcc aag Phe Val Glu Thr Leu Asp Glu Leu Gly Trp Met Asp Glu Glu Ser Lys 480 485 490			1489
15	aag aag gcg cag gag aag gcc atg agc atc cgg gag cag atc ggg cac Lys Lys Ala Gln Glu Lys Ala Met Ser Ile Arg Glu Gln Ile Gly His 495 500 505			1537
	cct gac tac atc ctg gag gag acg aac agg cgc ctg gac gag gag tac Pro Asp Tyr Ile Leu Glu Glu Thr Asn Arg Arg Leu Asp Glu Glu Tyr 515 520 525			1585
20	tcc aat ctg aac ttc tca gag gac ctg tac ttt gag aac agt ctg cag Ser Asn Leu Asn Phe Ser Glu Asp Leu Tyr Phe Glu Asn Ser Leu Gln 530 535 540			1633
	aac ctc aag gtg ggc gcc cag cgg agc ctc agg aag ctt cgg gaa aag Asn Leu Lys Val Gly Ala Gln Arg Ser Leu Arg Lys Leu Arg Glu Lys 545 550 555			1681
25	gtg gac cca aat ctc tgg atc atc ggg gcg gcg gtg gtc aat gcg ttc Val Asp Pro Asn Leu Trp Ile Ile Gly Ala Ala Val Val Asn Ala Phe 560 565 570			1729
	tac tcc cca aac cga aac cag att gta ttc cct gcc ggg atc ctc cag Tyr Ser Pro Asn Arg Asn Gln Ile Val Phe Pro Ala Gly Ile Leu Gln 575 580 585			1777
30	ccc ccc ttc ttc agc aag gag cag cca cag gcc ttg aac ttt gga ggc Pro Pro Phe Phe Ser Lys Glu Gln Pro Gln Ala Leu Asn Phe Gly Gly 595 600 605			1825
35	att ggg atg gtg atc ggg cac gag atc acg cac ggc ttt gac gac aat Ile Gly Met Val Ile Gly His Glu Ile Thr His Gly Phe Asp Asp Asn 610 615 620			1873
	ggc cgg aac ttc gac aag aat ggc aac atg atg gat tgg tgg agt aac Gly Arg Asn Phe Asp Lys Asn Gly Asn Met Met Asp Trp Trp Ser Asn 625 630 635			1921
40	ttc tcc acc cag cac ttc cgg gag cag tca gag tgc atg atc tac cag Phe Ser Thr Gln His Phe Arg Glu Gln Ser Glu Cys Met Ile Tyr Gln 640 645 650			1969
	tac ggc aac tac tcc tgg gac ctg gca gac gaa cag aac gtg aac gga Tyr Gly Asn Tyr Ser Trp Asp Leu Ala Asp Glu Gln Asn Val Asn Gly 655 660 665 670			2017
45	ttc aac acc ctt ggg gaa aac att gct gac aac gga ggg gtg cgg caa Phe Asn Thr Leu Gly Glu Asn Ile Ala Asp Asn Gly Gly Val Arg Gln 675 680 685			2065
50	gcc tat aag gcc tac ctc aag tgg atg gca gag ggt gcc aag gac cag Ala Tyr Lys Ala Tyr Leu Lys Trp Met Ala Glu Gly Gly Lys Asp Gln 690 695 700			2113
	cag ctg ccc ggc ctg gat ctc acc cat gag cag ctc ttc ttc atc aac Gln Leu Pro Gly Leu Asp Leu Thr His Glu Gln Leu Phe Phe Ile Asn 705 710 715			2161
55	tat gcc cag gtg tgg tgc ggg tcc tac cgg ccc gag ttc gcc atc caa Tyr Ala Gln Val Trp Cys Gly Ser Tyr Arg Pro Glu Phe Ala Ile Gln			2209

EP 1 069 188 A1

720 725 730

5 tcc atc aag aca gac gtc cac agt ccc ctg aag tac agg gta ctg ggg 2257
Ser Ile Lys Thr Asp Val His Ser Pro Leu Lys Tyr Arg Val Leu Gly
735 740 745 750

tcg ctg cag aac ctg gcc gcc ttc gca gac acg ttc cac tgt gcc cgg 2305
Ser Leu Gln Asn Leu Ala Ala Phe Ala Asp Thr Phe His Cys Ala Arg
755 760 765

10 ggc acc ccc atg cac ccc aag gag cga tgc cgc gtg tgg tag 2347
Gly Thr Pro Met His Pro Lys Glu Arg Cys Arg Val Trp
770 775 780

ccaaggccct gccgcgtgt gcggcccccacg cccacctgct gctcggaggc atctgtgcga 2407

15 aggtgcagct agcggcgacc cagtgtacgt cccgccccgg ccaaccatgc caagcctgcc 2467

tgccaggcct ctgcgcctgg cctaggggtgc agccacctgc ctgacaccca gggatgagca 2527

gtgtccagtg cagtacctgg accggagccc cctccacaga caccgcgggg gctcagtgcc 2587

cccgtcacag ctctgtagag acaatcaact gtgtcctgcc caccctccaa ggtgcattgt 2647

20 cttccagtat ctacagcttc agacttgagc taagtaaagc cttcaaagaa aaaaaaaaaa 2707

aaaaaad 2714

<210> 2
<211> 780
<212> PRT
<213> Homo sapiens

25 <400> 2
Met Gly Lys Ser Glu Gly Pro Val Gly Met Val Glu Ser Ala Gly Arg
1 5 10 15

30 Ala Gly Gln Lys Arg Pro Gly Phe Leu Glu Gly Gly Leu Leu Leu Leu
20 25 30

Leu Leu Leu Val Thr Ala Ala Leu Val Ala Leu Gly Val Leu Tyr Ala
35 40 45

35 Asp Arg Arg Gly Lys Gln Leu Pro Arg Leu Ala Ser Arg Leu Cys Phe
50 55 60

Leu Gln Glu Glu Arg Thr Phe Val Lys Arg Lys Pro Arg Gly Ile Pro
65 70 75 80

40 Glu Ala Gln Glu Val Ser Glu Val Cys Thr Thr Pro Gly Cys Val Ile
85 90 95

Ala Ala Ala Arg Ile Leu Gln Asn Met Asp Pro Thr Thr Glu Pro Cys
100 105 110

45 Asp Asp Phe Tyr Gln Phe Ala Cys Gly Gly Trp Leu Arg Arg His Val
115 120 125

Ile Pro Glu Thr Asn Ser Arg Tyr Ser Ile Phe Asp Val Leu Arg Asp
130 135 140

Glu Leu Glu Val Ile Leu Lys Ala Val Leu Glu Asn Ser Thr Ala Lys
145 150 155 160

50 Asp Arg Pro Ala Val Glu Lys Ala Arg Thr Leu Tyr Arg Ser Cys Met
165 170 175

Asn Gln Ser Val Ile Glu Lys Arg Gly Ser Gln Pro Leu Leu Asp Ile
180 185 190

55 Leu Glu Val Val Gly Gly Trp Pro Val Ala Met Asp Arg Trp Asn Glu

EP 1 069 188 A1

	195	200	205
	Thr Val Gly Leu Glu Trp Glu Leu Glu Arg Gln Leu Ala Leu Met Asn		
5	210	215	220
	Ser Gln Phe Asn Arg Arg Val Leu Ile Asp Leu Phe Ile Trp Asn Asp		
	225	230	235
	Asp Gln Asn Ser Ser Arg His Ile Ile Tyr Ile Asp Gln Pro Thr Leu		
		245	250
10	Gly Met Pro Ser Arg Glu Tyr Tyr Phe Asn Gly Gly Ser Asn Arg Lys		
		260	265
	Val Arg Glu Ala Tyr Leu Gln Phe Met Val Ser Val Ala Thr Leu Leu		
		275	280
15	Arg Glu Asp Ala Asn Leu Pro Arg Asp Ser Cys Leu Val Gln Glu Asp		
		295	300
	Met Val Gln Val Leu Glu Leu Glu Thr Gln Leu Ala Lys Ala Thr Val		
		310	315
20	Pro Gln Glu Glu Arg His Asp Val Ile Ala Leu Tyr His Arg Met Gly		
		325	330
	Leu Glu Glu Leu Gln Ser Gln Phe Gly Leu Lys Gly Phe Asp Trp Thr		
		340	345
	Leu Phe Ile Gln Thr Val Leu Ser Ser Val Lys Ile Lys Leu Leu Pro		
		355	360
25	Asp Glu Glu Val Val Val Tyr Gly Ile Pro Tyr Leu Gln Asn Leu Glu		
		375	380
	Asn Ile Ile Asp Thr Tyr Ser Ala Arg Thr Ile Gln Asn Tyr Leu Val		
		390	395
30	Trp Arg Leu Val Leu Asp Arg Ile Gly Ser Leu Ser Gln Arg Phe Lys		
		405	410
	Asp Thr Arg Val Asn Tyr Arg Lys Ala Leu Phe Gly Thr Met Val Glu		
		420	425
35	Glu Val Arg Trp Arg Glu Cys Val Gly Tyr Val Asn Ser Asn Met Glu		
		435	440
	Asn Ala Val Gly Ser Leu Tyr Val Arg Glu Ala Phe Pro Gly Asp Ser		
		450	455
40	Lys Ser Met Val Arg Glu Leu Ile Asp Lys Val Arg Thr Val Phe Val		
		470	475
	Glu Thr Leu Asp Glu Leu Gly Trp Met Asp Glu Glu Ser Lys Lys Lys		
		485	490
45	Ala Gln Glu Lys Ala Met Ser Ile Arg Glu Gln Ile Gly His Pro Asp		
		500	505
	Tyr Ile Leu Glu Glu Thr Asn Arg Arg Leu Asp Glu Glu Tyr Ser Asn		
		515	520
	Leu Asn Phe Ser Glu Asp Leu Tyr Phe Glu Asn Ser Leu Gln Asn Leu		
		530	535
50	Lys Val Gly Ala Gln Arg Ser Leu Arg Lys Leu Arg Glu Lys Val Asp		
		550	555
	Pro Asn Leu Trp Ile Ile Gly Ala Ala Val Val Asn Ala Phe Tyr Ser		
		565	570
55	Pro Asn Arg Asn Gln Ile Val Phe Pro Ala Gly Ile Leu Gln Pro Pro		

EP 1 069 188 A1

		580		585		590	
		Phe Phe Ser Lys Glu Gln Pro Gln Ala Leu Asn Phe Gly Gly Ile Gly					
		595		600		605	
5		Met Val Ile Gly His Glu Ile Thr His Gly Phe Asp Asp Asn Gly Arg					
		610		615		620	
		Asn Phe Asp Lys Asn Gly Asn Met Met Asp Trp Trp Ser Asn Phe Ser					
		625		630		635	640
10		Thr Gln His Phe Arg Glu Gln Ser Glu Cys Met Ile Tyr Gln Tyr Gly					
			645		650		655
		Asn Tyr Ser Trp Asp Leu Ala Asp Glu Gln Asn Val Asn Gly Phe Asn					
			660		665		670
15		Thr Leu Gly Glu Asn Ile Ala Asp Asn Gly Gly Val Arg Gln Ala Tyr					
			675		680		685
		Lys Ala Tyr Leu Lys Trp Met Ala Glu Gly Gly Lys Asp Gln Gln Leu					
			690		695		700
20		Pro Gly Leu Asp Leu Thr His Glu Gln Leu Phe Phe Ile Asn Tyr Ala					
			705		710		715
		Gln Val Trp Cys Gly Ser Tyr Arg Pro Glu Phe Ala Ile Gln Ser Ile					
			725		730		735
		Lys Thr Asp Val His Ser Pro Leu Lys Tyr Arg Val Leu Gly Ser Leu					
			740		745		750
25		Gln Asn Leu Ala Ala Phe Ala Asp Thr Phe His Cys Ala Arg Gly Thr					
			755		760		765
		Pro Met His Pro Lys Glu Arg Cys Arg Val Trp					
			770		775		780
30							
		<210> 3					
		<211> 2636					
		<212> DNA					
		<213> Homo sapiens					
35							
		<220>					
		<221> 5'UTR					
		<222> (1)..(7)					
		<220>					
		<221> CDS					
		<222> (8)..(2269)					
40							
		<220>					
		<221> 3'UTR					
		<222> (2270)..(2635)					
		<400> 3					
45		cctgctg atg ggg aag tcc gaa ggc ccc gtg ggg atg gtg gag agc gct					49
		Met Gly Lys Ser Glu Gly Pro Val Gly Met Val Glu Ser Ala					
		1		5		10	
		ggc cgt gca ggg cag aag cgc ccg ggg ttc ctg gag ggg ggg ctg ctg					97
		Gly Arg Ala Gly Gln Lys Arg Pro Gly Phe Leu Glu Gly Gly Leu Leu					
		15		20		25	30
50		ctg ctg ctg ctg ctg gtg acc gct gcc ctg gtg gcc ttg ggt gtc ctc					145
		Leu Leu Leu Leu Val Thr Ala Ala Leu Val Ala Leu Gly Val Leu					
			35		40		45
		tac gcc gac cgc aga ggg atc cca gag gcc caa gag gtg agc gag gtc					193
		Tyr Ala Asp Arg Arg Gly Ile Pro Glu Ala Gln Glu Val Ser Glu Val					
			50		55		60
55							

EP 1 069 188 A1

	tgc acc acc cct ggc tgc gtg ata gca gct gcc agg atc ctc cag aac	241
	Cys Thr Thr Pro Gly Cys Val Ile Ala Ala Ala Arg Ile Leu Gln Asn	
	65 70 75	
5	atg gac ccg acc acg gaa ccg tgt gac gac ttc tac cag ttt gca tgc	289
	Met Asp Pro Thr Thr Glu Pro Cys Asp Asp Phe Tyr Gln Phe Ala Cys	
	80 85 90	
	gga ggc tgg ctg cgg cgc cac gtg atc cct gag acc aac tca aga tac	337
	Gly Gly Trp Leu Arg Arg His Val Ile Pro Glu Thr Asn Ser Arg Tyr	
10	95 100 105 110	
	agc atc ttt gac gtc ctc cgc gac gag ctg gag gtc atc ctc aaa gcg	385
	Ser Ile Phe Asp Val Leu Arg Asp Glu Leu Glu Val Ile Leu Lys Ala	
	115 120 125	
	gtg ctg gag aat tgc act gcc aag gac cgg ccg gct gtg gag aag gcc	433
	Val Leu Glu Asn Ser Thr Ala Lys Asp Arg Pro Ala Val Glu Lys Ala	
15	130 135 140	
	agg acg ctg tac cgc tcc tgc atg aac cag agt gtg ata gag aag cga	481
	Arg Thr Leu Tyr Arg Ser Cys Met Asn Gln Ser Val Ile Glu Lys Arg	
	145 150 155	
20	ggc tct cag ccc ctg ctg gac atc ttg gag gtg gtg gga ggc tgg ccg	529
	Gly Ser Gln Pro Leu Leu Asp Ile Leu Glu Val Val Gly Gly Trp Pro	
	160 165 170	
	gtg gcg atg gac agg tgg aac gag acc gta gga ctc gag tgg gag ctg	577
	Val Ala Met Asp Arg Trp Asn Glu Thr Val Gly Leu Glu Trp Glu Leu	
25	175 180 185 190	
	gag cgg cag ctg gcg ctg atg aac tca cag ttc aac agg cgc gtc ctc	625
	Glu Arg Gln Leu Ala Leu Met Asn Ser Gln Phe Asn Arg Arg Val Leu	
	195 200 205	
	atc gac ctc ttc atc tgg aac gac gac cag aac tcc agc cgg cac atc	673
	Ile Asp Leu Phe Ile Trp Asn Asp Gln Asn Ser Ser Arg His Ile	
30	210 215 220	
	atc tac ata gac cag ccc acc ttg ggc atg ccc tcc cga gag tac tac	721
	Ile Tyr Ile Asp Gln Pro Thr Leu Gly Met Pro Ser Arg Glu Tyr Tyr	
	225 230 235	
35	ttc aac ggc ggc agc aac cgg aag gtg cgg gaa gcc tac ctg cag ttc	769
	Phe Asn Gly Gly Ser Asn Arg Lys Val Arg Glu Ala Tyr Leu Gln Phe	
	240 245 250	
	atg gtg tca gtg gcc acg ttg ctg cgg gag gat gca aac ctg ccc agg	817
	Met Val Ser Val Ala Thr Leu Leu Arg Glu Asp Ala Asn Leu Pro Arg	
40	255 260 265 270	
	gac agc tgc ctg gtg cag gag gac atg gtg cag gtg ctg gag ctg gag	865
	Asp Ser Cys Leu Val Gln Glu Asp Met Val Gln Val Leu Glu Leu Glu	
	275 280 285	
	aca cag ctg gcc aag gcc acg gta ccc cag gag gag aga cac gac gtc	913
	Thr Gln Leu Ala Lys Ala Thr Val Pro Gln Glu Glu Arg His Asp Val	
45	290 295 300	
	atc gcc ttg tac cac cgg atg gga ctg gag gag ctg caa agc cag ttt	961
	Ile Ala Leu Tyr His Arg Met Gly Leu Glu Glu Leu Gln Ser Gln Phe	
	305 310 315	
50	ggc ctg aag gga ttt gac tgg act ctg ttc ata caa act gtg cta tcc	1009
	Gly Leu Lys Gly Phe Asp Trp Thr Leu Phe Ile Gln Thr Val Leu Ser	
	320 325 330	
	tct gtc aaa atc aag ctg ctg cca gat gag gaa gtg gtg gtc tat ggc	1057
	Ser Val Lys Ile Lys Leu Leu Pro Asp Glu Glu Val Val Val Tyr Gly	
55	335 340 345 350	

EP 1 069 188 A1

	atc ccc tac ctg cag aac ctt gaa aac atc atc gac acc tac tca gcc	1105
	Ile Pro Tyr Leu Gln Asn Leu Glu Asn Ile Ile Asp Thr Tyr Ser Ala	
	355 360 365	
5	agg acc ata cag aac tac ctg gtc tgg cgc ctg gtg ctg gac cgc att	1153
	Arg Thr Ile Gln Asn Tyr Leu Val Trp Arg Leu Val Leu Asp Arg Ile	
	370 375 380	
	ggg agc cta agc cag aga ttc aag gac aca cga gtg aac tac cgc aag	1201
	Gly Ser Leu Ser Gln Arg Phe Lys Asp Thr Arg Val Asn Tyr Arg Lys	
	385 390 395	
10	gcg ctg ttt ggc aca atg gtg gag gag gtg cgc tgg cgt gaa tgt gtg	1249
	Ala Leu Phe Gly Thr Met Val Glu Glu Val Arg Trp Arg Glu Cys Val	
	400 405 410	
	ggc tac gtc aac agc aac atg gag aac gcc gtg ggc tcc ctc tac gtc	1297
	Gly Tyr Val Asn Ser Asn Met Glu Asn Ala Val Gly Ser Leu Tyr Val	
	415 420 425 430	
15	agg gag gcg ttc cct gga gac agc aag agc atg gtc aga gaa ctc att	1345
	Arg Glu Ala Phe Pro Gly Asp Ser Lys Ser Met Val Arg Glu Leu Ile	
	435 440 445	
20	gac aag gtg gcg aca gtg ttt gtg gag acg ctg gac gag ctg ggc tgg	1393
	Asp Lys Val Arg Thr Val Phe Val Glu Thr Leu Asp Glu Leu Gly Trp	
	450 455 460	
	atg gac gag gag tcc aag aag aag gcg cag gag aag gcc atg agc atc	1441
	Met Asp Glu Glu Ser Lys Lys Lys Ala Gln Glu Lys Ala Met Ser Ile	
	465 470 475	
25	cgg gag cag atc ggg cac cct gac tac atc ctg gag gag acg aac agg	1489
	Arg Glu Gln Ile Gly His Pro Asp Tyr Ile Leu Glu Glu Thr Asn Arg	
	480 485 490	
	cgc ctg gac gag gag tac tcc aat ctg aac ttc tca gag gac ctg tac	1537
	Arg Leu Asp Glu Glu Tyr Ser Asn Leu Asn Phe Ser Glu Asp Leu Tyr	
	495 500 505 510	
30	ttt gag aac agt ctg cag aac ctc aag gtg ggc gcc cag cgg agc ctc	1585
	Phe Glu Asn Ser Leu Gln Asn Leu Lys Val Gly Ala Gln Arg Ser Leu	
	515 520 525	
35	agg aag ctt cgg gaa aag gtg gac cca aat ctc tgg atc atc ggg gcg	1633
	Arg Lys Leu Arg Glu Lys Val Asp Pro Asn Leu Trp Ile Ile Gly Ala	
	530 535 540	
	gcg gtg gtc aat gcg ttc tac tcc cca aac cga aac cag att gta ttc	1681
	Ala Val Val Asn Ala Phe Tyr Ser Pro Asn Arg Asn Gln Ile Val Phe	
	545 550 555	
40	cct gcc ggg atc ctc cag ccc ccc ttc ttc agc aag gag cag cca cag	1729
	Pro Ala Gly Ile Leu Gln Pro Pro Phe Phe Ser Lys Glu Gln Pro Gln	
	560 565 570	
	gcc ttg aac ttt gga ggc att ggg atg gtg atc ggg cac gag atc acg	1777
	Ala Leu Asn Phe Gly Gly Ile Gly Met Val Ile Gly His Glu Ile Thr	
	575 580 585 590	
45	cac ggc ttt gac gac aat ggc cgg aac ttc gac aag aat ggc aac atg	1825
	His Gly Phe Asp Asn Gly Arg Asn Phe Asp Lys Asn Gly Asn Met	
	595 600 605	
50	atg gat tgg tgg agt aac ttc tcc acc cag cac ttc cgg gag cag tca	1873
	Met Asp Trp Trp Ser Asn Phe Ser Thr Gln His Phe Arg Glu Gln Ser	
	610 615 620	
	gag tgc atg atc tac cag tac ggc aac tac tcc tgg gac ctg gca gac	1921
	Glu Cys Met Ile Tyr Gln Tyr Gln Asn Tyr Ser Trp Asp Leu Ala Asp	
	625 630 635	
55		

EP 1 069 188 A1

gaa cag aac gtg aac gga ttc aac acc ctt ggg gaa aac att gct gac 1969
 Glu Gln Asn Val Asn Gly Phe Asn Thr Leu Gly Glu Asn Ile Ala Asp
 640 645 650
 5 aac gga ggg gtg cgg caa gcc tat aag gcc tac ctc aag tgg atg gca 2017
 Asn Gly Gly Val Arg Gln Ala Tyr Lys Ala Tyr Leu Lys Trp Met Ala
 655 660 665 670
 gag ggt ggc aag gac cag cag ctg ccc ggc ctg gat ctc acc cat gag 2065
 Glu Gly Gly Lys Asp Gln Gln Leu Pro Gly Leu Asp Leu Thr His Glu
 675 680 685
 10 cag ctc ttc ttc atc aac tat gcc cag gtg tgg tgc ggg tcc tac cgg 2113
 Gln Leu Phe Phe Ile Asn Tyr Ala Gln Val Trp Cys Gly Ser Tyr Arg
 690 695 700
 ccc gag ttc gcc atc caa tcc atc aag aca gac gtc cac agt ccc ctg 2161
 Pro Glu Phe Phe Ala Ile Gln Ser Ile Lys Thr Asp Val His Ser Pro Leu
 705 710 715
 15 aag tac agg gta ctg ggg tgg ctg cag aac ctg gcc gcc ttc gca gac 2209
 Lys Tyr Arg Val Leu Gly Ser Leu Gln Asn Leu Ala Ala Phe Ala Asp
 720 725 730
 acg ttc cac tgt gcc cgg ggc acc ccc atg cac ccc aag gag cga tgc 2257
 Thr Phe His Cys Ala Arg Gly Thr Pro Met His Pro Lys Glu Arg Cys
 735 740 745 750
 cgc gtg tgg tag ccaaggccct gccgcgtgt gccgcccacg cccacctgct 2309
 Arg Val Trp
 25 gctcggaggc atctgtgcga aggtgcagct agcggcgacc cagtgtacgt cccgccccgg 2369
 ccaaccatgc caagcctgcc tgccaggcct ctgcgcctgg cctaggggtgc agccacctgc 2429
 ctgacaccca gggatgagca gtgtccagtg cagtacctgg accggagccc cctccacaga 2489
 caccgcgggg gctcagtgcc cccgtcacag ctctgtagag acaatcaact gtgtcctgcc 2549
 30 caccctccaa ggtgcattgt cttccagtat ctacagcttc agacttgagc taagtaaatg 2609
 cttcaaagaa aaaaaaaaaa aaaaaad 2636
 35 <210> 4
 <211> 754
 <212> PRT
 <213> Homo sapiens
 <400> 4
 Met Gly Lys Ser Glu Gly Pro Val Gly Met Val Glu Ser Ala Gly Arg
 40 1 5 10 15
 Ala Gly Gln Lys Arg Pro Gly Phe Leu Glu Gly Gly Leu Leu Leu Leu
 20 25 30
 Leu Leu Leu Val Thr Ala Ala Leu Val Ala Leu Gly Val Leu Tyr Ala
 35 40 45
 Asp Arg Arg Gly Ile Pro Glu Ala Gln Glu Val Ser Glu Val Cys Thr
 50 55 60
 Thr Pro Gly Cys Val Ile Ala Ala Ala Arg Ile Leu Gln Asn Met Asp
 65 70 75 80
 50 Pro Thr Thr Glu Pro Cys Asp Asp Phe Tyr Gln Phe Ala Cys Gly Gly
 85 90 95
 Trp Leu Arg Arg His Val Ile Pro Glu Thr Asn Ser Arg Tyr Ser Ile
 100 105 110
 55 Phe Asp Val Leu Arg Asp Glu Leu Glu Val Ile Leu Lys Ala Val Leu

EP 1 069 188 A1

	115	120	125
	Glu Asn Ser Thr Ala Lys Asp Arg Pro Ala Val Glu Lys Ala Arg Thr 130 135 140		
5	Leu Tyr Arg Ser Cys Met Asn Gln Ser Val Ile Glu Lys Arg Gly Ser 145 150 155 160		
	Gln Pro Leu Leu Asp Ile Leu Glu Val Val Gly Gly Trp Pro Val Ala 165 170 175		
10	Met Asp Arg Trp Asn Glu Thr Val Gly Leu Glu Trp Glu Leu Glu Arg 180 185 190		
	Gln Leu Ala Leu Met Asn Ser Gln Phe Asn Arg Arg Val Leu Ile Asp 195 200 205		
15	Leu Phe Ile Trp Asn Asp Asp Gln Asn Ser Ser Arg His Ile Ile Tyr 210 215 220		
	Ile Asp Gln Pro Thr Leu Gly Met Pro Ser Arg Glu Tyr Tyr Phe Asn 225 230 235 240		
20	Gly Gly Ser Asn Arg Lys Val Arg Glu Ala Tyr Leu Gln Phe Met Val 245 250 255		
	Ser Val Ala Thr Leu Leu Arg Glu Asp Ala Asn Leu Pro Arg Asp Ser 260 265 270		
25	Cys Leu Val Gln Glu Asp Met Val Gln Val Leu Glu Leu Glu Thr Gln 275 280 285		
	Leu Ala Lys Ala Thr Val Pro Gln Glu Glu Arg His Asp Val Ile Ala 290 295 300		
30	Leu Tyr His Arg Met Gly Leu Glu Glu Leu Gln Ser Gln Phe Gly Leu 305 310 315 320		
	Lys Gly Phe Asp Trp Thr Leu Phe Ile Gln Thr Val Leu Ser Ser Val 325 330 335		
35	Lys Ile Lys Leu Leu Pro Asp Glu Glu Val Val Val Tyr Gly Ile Pro 340 345 350		
	Tyr Leu Gln Asn Leu Glu Asn Ile Ile Asp Thr Tyr Ser Ala Arg Thr 355 360 365		
40	Ile Gln Asn Tyr Leu Val Trp Arg Leu Val Leu Asp Arg Ile Gly Ser 370 375 380		
	Leu Ser Gln Arg Phe Lys Asp Thr Arg Val Asn Tyr Arg Lys Ala Leu 385 390 395 400		
45	Phe Gly Thr Met Val Glu Glu Val Arg Trp Arg Glu Cys Val Gly Tyr 405 410 415		
	Val Asn Ser Asn Met Glu Asn Ala Val Gly Ser Leu Tyr Val Arg Glu 420 425 430		
50	Ala Phe Pro Gly Asp Ser Lys Ser Met Val Arg Glu Leu Ile Asp Lys 435 440 445		
	Val Arg Thr Val Phe Val Glu Thr Leu Asp Glu Leu Gly Trp Met Asp 450 455 460		
55	Glu Glu Ser Lys Lys Lys Ala Gln Glu Lys Ala Met Ser Ile Arg Glu 465 470 475 480		
	Gln Ile Gly His Pro Asp Tyr Ile Leu Glu Thr Asn Arg Arg Leu 485 490 495		
	Asp Glu Glu Tyr Ser Asn Leu Asn Phe Ser Glu Asp Leu Tyr Phe Glu		

EP 1 069 188 A1

		500		505		510	
		Asn Ser Leu Gln Asn Leu Lys Val Gly Ala Gln Arg Ser Leu Arg Lys					
		515		520		525	
5		Leu Arg Glu Lys Val Asp Pro Asn Leu Trp Ile Ile Gly Ala Ala Val					
		530		535		540	
		Val Asn Ala Phe Tyr Ser Pro Asn Arg Asn Gln Ile Val Phe Pro Ala					
		545		550		555	560
10		Gly Ile Leu Gln Pro Pro Phe Phe Ser Lys Glu Gln Pro Gln Ala Leu					
			565		570		575
		Asn Phe Gly Gly Ile Gly Met Val Ile Gly His Glu Ile Thr His Gly					
			580		585		590
15		Phe Asp Asp Asn Gly Arg Asn Phe Asp Lys Asn Gly Asn Met Met Asp					
			595		600		605
		Trp Trp Ser Asn Phe Ser Thr Gln His Phe Arg Glu Gln Ser Glu Cys					
			610		615		620
20		Met Ile Tyr Gln Tyr Gly Asn Tyr Ser Trp Asp Leu Ala Asp Glu Gln					
			625		630		635
		Asn Val Asn Gly Phe Asn Thr Leu Gly Glu Asn Ile Ala Asp Asn Gly					
			645		650		655
25		Gly Val Arg Gln Ala Tyr Lys Ala Tyr Leu Lys Trp Met Ala Glu Gly					
			660		665		670
		Gly Lys Asp Gln Gln Leu Pro Gly Leu Asp Leu Thr His Glu Gln Leu					
			675		680		685
		Phe Phe Ile Asn Tyr Ala Gln Val Trp Cys Gly Ser Tyr Arg Pro Glu					
			690		695		700
30		Phe Ala Ile Gln Ser Ile Lys Thr Asp Val His Ser Pro Leu Lys Tyr					
			705		710		715
		Arg Val Leu Gly Ser Leu Gln Asn Leu Ala Ala Phe Ala Asp Thr Phe					
			725		730		735
35		His Cys Ala Arg Gly Thr Pro Met His Pro Lys Glu Arg Cys Arg Val					
			740		745		750
		Trp					
40		<210> 5					
		<211> 2663					
		<212> DNA					
		<213> Homo sapiens					
45		<220>					
		<221> 5'UTR					
		<222> (1)..(7)					
		<220>					
		<221> CDS					
		<222> (8)..(2293)					
50		<220>					
		<221> 3'UTR					
		<222> (2294)..(2663)					
55		<400> 5					
		cctgctg atg ggg aag tcc gaa ggc ccc gtg ggg atg gtg gag agc gct					49
		Met Gly Lys Ser Glu Gly Pro Val Gly Met Val Glu Ser Ala					
		1 5 10					

EP 1 069 188 A1

	ggc cgt gca ggg cag aag cgc ccg ggg ttc ctg gag ggg ggg ctg ctg	97
	Gly Arg Ala Gly Gln Lys Arg Pro Gly Phe Leu Glu Gly Gly Leu Leu	
	15 20 25 30	
5	ctg ctg ctg ctg ctg gtg acc gct gcc ctg gtg gcc ttg ggt gtc ctc	145
	Leu Leu Leu Leu Leu Val Thr Ala Ala Leu Val Ala Leu Gly Val Leu	
	35 40 45	
	tac gcc gac cgc aga ggg aag cag ctg cca cgc ctt gct agc cgg ctg	193
	Tyr Ala Asp Arg Arg Gly Lys Gln Leu Pro Arg Leu Ala Ser Arg Leu	
10	50 55 60	
	tgc ttc tta cag gag gag agg acc ttt gta aaa cga aaa ccc cga ggg	241
	Cys Phe Leu Gln Glu Glu Arg Thr Phe Val Lys Arg Lys Pro Arg Gly	
	65 70 75	
15	atc cca gag gcc caa gag gtg agc gag gtc tgc acc acc cct ggc tgc	289
	Ile Pro Glu Ala Gln Glu Val Ser Glu Val Cys Thr Thr Pro Gly Cys	
	80 85 90	
	gtg ata gca gct gcc agg atc ctc cag aac atg gac ccg acc acg gaa	337
	Val Ile Ala Ala Ala Arg Ile Leu Gln Asn Met Asp Pro Thr Thr Glu	
	95 100 105 110	
20	ccg tgt gac gac ttc tac cag ttt gca tgc gga ggc tgg ctg cgg cgc	385
	Pro Cys Asp Asp Phe Tyr Gln Phe Ala Cys Gly Gly Trp Leu Arg Arg	
	115 120 125	
	cac gtg atc cct gag acc aac tca aga tac agc atc ttt gac gtc ctc	433
	His Val Ile Pro Glu Thr Asn Ser Arg Tyr Ser Ile Phe Asp Val Leu	
25	130 135 140	
	cgc gac gag ctg gag gtc atc ctc aaa gcg gtg ctg gag aat tcg act	481
	Arg Asp Glu Leu Glu Val Ile Leu Lys Ala Val Leu Glu Asn Ser Thr	
	145 150 155	
30	gcc aag gac cgg ccg gct gtg gag aag gcc agg acg ctg tac cgc tcc	529
	Ala Lys Asp Arg Pro Ala Val Glu Lys Ala Arg Thr Leu Tyr Arg Ser	
	160 165 170	
	tgc atg aac cag agt gtg ata gag aag cga ggc tct cag ccc ctg ctg	577
	Cys Met Asn Gln Ser Val Ile Glu Lys Arg Gly Ser Gln Pro Leu Leu	
	175 180 185 190	
35	gac atc ttg gag gtg gtg gga ggc tgg ccg gtg gcg atg gac agg tgg	625
	Asp Ile Leu Glu Val Val Gly Gly Trp Pro Val Ala Met Asp Arg Trp	
	195 200 205	
	aac gag acc gta gtt caa cag gcg cgt cct cat cga cct ctt cat ctg	673
	Asn Glu Thr Val Val Gln Gln Ala Arg Pro His Arg Pro Leu His Leu	
40	210 215 220	
	gaa cga cga cca gaa ctc cag ccg gca cat cat cta cac cag ccc acc	721
	Glu Arg Arg Pro Glu Leu Gln Pro Ala His His Leu His Gln Pro Thr	
	225 230 235	
45	ttg ggc atg ccc tcc cga gag tac tac ttc aac ggc ggc agc aac cgg	769
	Leu Gly Met Pro Ser Arg Glu Tyr Tyr Phe Asn Gly Gly Ser Asn Arg	
	240 245 250	
	aag gtg cgg gaa gcc tac ctg cag ttc atg gtg tca gtg gcc acg ttg	817
	Lys Val Arg Glu Ala Tyr Leu Gln Phe Met Val Ser Val Ala Thr Leu	
	255 260 265 270	
50	ctg cgg gag gat gca aac ctg ccc agg gac agc tgc ctg gtg cag gag	865
	Leu Arg Glu Asp Ala Asn Leu Pro Arg Asp Ser Cys Leu Val Gln Glu	
	275 280 285	
	gac atg gtg cag gtg ctg gag ctg gag aca cag ctg gcc aag gcc acg	913
	Asp Met Val Gln Val Leu Glu Leu Thr Gln Leu Ala Lys Ala Thr	
55	290 295 300	

EP 1 069 188 A1

	gta ccc cag gag gag aga cac gac gtc atc gcc ttg tac cac cgg atg	961
	Val Pro Gln Glu Glu Arg His Asp Val Ile Ala Leu Tyr His Arg Met	
	305 310 315	
5	gga ctg gag gag ctg caa agc cag ttt ggc ctg aag gga ttt gac tgg	1009
	Gly Leu Glu Glu Leu Gln Ser Gln Phe Gly Leu Lys Gly Phe Asp Trp	
	320 325 330	
	act ctg ttc ata caa act gtg cta tcc tct gtc aaa atc aag ctg ctg	1057
	Thr Leu Phe Ile Gln Thr Val Leu Ser Ser Val Lys Ile Lys Leu Leu	
	335 340 345 350	
10	cca gat gag gaa gtg gtg gtc tat ggc atc ccc tac ctg cag aac ctt	1105
	Pro Asp Glu Glu Val Val Tyr Gly Ile Pro Tyr Leu Gln Asn Leu	
	355 360 365	
	gaa aac atc atc gac acc tac tca gcc agg acc ata cag aac tac ctg	1153
	Glu Asn Ile Ile Asp Thr Tyr Ser Ala Arg Thr Ile Gln Asn Tyr Leu	
	370 375 380	
15	gtc tgg cgc ctg gtg ctg gac cgc att ggt agc cta agc cag aga ttc	1201
	Val Trp Arg Leu Val Leu Asp Arg Ile Gly Ser Leu Ser Gln Arg Phe	
	385 390 395	
20	aag gac aca cga gtg aac tac cgc aag gcg ctg ttt ggc aca atg gtg	1249
	Lys Asp Thr Arg Val Asn Tyr Arg Lys Ala Leu Phe Gly Thr Met Val	
	400 405 410	
	gag gag gtg cgc tgg cgt gaa tgt gtg ggc tac gtc aac agc aac atg	1297
	Glu Glu Val Arg Trp Arg Glu Cys Val Gly Tyr Val Asn Ser Asn Met	
	415 420 425 430	
25	gag aac gcc gtg ggc tcc ctc tac gtc agg gag gcg ttc cct gga gac	1345
	Glu Asn Ala Val Gly Ser Leu Tyr Val Arg Glu Ala Phe Pro Gly Asp	
	435 440 445	
	agc aag agc atg gtc aga gaa ctc att gac aag gtg cgg aca gtg ttt	1393
	Ser Lys Ser Met Val Arg Glu Leu Ile Asp Lys Val Arg Thr Val Phe	
	450 455 460	
30	gtg gag acg ctg gac gag ctg ggc tgg atg gac gag gag tcc aag aag	1441
	Val Glu Thr Leu Asp Glu Leu Gly Trp Met Asp Glu Glu Ser Lys Lys	
	465 470 475	
35	aag gcg cag gag aag gcc atg agc atc cgg gag cag atc ggg cac cct	1489
	Lys Ala Gln Glu Lys Ala Met Ser Ile Arg Glu Gln Ile Gly His Pro	
	480 485 490	
	gac tac atc ctg gag gag acg aac agg cgc ctg gac gag gag tac tcc	1537
	Asp Tyr Ile Leu Glu Glu Thr Asn Arg Arg Leu Asp Glu Glu Tyr Ser	
	495 500 505 510	
40	aat ctg aac ttc tca gag gac ctg tac ttt gag aac agt ctg cag aac	1585
	Asn Leu Asn Phe Ser Glu Asp Leu Tyr Phe Glu Asn Ser Leu Gln Asn	
	515 520 525	
	ctc aag gtg ggc gcc cag cgg agc ctc agg aag ctt cgg gaa aag gtg	1633
	Leu Lys Val Gly Ala Gln Arg Ser Leu Arg Lys Leu Arg Glu Lys Val	
	530 535 540	
45	gac cca aat ctc tgg atc atc ggg gcg gcg gtg gtc aat gcg ttc tac	1681
	Asp Pro Asn Leu Trp Ile Ile Gly Ala Ala Val Val Asn Ala Phe Tyr	
	545 550 555	
50	tcc cca aac cga aac cag att gta ttc cct gcc ggg atc ctc cag ccc	1729
	Ser Pro Asn Arg Asn Gln Ile Val Phe Pro Ala Gly Ile Leu Gln Pro	
	560 565 570	
	ccc ttc ttc agc aag gag cag cca cag gcc ttg aac ttt gga ggc att	1777
	Pro Phe Phe Ser Lys Glu Gln Pro Gln Ala Leu Asn Phe Gly Gly Ile	
	575 580 585 590	
55		

EP 1 069 188 A1

	ggg atg gtg atc ggg cac gag atc acg cac ggc ttt gac gac aat ggc Gly Met Val Ile Gly His Glu Ile Thr Met His Gly Phe Asp Asp Asn Gly	595 600 605	1825
5	cgg aac ttc gac aag aat ggc aac atg atg gat tgg tgg agt aac ttc Arg Asn Phe Asp Lys Asn Gly Asn Met Met Asp Trp Trp Ser Asn Phe	610 615 620	1873
	tcc acc cag cac ttc cgg gag cag tca gag tgc atg atc tac cag tac Ser Thr Gln His Phe Arg Glu Gln Ser Glu Cys Met Ile Tyr Gln Tyr	625 630	1921
10	ggc aac tac tcc tgg gac ctg gca gac gaa cag aac gtg aac gga ttc Gly Asn Tyr Ser Trp Asp Leu Ala Asp Glu Gln Asn Val Asn Gly Phe	640 645 650	1969
15	aac acc ctt ggg gaa aac att gct gac aac gga ggg gtg cgg caa gcc Asn Thr Leu Gly Glu Asn Ile Ala Asp Asn Gly Gly Val Arg Gln Ala	655 660 670	2017
	tat aag gcc tac ctc aag tgg atg gca gag ggt ggc aag gac cag cag Tyr Lys Ala Tyr Leu Lys Trp Met Ala Glu Gly Gly Lys Asp Gln Gln	675 680	2065
20	ctg ccc ggc ctg gat ctc acc cat gag cag ctc ttc ttc atc aac tat Leu Pro Gly Leu Asp Leu Thr His Glu Gln Leu Phe Phe Ile Asn Tyr	690 700	2113
	gcc cag gtg tgg tgc ggg tcc tac cgg ccc gag ttc gcc atc caa tcc Ala Gln Val Trp Cys Gly Ser Tyr Arg Pro Glu Phe Ala Ile Gln Ser	705 710 715	2161
25	atc aag aca gac gtc cac agt ccc ctg aag tac agg gta ctg ggg tcg Ile Lys Thr Asp Val His Ser Pro Leu Lys Tyr Arg Val Leu Gly Ser	720 725 730	2209
30	ctg cag aac ctg gcc gcc ttc gca gac acg ttc cac tgt gcc cgg ggc Leu Gln Asn Leu Ala Ala Phe Ala Asp Thr Phe His Cys Ala Arg Gly	735 740 745 750	2257
	acc ccc atg cac ccc aag gag cga tgc cgc gtg tgg tagccaaggc Thr Pro Met His Pro Lys Glu Arg Cys Arg Val Trp	755 760	2303
35	cctgcccgcg tgtgcggccc acgcccacct gctgctcgga ggcatctgtg cgaaggtgca		2363
	gctagcggcg acccagtgta cgtcccgcgc cggccaaacca tgccaagcct gcctgccagg		2423
	cctctgcgcc ttggcctaggg tgcagccacc tgcctgacac ccagggatga gcagtgtcca		2483
40	gtgcagtacc ttgaccggag cccctccac agacacccgc ggggctcagt gccccgtca		2543
	cagctctgta gagacaatca actgtgtcct gccaccctc caaggtgcat tgtcttcag		2603
	tatctacagc ttcagacttg agctaagtaa atgcttcaaa gaaaaaaaaa aaaaaaaaaad		2663
45	<210> 6 <211> 762 <212> PRT <213> Homo sapiens		
	<400> 6 Met Gly Lys Ser Glu Gly Pro Val Gly Met Val Glu Ser Ala Gly Arg	1 5 10 15	
50	Ala Gly Gln Lys Arg Pro Gly Phe Leu Glu Gly Gly Leu Leu Leu Leu	20 25 30	
	Leu Leu Leu Val Thr Ala Ala Leu Val Ala Leu Gly Val Leu Tyr Ala	35 40 45	
55			

EP 1 069 188 A1

	Asp	Arg	Arg	Gly	Lys	Gln	Leu	Pro	Arg	Leu	Ala	Ser	Arg	Leu	Cys	Phe	
	50						55					60					
5	Leu	Gln	Glu	Glu	Arg	Thr	Phe	Val	Lys	Arg	Lys	Pro	Arg	Gly	Ile	Pro	
	65					70					75					80	
	Glu	Ala	Gln	Glu	Val	Ser	Glu	Val	Cys	Thr	Thr	Pro	Gly	Cys	Val	Ile	
					85					90					95		
	Ala	Ala	Ala	Arg	Ile	Leu	Gln	Asn	Met	Asp	Pro	Thr	Thr	Glu	Pro	Cys	
10				100					105					110			
	Asp	Asp	Phe	Tyr	Gln	Phe	Ala	Cys	Gly	Gly	Trp	Leu	Arg	Arg	His	Val	
			115					120					125				
	Ile	Pro	Glu	Thr	Asn	Ser	Arg	Tyr	Ser	Ile	Phe	Asp	Val	Leu	Arg	Asp	
		130					135					140					
15	Glu	Leu	Glu	Val	Ile	Leu	Lys	Ala	Val	Leu	Glu	Asn	Ser	Thr	Ala	Lys	
	145					150					155					160	
	Asp	Arg	Pro	Ala	Val	Glu	Lys	Ala	Arg	Thr	Leu	Tyr	Arg	Ser	Cys	Met	
				165						170					175		
20	Asn	Gln	Ser	Val	Ile	Glu	Lys	Arg	Gly	Ser	Gln	Pro	Leu	Leu	Asp	Ile	
				180					185					190			
	Leu	Glu	Val	Val	Gly	Gly	Trp	Pro	Val	Ala	Met	Asp	Arg	Trp	Asn	Glu	
		195						200				205					
	Thr	Val	Val	Gln	Gln	Ala	Arg	Pro	His	Arg	Pro	Leu	His	Leu	Glu	Arg	
25		210				215						220					
	Arg	Pro	Glu	Leu	Gln	Pro	Ala	His	His	Leu	His	Gln	Pro	Thr	Leu	Gly	
	225				230					235						240	
	Met	Pro	Ser	Arg	Glu	Tyr	Tyr	Phe	Asn	Gly	Gly	Ser	Asn	Arg	Lys	Val	
30				245					250					255			
	Arg	Glu	Ala	Tyr	Leu	Gln	Phe	Met	Val	Ser	Val	Ala	Thr	Leu	Leu	Arg	
			260					265					270				
	Glu	Asp	Ala	Asn	Leu	Pro	Arg	Asp	Ser	Cys	Leu	Val	Gln	Glu	Asp	Met	
		275						280					285				
35	Val	Gln	Val	Leu	Glu	Leu	Glu	Thr	Gln	Leu	Ala	Lys	Ala	Thr	Val	Pro	
		290				295						300					
	Gln	Glu	Glu	Arg	His	Asp	Val	Ile	Ala	Leu	Tyr	His	Arg	Met	Gly	Leu	
	305				310					315					320		
40	Glu	Glu	Leu	Gln	Ser	Gln	Phe	Gly	Leu	Lys	Gly	Phe	Asp	Trp	Thr	Leu	
				325					330					335			
	Phe	Ile	Gln	Thr	Val	Leu	Ser	Ser	Val	Lys	Ile	Lys	Leu	Leu	Pro	Asp	
			340					345					350				
	Glu	Glu	Val	Val	Val	Tyr	Gly	Ile	Pro	Tyr	Leu	Gln	Asn	Leu	Glu	Asn	
45			355				360						365				
	Ile	Ile	Asp	Thr	Tyr	Ser	Ala	Arg	Thr	Ile	Gln	Asn	Tyr	Leu	Val	Trp	
		370				375					380						
	Arg	Leu	Val	Leu	Asp	Arg	Ile	Gly	Ser	Leu	Ser	Gln	Arg	Phe	Lys	Asp	
50		385			390						395					400	
	Thr	Arg	Val	Asn	Tyr	Arg	Lys	Ala	Leu	Phe	Gly	Thr	Met	Val	Glu	Glu	
				405					410						415		
	Val	Arg	Trp	Arg	Glu	Cys	Val	Gly	Tyr	Val	Asn	Ser	Asn	Met	Glu	Asn	
				420				425					430				
55																	

EP 1 069 188 A1

	Ala Val Gly Ser Leu Tyr Val Arg Glu Ala Phe Pro Gly Asp Ser Lys	435	440	445
5	Ser Met Val Arg Glu Leu Ile Asp Lys Val Arg Thr Val Phe Val Glu	450	455	460
	Thr Leu Asp Glu Leu Gly Trp Met Asp Glu Glu Ser Lys Lys Lys Ala	465	470	475
10	Gln Glu Lys Ala Met Ser Ile Arg Glu Gln Ile Gly His Pro Asp Tyr	485	490	495
	Ile Leu Glu Glu Thr Asn Arg Arg Leu Asp Glu Glu Tyr Ser Asn Leu	500	505	510
15	Asn Phe Ser Glu Asp Leu Tyr Phe Glu Asn Ser Leu Gln Asn Leu Lys	515	520	525
	Val Gly Ala Gln Arg Ser Leu Arg Lys Leu Arg Glu Lys Val Asp Pro	530	535	540
20	Asn Leu Trp Ile Ile Gly Ala Ala Val Val Asn Ala Phe Tyr Ser Pro	545	550	555
	Asn Arg Asn Gln Ile Val Phe Pro Ala Gly Ile Leu Gln Pro Pro Phe	565	570	575
25	Phe Ser Lys Glu Gln Pro Gln Ala Leu Asn Phe Gly Gly Ile Gly Met	580	585	590
	Val Ile Gly His Glu Ile Thr His Gly Phe Asp Asp Asn Gly Arg Asn	595	600	605
30	Phe Asp Lys Asn Gly Asn Met Met Asp Trp Trp Ser Asn Phe Ser Thr	610	615	620
	Gln His Phe Arg Glu Gln Ser Glu Cys Met Ile Tyr Gln Tyr Gly Asn	625	630	635
35	Tyr Ser Trp Asp Leu Ala Asp Glu Gln Asn Val Asn Gly Phe Asn Thr	645	650	655
	Leu Gly Glu Asn Ile Ala Asp Asn Gly Gly Val Arg Gln Ala Tyr Lys	660	665	670
40	Ala Tyr Leu Lys Trp Met Ala Glu Gly Gly Lys Asp Gln Gln Leu Pro	675	680	685
	Gly Leu Asp Leu Thr His Glu Gln Leu Phe Phe Ile Asn Tyr Ala Gln	690	695	700
45	Val Trp Cys Gly Ser Tyr Arg Pro Glu Phe Ala Ile Gln Ser Ile Lys	705	710	715
	Thr Asp Val His Ser Pro Leu Lys Tyr Arg Val Leu Gly Ser Leu Gln	725	730	735
50	Asn Leu Ala Ala Phe Ala Asp Thr Phe His Cys Ala Arg Gly Thr Pro	740	745	750
	Met His Pro Lys Glu Arg Cys Arg Val Trp	755	760	
55				

EP 1 069 188 A1

Annex to the application documents - subsequently filed sequences listing

[0130]

5

SEQUENCE LISTING

<110> SANOFI-SYNTHELABO

10

<120> THREE MEMBRANE METALLOPEPTIDASES, THEIR ISOLATION AND
USE

<130> snep

<160> 6

15

<170> PatentIn Ver. 2.1

<210> 1

<211> 2714

<212> DNA

20

<213> Homo sapiens

<220>

<221> CDS

<222> (8)..(2347)

25

<220>

<221> 3'UTR

<222> (2348)..(2713)

<220>

<221> 5'UTR

<222> (1)..(7)

30

<400> 1

cctgctg atg ggg aag tcc gaa ggc ccc gtg ggg atg gtg gag agc gct 49
Met Gly Lys Ser Glu Gly Pro Val Gly Met Val Glu Ser Ala
1 5 10

35

ggc cgt gca ggg cag aag cgc ccg ggg ttc ctg gag ggg ggg ctg ctg 97
Gly Arg Ala Gly Gln Lys Arg Pro Gly Phe Leu Glu Gly Leu Leu
15 20 25 30

ctg ctg ctg ctg ctg gtg acc gct gcc ctg gtg gcc ttg ggt gtc ctc 145
Leu Leu Leu Leu Val Thr Ala Ala Leu Val Ala Leu Gly Val Leu
35 40 45

40

tac gcc gac cgc aga ggg aag cag ctg cca cgc ctt gct agc cgg ctg 193
Tyr Ala Asp Arg Arg Gly Lys Gln Leu Pro Arg Leu Ala Ser Arg Leu
50 55 60

45

tgc ttc tta cag gag gag agg acc ttt gta aaa cga aaa ccc cga ggg 241
Cys Phe Leu Gln Glu Glu Arg Thr Phe Val Lys Arg Lys Pro Arg Gly
65 70 75

atc cca gag gcc caa gag gtg ayc gag gtc tgc acc acc cct ggc tgc 289
Ile Pro Glu Ala Gln Glu Val Ser Glu Val Cys Thr Thr Pro Gly Cys
80 85 90

50

gtg ata gca gct gcc agg atc ctc cag aac atg gac ccg acc acg gaa 337
Val Ile Ala Ala Ala Arg Ile Leu Gln Asn Met Asp Pro Thr Thr Glu
95 100 105 110

55

ccg tgt gac gac ttc tac cag ttt gca tgc gga ggc tgg ctg cgg cgc 385
Pro Cys Asp Phe Tyr Gln Phe Ala Cys Gly Gly Trp Leu Arg Arg
115 120 125

EP 1 069 188 A1

	cac gtg atc cct gag acc aac tca aga tac agc atc ttt gac gtc ctc	433
	His Val Ile Pro Glu Thr Asn Ser Arg Tyr Ser Ile Phe Asp Val Leu	
	130 135 140	
5	cyc gac gag ctg gag gtc atc ctc aaa gcg gtg ctg gag aat tcg act	481
	Arg Asp Glu Leu Glu Val Ile Leu Lys Ala Val Leu Glu Asn Ser Thr	
	145 150 155	
10	gcc aag gac cgg ccg gct gtg gag aag gcc agg acg ctg tac cgc tcc	529
	Ala Lys Asp Arg Pro Ala Val Glu Lys Ala Arg Thr Leu Tyr Arg Ser	
	160 165 170	
15	tgc atg aac cag agt gtg ata gag aag cga ggc tct cag ccc ctg ctg	577
	Cys Met Asn Gln Ser Val Ile Glu Lys Arg Gly Ser Gln Pro Leu Leu	
	175 180 185 190	
20	gac atc ttg gag gtg gtg gga ggc tgg ccg gtg gcg atg gac agg tgg	625
	Asp Ile Leu Glu Val Val Gly Gly Trp Pro Val Ala Met Asp Arg Trp	
	195 200 205	
25	aac gag acc gta gga ctc gag tgg gag ctg gag cyg cag ctg gcg ctg	673
	Asn Glu Thr Val Gly Leu Glu Trp Glu Leu Glu Arg Gln Leu Ala Leu	
	210 215 220	
30	atg aac tca cag ttc aac agg cgc gtc ctc atc gac ctc ttc atc tgg	721
	Met Asn Ser Gln Phe Asn Arg Arg Val Leu Ile Asp Leu Phe Ile Trp	
	225 230 235	
35	aac gac gac cag aac tcc agc cgg cac atc atc tac ata gac cag ccc	769
	Asn Asp Asp Gln Asn Ser Ser Arg His Ile Ile Tyr Ile Asp Gln Pro	
	240 245 250	
40	acc ttg ggc atg ccc tcc cga gag tac tac ttc aac ggc ggc agc aac	817
	Thr Leu Gly Met Pro Ser Arg Glu Tyr Tyr Phe Asn Gly Gly Ser Asn	
	255 260 265 270	
45	cyg aag gtg cgg gaa gcc tac ctg cag ttc atg gtg tca gtg gcc acg	865
	Arg Lys Val Arg Glu Ala Tyr Leu Gln Phe Met Val Ser Val Ala Thr	
	275 280 285	
50	ttg ctg cgg gag gat gca aac ctg ccc agg gac agc tgc ctg gtg cag	913
	Leu Leu Arg Glu Asp Ala Asn Leu Pro Arg Asp Ser Cys Leu Val Gln	
	290 295 300	
55	gag gac atg gtg cag gtg ctg gag ctg gag aca cag ctg gcc aag gcc	961
	Glu Asp Met Val Gln Val Leu Glu Leu Glu Thr Gln Leu Ala Lys Ala	
	305 310 315	
60	acg gta ccc cag gag gag aga cac gac gtc atc gcc ttg tac cac cgg	1009
	Thr Val Pro Gln Glu Glu Arg His Asp Val Ile Ala Leu Tyr His Arg	
	320 325 330	
65	atg gga ctg gag gag ctg caa agc cag ttt ggc ctg aag gga ttt gac	1057
	Met Gly Leu Glu Glu Leu Gln Ser Gln Phe Gly Leu Lys Gly Phe Asp	
	335 340 345 350	
70	tgg act ctg ttc ata caa act gtg cta tcc tct gtc aaa atc aag ctg	1105
	Trp Thr Leu Phe Ile Gln Thr Val Leu Ser Ser Val Lys Ile Lys Leu	
	355 360 365	
75	ctg cca gat gag gaa gtg gtg gtc tat ggc atc ccc tac ctg cag aac	1153
	Leu Pro Asp Glu Glu Val Val Val Tyr Gly Ile Pro Tyr Leu Gln Asn	
	370 375 380	

EP 1 069 188 A1

	ctt gaa aac atc atc gac acc tac tca gcc agg acc ata cag aac tac	1201
	Leu Glu Asn Ile Ile Asp Thr Tyr Ser Ala Arg Thr Ile Gln Asn Tyr	
	385 390 395	
5	ctg gtc tgg cgc ctg gtg ctg gac cgc att ggt agc cta agc cag aga	1249
	Leu Val Trp Arg Leu Val Leu Asp Arg Ile Gly Ser Leu Ser Gln Arg	
	400 405 410	
	ttc aag gac aca cga gtg aac tac cgc aag gcg ctg ttt ggc aca atg	1297
10	Phe Lys Asp Thr Arg Val Asn Tyr Arg Lys Ala Leu Phe Gly Thr Met	
	415 420 425 430	
	gtg gag gag gtg cgc tgg cgt gaa tgt gtg ggc tac gtc aac agc aac	1345
	Val Glu Glu Val Arg Trp Arg Glu Cys Val Gly Tyr Val Asn Ser Asn	
	435 440 445	
15	atg gag aac gcc gtg ggc tcc ctc tac gtc agg gag gcg ttc cct gga	1393
	Met Glu Asn Ala Val Gly Ser Leu Tyr Val Arg Glu Ala Phe Pro Gly	
	450 455 460	
	gac agc aag agc atg gtc aga gaa ctc att gac aag gtg cgg aca gtg	1441
20	Asp Ser Lys Ser Met Val Arg Glu Leu Ile Asp Lys Val Thr Val	
	465 470 475	
	ttt gtg gag acg ctg gac gag ctg ggc tgg atg gac gag gag tcc aag	1489
	Phe Val Glu Thr Leu Asp Glu Leu Gly Trp Met Asp Glu Glu Ser Lys	
	480 485 490	
25	aag aag gcg cag gag aag gcc atg agc atc cgg gag cag atc ggg cac	1537
	Lys Lys Ala Gln Glu Lys Ala Met Ser Ile Arg Glu Gln Ile Gly His	
	495 500 505 510	
	cct gac tac atc ctg gag gag acg aac agg cgc ctg gac gag gag tac	1585
30	Pro Asp Tyr Ile Leu Glu Glu Thr Asn Arg Arg Leu Asp Glu Glu Tyr	
	515 520 525	
	tcc aat ctg aac ttc tca gag gac ctg tac ttt gag aac agt ctg cag	1633
	Ser Asn Leu Asn Phe Ser Glu Asp Leu Tyr Phe Glu Asn Ser Leu Gln	
	530 535 540	
35	aac ctc aag gtg ggc gcc cag cgg agc ctc agg aag ctt cgg gaa aag	1681
	Asn Leu Lys Val Gly Ala Gln Arg Ser Leu Arg Lys Leu Arg Glu Lys	
	545 550 555	
	gtg gac cca aat ctc tgg atc atc ggg gcg gcg gtg gtc aat gcg ttc	1729
40	Val Asp Pro Asn Leu Trp Ile Ile Gly Ala Ala Val Val Asn Ala Phe	
	560 565 570	
	tac tcc cca aac cga aac cag att gta ttc cct gcc ggg atc ctc cag	1777
	Tyr Ser Pro Asn Arg Asn Gln Ile Val Phe Pro Ala Gly Ile Leu Gln	
	575 580 585 590	
45	ccc ccc ttc ttc agc aag gag cag cca cag gcc ttg aac ttt gga ggc	1825
	Pro Pro Phe Phe Ser Lys Glu Gln Pro Gln Ala Leu Asn Phe Gly Gly	
	595 600 605	
	att ggg atg gtg atc ggg cac gag atc acg cac ggc ttt gac gac aat	1873
50	Ile Gly Met Val Ile Gly His Glu Ile Thr His Gly Phe Asp Asp Asn	
	610 615 620	
	ggc cgg aac ttc gac aag aat ggc aac atg atg gat tgg tgg agt aac	1921
	Gly Arg Asn Phe Asp Lys Asn Gly Asn Met Met Asp Trp Trp Ser Asn	
55	625 630 635	

EP 1 069 188 A1

	ttc tcc acc cag cac ttc cgg gag cag tca gag tgc atg atc tac cag	1969
	Phe Ser Thr Gln His Phe Arg Glu Gln Ser Glu Cys Met Ile Tyr Gln	
	640 645 650	
5	tac ggc aac tac tcc tgg gac ctg gca gac gaa cag aac gtg aac gga	2017
	Tyr Gly Asn Tyr Ser Trp Asp Leu Ala Asp Glu Gln Asn Val Asn Gly	
	655 660 665 670	
10	ttc aac acc ctt ggg gaa aac att gct gac aac gga ggg gtg cgg caa	2065
	Phe Asn Thr Leu Gly Glu Asn Ile Ala Asp Asn Gly Gly Val Arg Gln	
	675 680 685	
15	gcc tat aag gcc tac ctc aag tgg atg gca gag ggt ggc aag gac cag	2113
	Ala Tyr Lys Ala Tyr Leu Lys Trp Met Ala Glu Gly Gly Lys Asp Gln	
	690 695 700	
20	cag ctg ccc ggc ctg gat ctc acc cat gag cag ctc ttc ttc atc aac	2161
	Gln Leu Pro Gly Leu Asp Leu Thr His Glu Gln Leu Phe Phe Ile Asn	
	705 710 715	
25	tat gcc cag gtg tgg tgc ggg tcc tac cgg ccc gag ttc gcc atc caa	2209
	Tyr Ala Gln Val Trp Cys Gly Ser Tyr Arg Pro Glu Phe Ala Ile Gln	
	720 725 730	
30	tcc atc aag aca gac gtc cac agt ccc ctg aag tac agg gta ctg ggg	2257
	Ser Ile Lys Thr Asp Val His Ser Pro Leu Lys Tyr Arg Val Leu Gly	
	735 740 745 750	
35	tcg ctg cag aac ctg gcc gcc ttc gca gac acg ttc cac tgt gcc cgg	2305
	Ser Leu Gln Asn Leu Ala Ala Phe Ala Asp Thr Phe His Cys Ala Arg	
	755 760 765	
40	ggc acc ccc atg cac ccc aag gag cga tgc cgc gtg tgg tag	2347
	Gly Thr Pro Met His Pro Lys Glu Arg Cys Arg Val Trp	
	770 775 780	
45	ccaaggccct gccgcgtgt gcggcccacg cccacctgct gctcggaggc atctgtgcga	2407
	aggtgcagct agcggcgacc cagtgtacgt cccgccccgg ccaaccatgc caagcctgcc	2467
50	tgccaggcct ctgcgcctgg cctagggtgc agccacctgc ctgacacca gggatgagca	2527
	gtgtccagt cagtacctgg accggagccc cctccacaga caccgcggg gctcagtgcc	2587
55	cccgtcacag ctctgtagag acaatcaact gtgtcctgcc caccctccaa ggtgcattgt	2647
	cttcagtat ctacagcttc agacttgagc taagtaaatg cttcaagaa aaaaaaaaaa	2707
	aaaaaad	2714
	<210> 2	
	<211> 779	
	<212> PRT	
	<213> Homo sapiens	
	<400> 2	
	Met Gly Lys Ser Glu Gly Pro Val Gly Met Val Glu Ser Ala Gly Arg	
	1 5 10 15	
	Ala Gly Gln Lys Arg Pro Gly Phe Leu Glu Gly Gly Leu Leu Leu Leu	
	20 25 30	
	Leu Leu Leu Val Thr Ala Ala Leu Val Ala Leu Gly Val Leu Tyr Ala	

EP 1 069 188 A1

	35	40	45
5	Asp Arg Arg Gly Lys Gln Leu Pro Arg Leu Ala Ser Arg Leu Cys Phe 58 55 68		
	Leu Gln Glu Glu Arg Thr Phe Val Lys Arg Lys Pro Arg Gly Ile Pro 65 70 75 88		
10	Glu Ala Gln Glu Val Ser Glu Val Cys Thr Thr Pro Gly Cys Val Ile 85 90 95		
	Ala Ala Ala Arg Ile Leu Gln Asn Met Asp Pro Thr Thr Glu Pro Cys 100 105 110		
15	Asp Asp Phe Tyr Gln Phe Ala Cys Gly Gly Trp Leu Arg Arg His Val 115 120 125		
	Ile Pro Glu Thr Asn Ser Arg Tyr Ser Ile Phe Asp Val Leu Arg Asp 130 135 140		
20	Glu Leu Glu Val Ile Leu Lys Ala Val Leu Glu Asn Ser Thr Ala Lys 145 150 155 160		
	Asp Arg Pro Ala Val Glu Lys Ala Arg Thr Leu Tyr Arg Ser Cys Met 165 170 175		
25	Asn Gln Ser Val Ile Glu Lys Arg Gly Ser Gln Pro Leu Leu Asp Ile 180 185 190		
	Leu Glu Val Val Gly Gly Trp Pro Val Ala Met Asp Arg Trp Asn Glu 195 200 205		
30	Thr Val Gly Leu Glu Trp Glu Leu Glu Arg Gln Leu Ala Leu Met Asn 210 215 220		
	Ser Gln Phe Asn Arg Arg Val Leu Ile Asp Leu Phe Ile Trp Asn Asp 225 230 235 240		
35	Asp Gln Asn Ser Ser Arg His Ile Ile Tyr Ile Asp Gln Pro Thr Leu 245 250 255		
	Gly Met Pro Ser Arg Glu Tyr Tyr Phe Asn Gly Gly Ser Asn Arg Lys 260 265 270		
40	Val Arg Glu Ala Tyr Leu Gln Phe Met Val Ser Val Ala Thr Leu Leu 275 280 285		
	Arg Glu Asp Ala Asn Leu Pro Arg Asp Ser Cys Leu Val Gln Glu Asp 290 295 300		
45	Met Val Gln Val Leu Glu Leu Glu Thr Gln Leu Ala Lys Ala Thr Val 305 310 315 320		
	Pro Gln Glu Glu Arg His Asp Val Ile Ala Leu Tyr His Arg Met Gly 325 330 335		
50	Leu Glu Glu Leu Gln Ser Gln Phe Gly Leu Lys Gly Phe Asp Trp Thr 340 345 350		
	Leu Phe Ile Gln Thr Val Leu Ser Ser Val Lys Ile Lys Leu Leu Pro 355 360 365		
55	Asp Glu Glu Val Val Val Tyr Gly Ile Pro Tyr Leu Gln Asn Leu Glu 370 375 380		

EP 1 069 188 A1

	Asn Ile Ile Asp Thr Tyr Ser Ala Arg Thr Ile Gln Asn Tyr Leu Val	
	385	400
5	Trp Arg Leu Val Leu Asp Arg Ile Gly Ser Leu Ser Gln Arg Phe Lys	
	405	415
	Asp Thr Arg Val Asn Tyr Arg Lys Ala Leu Phe Gly Thr Met Val Glu	
	420	430
10	Glu Val Arg Trp Arg Glu Cys Val Gly Tyr Val Asn Ser Asn Met Glu	
	435	445
	Asn Ala Val Gly Ser Leu Tyr Val Arg Glu Ala Phe Pro Gly Asp Ser	
	450	460
15	Lys Ser Met Val Arg Glu Leu Ile Asp Lys Val Arg Thr Val Phe Val	
	465	480
	Glu Thr Leu Asp Glu Leu Gly Trp Met Asp Glu Glu Ser Lys Lys Lys	
	485	495
20	Ala Gln Glu Lys Ala Met Ser Ile Arg Glu Gln Ile Gly His Pro Asp	
	500	510
	Tyr Ile Leu Glu Glu Thr Asn Arg Arg Leu Asp Glu Glu Tyr Ser Asn	
	515	525
25	Leu Asn Phe Ser Glu Asp Leu Tyr Phe Glu Asn Ser Leu Gln Asn Leu	
	530	540
	Lys Val Gly Ala Gln Arg Ser Leu Arg Lys Leu Arg Glu Lys Val Asp	
	545	560
30	Pro Asn Leu Trp Ile Ile Gly Ala Ala Val Val Asn Ala Phe Tyr Ser	
	565	575
	Pro Asn Arg Asn Gln Ile Val Phe Pro Ala Gly Ile Leu Gln Pro Pro	
	580	590
35	Phe Phe Ser Lys Glu Gln Pro Gln Ala Leu Asn Phe Gly Gly Ile Gly	
	595	605
	Met Val Ile Gly His Glu Ile Thr His Gly Phe Asp Asp Asn Gly Arg	
	610	620
40	Asn Phe Asp Lys Asn Gly Asn Met Met Asp Trp Trp Ser Asn Phe Ser	
	625	640
	Thr Gln His Phe Arg Glu Gln Ser Glu Cys Met Ile Tyr Gln Tyr Gly	
	645	655
45	Asn Tyr Ser Trp Asp Leu Ala Asp Glu Gln Asn Val Asn Gly Phe Asn	
	660	670
	Thr Leu Gly Glu Asn Ile Ala Asp Asn Gly Gly Val Arg Gln Ala Tyr	
	675	685
50	Lys Ala Tyr Leu Lys Trp Met Ala Glu Gly Gly Lys Asp Gln Gln Leu	
	690	700
	Pro Gly Leu Asp Leu Thr His Glu Gln Leu Phe Phe Ile Asn Tyr Ala	
	705	720
55		

EP 1 069 188 A1

Gln Val Trp Cys Gly Ser Tyr Arg Pro Glu Phe Ala Ile Gln Ser Ile
725 730 735

5 Lys Thr Asp Val His Ser Pro Leu Lys Tyr Arg Val Leu Gly Ser Leu
740 745 750

Gln Asn Leu Ala Ala Phe Ala Asp Thr Phe His Cys Ala Arg Gly Thr
755 760 765

10 Pro Met His Pro Lys Glu Arg Cys Arg Val Trp
770 775 780

<210> 3
<211> 2636
15 <212> DNA
<213> Homo sapiens

<220>
<221> 5'UTR
<222> (1)..(7)
20

<220>
<221> CDS
<222> (8)..(2269)

<220>
25 <221> 3'UTR
<222> (2270)..(2635)

<400> 3
30 cctgctg atg ggg aag tcc gaa ggc ccc gtg ggg atg gtg gag agc gct 49
Met Gly Lys Ser Glu Gly Pro Val Gly Met Val Glu Ser Ala
1 5 10

ggc cgt gca ggg cag aag cgc ccg ggg ttc ctg gag ggg ggg ctg ctg 97
Gly Arg Ala Gly Gln Lys Arg Pro Gly Phe Leu Glu Gly Gly Leu Leu
15 20 25 30

35 ctg ctg ctg ctg ctg gtg acc gct gcc ctg gtg gcc ttg ggt gtc ctc 145
Leu Leu Leu Leu Val Thr Ala Ala Leu Val Ala Leu Gly Val Leu
35 40 45

tac gcc gac cgc aga ggg atc cca gag gcc caa gag gtg agc gag gtc 193
40 Tyr Ala Asp Arg Arg Gly Ile Pro Glu Ala Gln Glu Val Ser Glu Val
50 55 60

tgc acc acc cct ggc tgc gtg ata gca gct gcc agg atc ctc cag aac 241
Cys Thr Thr Pro Gly Cys Val Ile Ala Ala Ala Arg Ile Leu Gln Asn
65 70 75

45 atg gac ccg acc acg gaa ccg tgt gac gac ttc tac cag ttt gca tgc 289
Met Asp Pro Thr Thr Glu Pro Cys Asp Asp Phe Tyr Gln Phe Ala Cys
80 85 90

50 gga ggc tgg ctg cgg cgc cac gtg atc cct gag acc aac tca aga tac 337
Gly Gly Trp Leu Arg Arg His Val Ile Pro Glu Thr Asn Ser Arg Tyr
95 100 105 110

agc atc ttt gac gtc ctc cgc gac gag ctg gag gtc atc ctc aaa gcg 385
Ser Ile Phe Asp Val Leu Arg Asp Glu Leu Glu Val Ile Leu Lys Ala
115 120 125

55 gtg ctg gag aat tcg act gcc aag gac cgg ccg gct gtg gag aag gcc 433

EP 1 069 188 A1

	Val Leu Glu Asn Ser Thr Ala Lys Asp Arg Pro Ala Val Glu Lys Ala	
	130 135 140	
5	agg acg ctg tac cgc tcc tgc atg aac cag agt gtg ata gag aag cga Arg Thr Leu Tyr Arg Ser Cys Met Asn Gln Ser Val Ile Glu Lys Arg	481
	145 150 155	
10	ggc tct cag ccc ctg ctg gac atc ttg gag gtg gtg gga ggc tgg ccg Gly Ser Gln Pro Leu Leu Asp Ile Leu Glu Val Val Gly Gly Trp Pro	529
	160 165 170	
	gtg gcg atg gac agg tgg aac gag acc gta gga ctc gag tgg gag ctg Val Ala Met Asp Arg Trp Asn Glu Thr Val Gly Leu Glu Trp Glu Leu	577
	175 180 185 190	
15	gag cgg cag ctg gcg ctg atg aac tca cag ttc aac agg cgc gtc ctc Glu Arg Gln Leu Ala Leu Met Asn Ser Gln Phe Asn Arg Arg Val Leu	625
	195 200 205	
20	atc gac ctc ttc atc tgg aac gac gac cag aac tcc agc cgg cac atc Ile Asp Leu Phe Ile Trp Asn Asp Asp Gln Asn Ser Ser Arg His Ile	673
	210 215 220	
	atc tac ata gac cag ccc acc ttg ggc atg ccc tcc cga gag tac tac Ile Tyr Ile Asp Gln Pro Thr Leu Gly Met Pro Ser Arg Glu Tyr Tyr	721
	225 230 235	
25	ttc aac ggc ggc agc aac cgg aag gtg cgg gaa gcc tac ctg cag ttc Phe Asn Gly Gly Ser Asn Arg Lys Val Arg Glu Ala Tyr Leu Gln Phe	769
	240 245 250	
30	atg gtg tca gtg gcc acg ttg ctg cgg gag gat gca aac ctg ccc agg Met Val Ser Val Ala Thr Leu Leu Arg Glu Asp Ala Asn Leu Pro Arg	817
	255 260 265 270	
	gac agc tgc ctg gtg cag gag gac atg gtg cag gtg ctg gag ctg gag Asp Ser Cys Leu Val Gln Glu Asp Met Val Gln Val Leu Glu Leu Glu	865
	275 280 285	
35	aca cag ctg gcc aag gcc acg gta ccc cag gag gag aga cac gac gtc Thr Gln Leu Ala Lys Ala Thr Val Pro Gln Glu Glu Arg His Asp Val	913
	290 295 300	
40	atc gcc ttg tac cac cgg atg gga ctg gag gag ctg caa agc cag ttt Ile Ala Leu Tyr His Arg Met Gly Leu Glu Glu Leu Gln Ser Gln Phe	961
	305 310 315	
	ggc ctg aag gga ttt gac tgg act ctg ttc ata caa act gtg cta tcc Gly Leu Lys Gly Phe Asp Trp Thr Leu Phe Ile Gln Thr Val Leu Ser	1009
	320 325 330	
45	tct gtc aaa atc aag ctg ctg cca gat gag gaa gtg gtg gtc tat ggc Ser Val Lys Ile Lys Leu Leu Pro Asp Glu Glu Val Val Val Tyr Gly	1057
	335 340 345 350	
50	atc ccc tac ctg cag aac ctt gaa aac atc atc gac acc tac tca gcc Ile Pro Tyr Leu Gln Asn Leu Glu Asn Ile Ile Asp Thr Tyr Ser Ala	1105
	355 360 365	
	agg acc ata cag aac tac ctg gtc tgg cgc ctg gtg ctg gac cgc att Arg Thr Ile Gln Asn Tyr Leu Val Trp Arg Leu Val Leu Asp Arg Ile	1153
	370 375 380	
55	ggc agc cta agc cag aga ttc aag gac aca cga gtg aac tac cgc aag	1201

EP 1 069 188 A1

	Gly	Ser	Leu	Ser	Gln	Arg	Phe	Lys	Asp	Thr	Arg	Val	Asn	Tyr	Arg	Lys	
	385							390						395			
5	gcg	ctg	ttt	ggc	aca	atg	gtg	gag	gag	gtg	cgc	tgg	cgt	gaa	tgt	gtg	1249
	Ala	Leu	Phe	Gly	Thr	Met	Val	Glu	Glu	Val	Arg	Trp	Arg	Glu	Cys	Val	
	400						405				410						
10	ggc	tac	gtc	aac	agc	aac	atg	gag	aac	gcc	gtg	ggc	tcc	ctc	tac	gtc	1297
	Gly	Tyr	Val	Asn	Ser	Asn	Met	Glu	Asn	Ala	Val	Gly	Ser	Leu	Tyr	Val	
	415				420					425				430			
15	agg	gag	gcg	ttc	cct	gga	gac	agc	aag	agc	atg	gtc	aga	gaa	ctc	att	1345
	Arg	Glu	Ala	Phe	Pro	Gly	Asp	Ser	Lys	Ser	Met	Val	Arg	Glu	Leu	Ile	
				435					440				445				
20	gac	aag	gtg	cgg	aca	gtg	ttt	gtg	gag	acg	ctg	gac	gag	ctg	ggc	tgg	1393
	Asp	Lys	Val	Arg	Thr	Val	Phe	Val	Glu	Thr	Leu	Asp	Glu	Leu	Gly	Trp	
		450						455				460					
25	atg	gac	gag	gag	tcc	aag	aag	aag	gcg	cag	gag	aag	gcc	atg	agc	atc	1441
	Met	Asp	Glu	Glu	Ser	Lys	Lys	Lys	Ala	Gln	Glu	Lys	Ala	Met	Ser	Ile	
		465					470				475						
30	cgg	gag	cag	atc	ggg	cac	cct	gac	tac	atc	ctg	gag	gag	acg	aac	agg	1489
	Arg	Glu	Gln	Ile	Gly	His	Pro	Asp	Tyr	Ile	Leu	Glu	Glu	Thr	Asn	Arg	
		480				485					490						
35	cgc	ctg	gac	gag	gag	tac	tcc	aat	ctg	aac	ttc	tca	gag	gac	ctg	tac	1537
	Arg	Leu	Asp	Glu	Glu	Tyr	Ser	Asn	Leu	Asn	Phe	Ser	Glu	Asp	Leu	Tyr	
	495				500				505				510				
40	ttt	gag	aac	agt	ctg	cag	aac	ctc	aag	gtg	ggc	gcc	cag	cgg	agc	ctc	1585
	Phe	Glu	Asn	Ser	Leu	Gln	Asn	Leu	Lys	Val	Gly	Ala	Gln	Arg	Ser	Leu	
			515					520					525				
45	agg	aag	ctt	cgg	gaa	aag	gtg	gac	cca	aat	ctc	tgg	atc	atc	ggg	gcg	1633
	Arg	Lys	Leu	Arg	Glu	Lys	Val	Asp	Pro	Asn	Leu	Trp	Ile	Ile	Gly	Ala	
			530					535				540					
50	gcg	gtg	gtc	aat	gcg	ttc	tac	tcc	cca	aac	cga	aac	cag	att	gta	ttc	1681
	Ala	Val	Val	Asn	Ala	Phe	Tyr	Ser	Pro	Asn	Arg	Asn	Gln	Ile	Val	Phe	
		545				550					555						
55	cct	gcc	ggg	atc	ctc	cag	ccc	ccc	ttc	ttc	agc	aag	gag	cag	cca	cag	1729
	Pro	Ala	Gly	Ile	Leu	Gln	Pro	Pro	Phe	Phe	Ser	Lys	Glu	Gln	Pro	Gln	
		560				565					570						
60	gcc	ttg	aac	ttt	gga	ggc	att	ggg	atg	gtg	atc	ggg	cac	gag	atc	acg	1777
	Ala	Leu	Asn	Phe	Gly	Gly	Ile	Gly	Met	Val	Ile	Gly	His	Glu	Ile	Thr	
		575			580					585				590			
65	cac	ggc	ttt	gac	gac	aat	ggc	cgg	aac	ttc	gac	aag	aat	ggc	aac	atg	1825
	His	Gly	Phe	Asp	Asp	Asn	Gly	Arg	Asn	Phe	Asp	Lys	Asn	Gly	Asn	Met	
			595					600					605				
70	atg	gat	tgg	tgg	agt	aac	ttc	tcc	acc	cag	cac	ttc	cgg	gag	cag	tca	1873
	Met	Asp	Trp	Trp	Ser	Asn	Phe	Ser	Thr	Gln	His	Phe	Arg	Glu	Gln	Ser	
			610					615					620				
75	gag	tgc	atg	atc	tac	cag	tac	ggc	aac	tac	tcc	tgg	gac	ctg	gca	gac	1921
	Glu	Cys	Met	Ile	Tyr	Gln	Tyr	Gly	Asn	Tyr	Ser	Trp	Asp	Leu	Ala	Asp	
		625				630						635					
80	gaa	cag	aac	gtg	aac	gga	ttc	aac	acc	ctt	ggg	gaa	aac	att	gct	gac	1969

EP 1 069 188 A1

Glu Gln Asn Val Asn Gly Phe Asn Thr Leu Gly Glu Asn Ile Ala Asp
 640 645 650
 5 aac gga ggg gtg cgg caa gcc tat aag gcc tac ctc aag tgg atg gca 2017
 Asn Gly Gly Val Arg Gln Ala Tyr Lys Ala Tyr Leu Lys Trp Met Ala
 655 660 665 670
 gag ggt ggc aag gac cag cag ctg ccc gcc ctg gat ctc acc cat gag 2065
 Glu Gly Gly Lys Asp Gln Gln Leu Pro Gly Leu Asp Leu Thr His Glu
 675 680 685
 10 cag ctc ttc ttc atc aac tat gcc cag gtg tgg tgc ggg tcc tac cgg 2113
 Gln Leu Phe Phe Ile Asn Tyr Ala Gln Val Trp Cys Gly Ser Tyr Arg
 690 695 700
 15 ccc gag ttc gcc atc caa tcc atc aag aca gac gtc cac agt ccc ctg 2161
 Pro Glu Phe Ala Ile Gln Ser Ile Lys Thr Asp Val His Ser Pro Leu
 705 710 715
 aag tac agg gta ctg ggg tgg ctg cag aac ctg gcc gcc ttc gca gac 2209
 Lys Tyr Arg Val Leu Gly Ser Leu Gln Asn Leu Ala Ala Phe Ala Asp
 720 725 730
 20 acg ttc cac tgt gcc cgg ggc acc ccc atg cac ccc aag gag cga tgc 2257
 Thr Phe His Cys Ala Arg Gly Thr Pro Met His Pro Lys Glu Arg Cys
 735 740 745 750
 25 cgc gtg tgg tag ccaaggccct gccgcgtgt gcggcccacg cccacctgct 2309
 Arg Val Trp
 gctcggaggc atctgtgcga aggtgcagct agcggcgacc cagtgtacgt cccgccccgg 2369
 ccaaccatgc caagcctgcc tgcaggcct ctgcgcttg cctagggtgc agccacctgc 2429
 30 ctgacaccca gggatgagca gtgtccagtg cagtacctgg accggagccc cctccacaga 2489
 caccgcgggg gctcagtgcc cccgtcacag ctctgtayag acaatcaact gtgtcctgcc 2549
 caccctccaa ggtgcattgt ctccagtat ctacagcttc agacttgagc taagtaaag 2609
 35 ctccaagaa aaaaaaaaaa aaaaaad 2636
 <210> 4
 <211> 753
 40 <212> PRT
 <213> Homo sapiens
 <400> 4
 Met Gly Lys Ser Glu Gly Pro Val Gly Met Val Glu Ser Ala Gly Arg
 1 5 10 15
 45 Ala Gly Gln Lys Arg Pro Gly Phe Leu Glu Gly Gly Leu Leu Leu Leu
 20 25 30
 Leu Leu Leu Val Thr Ala Ala Leu Val Ala Leu Gly Val Leu Tyr Ala
 35 40 45
 50 Asp Arg Arg Gly Ile Pro Glu Ala Gln Glu Val Ser Glu Val Cys Thr
 50 55 60
 55 Thr Pro Gly Cys Val Ile Ala Ala Ala Arg Ile Leu Gln Asn Met Asp
 65 70 75 80

EP 1 069 188 A1

	Pro Thr Thr Glu Pro Cys Asp Asp Phe Tyr Gln Phe Ala Cys Gly Gly	
	85	90 95
5	Trp Leu Arg Arg His Val Ile Pro Glu Thr Asn Ser Arg Tyr Ser Ile	
	100	105 110
	Phe Asp Val Leu Arg Asp Glu Leu Glu Val Ile Leu Lys Ala Val Leu	
	115	120 125
10	Glu Asn Ser Thr Ala Lys Asp Arg Pro Ala Val Glu Lys Ala Arg Thr	
	130	135 140
	Leu Tyr Arg Ser Cys Met Asn Gln Ser Val Ile Glu Lys Arg Gly Ser	
	145	150 155 160
15	Gln Pro Leu Leu Asp Ile Leu Glu Val Val Gly Gly Trp Pro Val Ala	
	165	170 175
	Met Asp Arg Trp Asn Glu Thr Val Gly Leu Glu Trp Glu Leu Glu Arg	
	180	185 190
20	Gln Leu Ala Leu Met Asn Ser Gln Phe Asn Arg Arg Val Leu Ile Asp	
	195	200 205
	Leu Phe Ile Trp Asn Asp Asp Gln Asn Ser Ser Arg His Ile Ile Tyr	
	210	215 220
25	Ile Asp Gln Pro Thr Leu Gly Met Pro Ser Arg Glu Tyr Tyr Phe Asn	
	225	230 235 240
	Gly Gly Ser Asn Arg Lys Val Arg Glu Ala Tyr Leu Gln Phe Met Val	
	245	250 255
30	Ser Val Ala Thr Leu Leu Arg Glu Asp Ala Asn Leu Pro Arg Asp Ser	
	260	265 270
	Cys Leu Val Gln Glu Asp Met Val Gln Val Leu Glu Leu Glu Thr Gln	
	275	280 285
35	Leu Ala Lys Ala Thr Val Pro Gln Glu Glu Arg His Asp Val Ile Ala	
	290	295 300
	Leu Tyr His Arg Met Gly Leu Glu Glu Leu Gln Ser Gln Phe Gly Leu	
	305	310 315 320
40	Lys Gly Phe Asp Trp Thr Leu Phe Ile Gln Thr Val Leu Ser Ser Val	
	325	330 335
	Lys Ile Lys Leu Leu Pro Asp Glu Glu Val Val Val Tyr Gly Ile Pro	
	340	345 350
45	Tyr Leu Gln Asn Leu Glu Asn Ile Ile Asp Thr Tyr Ser Ala Arg Thr	
	355	360 365
	Ile Gln Asn Tyr Leu Val Trp Arg Leu Val Leu Asp Arg Ile Gly Ser	
	370	375 380
50	Leu Ser Gln Arg Phe Lys Asp Thr Arg Val Asn Tyr Arg Lys Ala Leu	
	385	390 395 400
	Phe Gly Thr Met Val Glu Glu Val Arg Trp Arg Glu Cys Val Gly Tyr	
	405	410 415
55	Val Asn Ser Asn Met Glu Asn Ala Val Gly Ser Leu Tyr Val Arg Glu	

EP 1 069 188 A1

	420	425	430
5	Ala Phe Pro Gly Asp Ser Lys Ser Met Val Arg Glu Leu Ile Asp Lys 435 440 445		
	Val Arg Thr Val Phe Val Glu Thr Leu Asp Glu Leu Gly Trp Met Asp 450 455 460		
10	Glu Glu Ser Lys Lys Lys Ala Gln Glu Lys Ala Met Ser Ile Arg Glu 465 470 475 480		
	Gln Ile Gly His Pro Asp Tyr Ile Leu Glu Glu Thr Asn Arg Arg Leu 485 490 495		
15	Asp Glu Glu Tyr Ser Asn Leu Asn Phe Ser Glu Asp Leu Tyr Phe Glu 500 505 510		
	Asn Ser Leu Gln Asn Leu Lys Val Gly Ala Gln Arg Ser Leu Arg Lys 515 520 525		
20	Leu Arg Glu Lys Val Asp Pro Asn Leu Trp Ile Ile Gly Ala Ala Val 530 535 540		
	Val Asn Ala Phe Tyr Ser Pro Asn Arg Asn Gln Ile Val Phe Pro Ala 545 550 555 560		
25	Gly Ile Leu Gln Pro Pro Phe Phe Ser Lys Glu Gln Pro Gln Ala Leu 565 570 575		
	Asn Phe Gly Gly Ile Gly Met Val Ile Gly His Glu Ile Thr His Gly 580 585 590		
30	Phe Asp Asp Asn Gly Arg Asn Phe Asp Lys Asn Gly Asn Met Met Asp 595 600 605		
	Trp Trp Ser Asn Phe Ser Thr Gln His Phe Arg Glu Gln Ser Glu Cys 610 615 620		
35	Met Ile Tyr Gln Tyr Gly Asn Tyr Ser Trp Asp Leu Ala Asp Glu Gln 625 630 635 640		
	Asn Val Asn Gly Phe Asn Thr Leu Gly Glu Asn Ile Ala Asp Asn Gly 645 650 655		
40	Gly Val Arg Gln Ala Tyr Lys Ala Tyr Leu Lys Trp Met Ala Glu Gly 660 665 670		
	Gly Lys Asp Gln Gln Leu Pro Gly Leu Asp Leu Thr His Glu Gln Leu 675 680 685		
45	Phe Phe Ile Asn Tyr Ala Gln Val Trp Cys Gly Ser Tyr Arg Pro Glu 690 695 700		
	Phe Ala Ile Gln Ser Ile Lys Thr Asp Val His Ser Pro Leu Lys Tyr 705 710 715 720		
50	Arg Val Leu Gly Ser Leu Gln Asn Leu Ala Ala Phe Ala Asp Thr Phe 725 730 735		
	His Cys Ala Arg Gly Thr Pro Met His Pro Lys Glu Arg Cys Arg Val 740 745 750		
55	Trp		

EP 1 069 188 A1

5 <210> 5
 <211> 2663
 <212> DNA
 <213> Homo sapiens

 10 <220>
 <221> 5'UTR
 <222> (1)..(7)

 15 <220>
 <221> CDS
 <222> (8)..(2293)

 <220>
 <221> 3'UTR
 <222> (2294)..(2663)

 <400> 5
 cctgctg atg ggg aag tcc gaa ggc ccc gty ggg atg gtg gag agc gct 49
 Met Gly Lys Ser Glu Gly Pro Val Gly Met Val Glu Ser Ala
 1 5 10
 20 ggc cgt gca ggg cag aag cgc ccg ggg ttc ctg gag ggg ggg ctg ctg 97
 Gly Arg Ala Gly Gln Lys Arg Pro Gly Phe Leu Glu Gly Gly Leu Leu
 15 20 25 30
 25 ctg ctg ctg ctg ctg gtg acc gct gcc ctg gtg gcc ttg ggt gtc ctc 145
 Leu Leu Leu Leu Leu Val Thr Ala Ala Leu Val Ala Leu Gly Val Leu
 35 40 45
 30 tac gcc gac cgc aga ggg aag cag ctg cca cgc ctt gct agc cgg ctg 193
 Tyr Ala Asp Arg Arg Gly Lys Gln Leu Pro Arg Leu Ala Ser Arg Leu
 50 55 60
 tgc ttc tta cag gag gag agg acc ttt gta aaa cga aaa ccc cga ggg 241
 Cys Phe Leu Gln Glu Glu Arg Thr Phe Val Lys Arg Lys Pro Arg Gly
 65 70 75
 35 atc cca gag gcc caa gag gtg agc gag gtc tgc acc acc cct ggc tgc 289
 Ile Pro Glu Ala Gln Glu Val Ser Glu Val Cys Thr Thr Pro Gly Cys
 80 85 90
 40 gtg ata gca gct gcc agg atc ctc cag aac atg gac ccg acc acg gaa 337
 Val Ile Ala Ala Ala Arg Ile Leu Gln Asn Met Asp Pro Thr Thr Glu
 95 100 105 110
 ccg tgt gac gac ttc tac cag ttt gca tgc gga ggc tgg ctg cgg cgc 385
 Pro Cys Asp Asp Phe Tyr Gln Phe Ala Cys Gly Gly Trp Leu Arg Arg
 115 120 125
 45 cac gtg atc cct gag acc aac tca aga tac agc atc ttt gac gtc ctc 433
 His Val Ile Pro Glu Thr Asn Ser Arg Tyr Ser Ile Phe Asp Val Leu
 130 135 140
 50 cgc gac gag ctg gag gtc atc ctc aaa gcg gtg ctg gag aat tcg act 481
 Arg Asp Glu Leu Glu Val Ile Leu Lys Ala Val Leu Glu Asn Ser Thr
 145 150 155
 gcc aag gac cgg ccg gct gtg gag aag gcc agg acg ctg tac cgc tcc 529
 Ala Lys Asp Arg Pro Ala Val Glu Lys Ala Arg Thr Leu Tyr Arg Ser
 160 165 170
 55 tgc atg aac cag agt gtg ata gag aag cga ggc tct cag ccc ctg ctg 577

EP 1 069 188 A1

	Cys Met Asn Gln Ser Val Ile Glu Lys Arg Gly Ser Gln Pro Leu Leu	
	175 180 185 190	
5	gac atc ttg gag gtg gtg gga ggc tgg ccg gtg gcg atg gac agg tgg Asp Ile Leu Glu Val Val Gly Gly Trp Pro Val Ala Met Asp Arg Trp	625
	195 200 205	
10	aac gag acc gta gtt caa cag gcg cgt cct cat cga cct ctt cat ctg Asn Glu Thr Val Val Gln Gln Ala Arg Pro His Arg Pro Leu His Leu	673
	210 215 220	
15	gaa cga cga cca gaa ctc cag ccg gca cat cat cta cac cag ccc acc Glu Arg Arg Pro Glu Leu Gln Pro Ala His His Leu His Gln Pro Thr	721
	225 230 235	
20	ttg ggc atg ccc tcc cga gag tac tac ttc aac ggc ggc agc aac cgg Leu Gly Met Pro Ser Arg Glu Tyr Tyr Phe Asn Gly Gly Ser Asn Arg	769
	240 245 250	
25	aag gtg cgg gaa gcc tac ctg cag ttc atg gtg tca gtg gcc acg ttg Lys Val Arg Glu Ala Tyr Leu Gln Phe Met Val Ser Val Ala Thr Leu	817
	255 260 265 270	
30	ctg cgg gag gat gca aac ctg ccc agg gac agc tgc ctg gtg cag gag Leu Arg Glu Asp Ala Asn Leu Pro Arg Asp Ser Cys Leu Val Gln Glu	865
	275 280 285	
35	gac atg gtg cag gtg ctg gag ctg gag aca cag ctg gcc aag gcc acg Asp Met Val Gln Val Leu Glu Leu Glu Thr Gln Leu Ala Lys Ala Thr	913
	290 295 300	
40	gta ccc cag gag gag aga cac gac gtc atc gcc ttg tac cac cgg atg Val Pro Gln Glu Glu Arg His Asp Val Ile Ala Leu Tyr His Arg Met	961
	305 310 315	
45	gga ctg gag gag ctg caa agc cag ttt ggc ctg aag gga ttt gac tgg Gly Leu Glu Glu Leu Gln Ser Gln Phe Gly Leu Lys Gly Phe Asp Trp	1009
	320 325 330	
50	act ctg ttc ata caa act gtg cta tcc tct gtc aaa atc aag ctg ctg Ihr Leu Phe Ile Gln Thr Val Leu Ser Ser Val Lys Ile Lys Leu Leu	1057
	335 340 345 350	
55	cca gat gag gaa gtg gtg gtc tat ggc atc ccc tac ctg cag aac ctt Pro Asp Glu Glu Val Val Val Tyr Gly Ile Pro Tyr Leu Gln Asn Leu	1105
	355 360 365	
60	gaa aac atc atc gac acc tac tca gcc agg acc ata cag aac tac ctg Glu Asn Ile Ile Asp Thr Tyr Ser Ala Arg Thr Ile Gln Asn Tyr Leu	1153
	370 375 380	
65	gtc tgg cgc ctg gtg ctg gac cgc att ggt agc cta agc cag aga ttc Val Trp Arg Leu Val Leu Asp Arg Ile Gly Ser Leu Ser Gln Arg Phe	1201
	385 390 395	
70	aag gac aca cga gtg aac tac cgc aag gcg ctg ttt ggc aca atg gtg Lys Asp Thr Arg Val Asn Tyr Arg Lys Ala Leu Phe Gly Thr Met Val	1249
	400 405 410	
75	gag gag gtg cgc tgg cgt gaa tgt gtg ggc tac gtc aac agc aac atg Glu Glu Val Arg Trp Arg Glu Cys Val Gly Tyr Val Asn Ser Asn Met	1297
	415 420 425 430	
80	gag aac gcc gtg ggc tcc ctc tac gtc agg gag gcg ttc cct gga gac	1345

EP 1 069 188 A1

	Glu Asn Ala Val Gly Ser Leu Tyr Val Arg Glu Ala Phe Pro Gly Asp	
	435 440 445	
5	agc aag agc atg gtc aga gaa ctc att gac aag gtg cgg aca gtg ttt Ser Lys Ser Met Val Arg Glu Leu Ile Asp Lys Val Arg Thr Val Phe 450 455 460	1393
10	gtg gag acg ctg gac gag ctg ggc tgg atg gac gag gag tcc aag aag Val Glu Thr Leu Asp Glu Leu Gly Trp Met Asp Glu Glu Ser Lys Lys 465 470 475	1441
15	aag gcg cag gag aag gcc atg agc atc cgg gag cag atc ggg cac cct Lys Ala Gln Glu Lys Ala Met Ser Ile Arg Glu Gln Ile Gly His Pro 480 485 490	1489
20	gac tac atc ctg gag gag acg aac agg cgc ctg gac gag gag tac tcc Asp Tyr Ile Leu Glu Glu Thr Asn Arg Arg Leu Asp Glu Glu Tyr Ser 495 500 505 510	1537
25	aat ctg aac ttc tca gag gac ctg tac ttt gag aac agt ctg cag aac Asn Leu Asn Phe Ser Glu Asp Leu Tyr Phe Glu Asn Ser Leu Gln Asn 515 520 525	1585
30	ctc aag gtg ggc gcc cag cgg agc ctc agg aag ctt cgg gaa aag gtg Leu Lys Val Gly Ala Gln Arg Ser Leu Arg Lys Leu Arg Glu Lys Val 530 535 540	1633
35	gac cca aat ctc tgg atc atc ggg gcg gcg gtg gtc aat gcg ttc tac Asp Pro Asn Leu Trp Ile Ile Gly Ala Ala Val Val Asn Ala Phe Tyr 545 550 555	1681
40	tcc cca aac cga aac cag att gta ttc cct gcc ggg atc ctc cag ccc Ser Pro Asn Arg Asn Gln Ile Val Phe Pro Ala Gly Ile Leu Gln Pro 560 565 570	1729
45	ccc ttc ttc agc aag gag cag cca cag gcc ttg aac ttt gga ggc att Pro Phe Phe Ser Lys Glu Gln Pro Gln Ala Leu Asn Phe Gly Gly Ile 575 580 585 590	1777
50	ggg atg gtg atc ggg cac gag atc acg cac ggc ttt gac gac aat ggc Gly Met Val Ile Gly His Glu Ile Thr His Gly Phe Asp Asp Asn Gly 595 600 605	1825
55	cgg aac ttc gac aag aat ggc aac atg atg gat tgg tgg agt aac ttc Arg Asn Phe Asp Lys Asn Gly Asn Met Met Asp Trp Trp Ser Asn Phe 610 615 620	1873
60	tcc acc cag cac ttc cgg gag cag tca gag tgc atg atc tac cag tac Ser Thr Gln His Phe Arg Glu Gln Ser Glu Cys Met Ile Tyr Gln Tyr 625 630 635	1921
65	ggc aac tac tcc tgg gac ctg gca gac gaa cag aac gtg aac gga ttc Gly Asn Tyr Ser Trp Asp Leu Ala Asp Glu Gln Asn Val Asn Gly Phe 640 645 650	1969
70	aac acc ctt ggg gaa aac att gct gac aac gga ggg gtg cgg caa gcc Asn Thr Leu Gly Glu Asn Ile Ala Asp Asn Gly Gly Val Arg Gln Ala 655 660 665 670	2017
75	tat aag gcc tac ctc aag tgg atg gca gag ggt ggc aag gac cag cag Tyr Lys Ala Tyr Leu Lys Trp Met Ala Glu Gly Gly Lys Asp Gln Gln 675 680 685	2065
80	ctg ccc ggc ctg gat ctc acc cat gag cag ctc ttc ttc atc aac tat	2113

EP 1 069 188 A1

Leu Pro Gly Leu Asp Leu Thr His Glu Gln Leu Phe Phe Ile Asn Tyr
 690 695 700
 5 gcc cag gtg tgg tgc ggg tcc tac cgg ccc gag ttc gcc atc caa tcc 2161
 Ala Gln Val Trp Cys Gly Ser Tyr Arg Pro Glu Phe Ala Ile Gln Ser
 705 710 715
 atc aag aca gac gtc cac agt ccc ctg aag tac agg gta ctg ggg tgg 2209
 Ile Lys Thr Asp Val His Ser Pro Leu Lys Tyr Arg Val Leu Gly Ser
 720 725 730
 10 ctg cag aac ctg gcc gcc ttc gca gac acg ttc cac tgt gcc cgg ggc 2257
 Leu Gln Asn Leu Ala Ala Phe Ala Asp Thr Phe His Cys Ala Arg Gly
 735 740 745 750
 15 acc ccc atg cac ccc aag gag cga tgc cgc gtg tgg tagccaaggc 2303
 Thr Pro Met His Pro Lys Glu Arg Cys Arg Val Trp
 755 760
 cctgccgcgc tgtgcggccc acgcccacct gctgctcgga ggcatctgtg cgaaggtgca 2363
 20 gctagcggcg acccagtgtg cgtcccgccc cggccaacca tgccaagcct gcctgccagg 2423
 cctctgcgcc tggcctaggg tgcagccacc tgctgacac ccagggatga gcagtgtcca 2483
 gtgcagtacc tggaccggag cccctccac agacaccgc ggggtcagc gcccccgtca 2543
 25 cagctctgtg gagacaatca actgtgtcct gccaccctc caaggtgcat tgtcttcag 2603
 tatctacagc ttcagacttg agctaagtaa atgcttcaaa gaaaaaaaaa aaaaaaaaaad 2663
 <210> 6
 30 <211> 762
 <212> PRT
 <213> Homo sapiens
 <400> 6
 35 Met Gly Lys Ser Glu Gly Pro Val Gly Met Val Glu Ser Ala Gly Arg
 1 5 10 15
 Ala Gly Gln Lys Arg Pro Gly Phe Leu Glu Gly Gly Leu Leu Leu Leu
 20 25 30
 40 Leu Leu Leu Val Thr Ala Ala Leu Val Ala Leu Gly Val Leu Tyr Ala
 35 40 45
 Asp Arg Arg Gly Lys Gln Leu Pro Arg Leu Ala Ser Arg Leu Cys Phe
 50 55 60
 45 Leu Gln Glu Glu Arg Thr Phe Val Lys Arg Lys Pro Arg Gly Ile Pro
 65 70 75 80
 Glu Ala Gln Glu Val Ser Glu Val Cys Thr Thr Pro Gly Cys Val Ile
 85 90 95
 50 Ala Ala Ala Arg Ile Leu Gln Asn Met Asp Pro Thr Thr Glu Pro Cys
 100 105 110
 Asp Asp Phe Tyr Gln Phe Ala Cys Gly Gly Trp Leu Arg Arg His Val
 115 120 125
 55 Ile Pro Glu Thr Asn Ser Arg Tyr Ser Ile Phe Asp Val Leu Arg Asp
 130 135 140

EP 1 069 188 A1

	Glu Leu Glu Val Ile Leu Lys Ala Val Leu Glu Asn Ser Thr Ala Lys	
	145	150 155 160
5	Asp Arg Pro Ala Val Glu Lys Ala Arg Thr Leu Tyr Arg Ser Cys Met	
	165	170 175
	Asn Gln Ser Val Ile Glu Lys Arg Gly Ser Gln Pro Leu Leu Asp Ile	
	180	185 190
10	Leu Glu Val Val Gly Gly Trp Pro Val Ala Met Asp Arg Trp Asn Glu	
	195	200 205
	Thr Val Val Gln Gln Ala Arg Pro His Arg Pro Leu His Leu Glu Arg	
	210	215 220
15	Arg Pro Glu Leu Gln Pro Ala His His Leu His Gln Pro Thr Leu Gly	
	225	230 235 240
	Met Pro Ser Arg Glu Tyr Tyr Phe Asn Gly Gly Ser Asn Arg Lys Val	
	245	250 255
20	Arg Glu Ala Tyr Leu Gln Phe Met Val Ser Val Ala Thr Leu Leu Arg	
	260	265 270
	Glu Asp Ala Asn Leu Pro Arg Asp Ser Cys Leu Val Gln Glu Asp Met	
	275	280 285
25	Val Gln Val Leu Glu Leu Glu Thr Gln Leu Ala Lys Ala Thr Val Pro	
	290	295 300
	Gln Glu Glu Arg His Asp Val Ile Ala Leu Tyr His Arg Met Gly Leu	
	305	310 315 320
30	Glu Glu Leu Gln Ser Gln Phe Gly Leu Lys Gly Phe Asp Trp Thr Leu	
	325	330 335
	Phe Ile Gln Thr Val Leu Ser Ser Val Lys Ile Lys Leu Leu Pro Asp	
	340	345 350
35	Glu Glu Val Val Val Tyr Gly Ile Pro Tyr Leu Gln Asn Leu Glu Asn	
	355	360 365
	Ile Ile Asp Thr Tyr Ser Ala Arg Thr Ile Gln Asn Tyr Leu Val Trp	
	370	375 380
40	Arg Leu Val Leu Asp Arg Ile Gly Ser Leu Ser Gln Arg Phe Lys Asp	
	385	390 395 400
	Thr Arg Val Asn Tyr Arg Lys Ala Leu Phe Gly Thr Met Val Glu Glu	
	405	410 415
45	Val Arg Trp Arg Glu Cys Val Gly Tyr Val Asn Ser Asn Met Glu Asn	
	420	425 430
	Ala Val Gly Ser Leu Tyr Val Arg Glu Ala Phe Pro Gly Asp Ser Lys	
	435	440 445
50	Ser Met Val Arg Glu Leu Ile Asp Lys Val Arg Thr Val Phe Val Glu	
	450	455 460
	Thr Leu Asp Glu Leu Gly Trp Met Asp Glu Glu Ser Lys Lys Ala	
	465	470 475 480
55		

EP 1 069 188 A1

	Gln Glu Lys Ala Met Ser Ile Arg Glu Gln Ile Gly His Pro Asp Tyr	
	485	490 495
5	Ile Leu Glu Glu Thr Asn Arg Arg Leu Asp Glu Glu Tyr Ser Asn Leu	
	500	505 510
	Asn Phe Ser Glu Asp Leu Tyr Phe Glu Asn Ser Leu Gln Asn Leu Lys	
	515	520 525
10	Val Gly Ala Gln Arg Ser Leu Arg Lys Leu Arg Glu Lys Val Asp Pro	
	530	535 540
	Asn Leu Trp Ile Ile Gly Ala Ala Val Val Asn Ala Phe Tyr Ser Pro	
15	545	550 555 560
	Asn Arg Asn Gln Ile Val Phe Pro Ala Gly Ile Leu Gln Pro Pro Phe	
	565	570 575
20	Phe Ser Lys Glu Gln Pro Gln Ala Leu Asn Phe Gly Gly Ile Gly Met	
	580	585 590
	Val Ile Gly His Glu Ile Thr His Gly Phe Asp Asp Asn Gly Arg Asn	
	595	600 605
25	Phe Asp Lys Asn Gly Asn Met Met Asp Trp Trp Ser Asn Phe Ser Thr	
	610	615 620
	Gln His Phe Arg Glu Gln Ser Glu Cys Met Ile Tyr Gln Tyr Gly Asn	
30	625	630 635 640
	Tyr Ser Trp Asp Leu Ala Asp Glu Gln Asn Val Asn Gly Phe Asn Thr	
	645	650 655
35	Leu Gly Glu Asn Ile Ala Asp Asn Gly Gly Val Arg Gln Ala Tyr Lys	
	660	665 670
	Ala Tyr Leu Lys Trp Met Ala Glu Gly Gly Lys Asp Gln Gln Leu Pro	
	675	680 685
40	Gly Leu Asp Leu Thr His Glu Gln Leu Phe Phe Ile Asn Tyr Ala Gln	
	690	695 700
	Val Trp Cys Gly Ser Tyr Arg Pro Glu Phe Ala Ile Gln Ser Ile Lys	
45	705	710 715 720
	Thr Asp Val His Ser Pro Leu Lys Tyr Arg Val Leu Gly Ser Leu Gln	
	725	730 735
50	Asn Leu Ala Ala Phe Ala Asp Thr Phe His Cys Ala Arg Gly Thr Pro	
	740	745 750
	Met His Pro Lys Glu Arg Cys Arg Val Trp	
	755	760
55		

Claims

1. An isolated polynucleotide selected from the group consisting of:

5 (a) a polynucleotide comprising a nucleotide sequence that has at least 80% identity to a nucleotide sequence encoding SNEPa, SNEPb or SNEPc polypeptides of SEQ ID NO : 2, SEQ ID NO : 4 or SEQ ID NO : 6 over their entire length; or a nucleotide sequence complementary to said nucleotide sequences; or
 10 (b) a polynucleotide comprising a nucleotide sequence that has at least 80% identity to a nucleotide sequence encoding SNEPa, SNEPb or SNEPc polypeptides expressed by the cDNA inserts deposited at the ATCC with Deposit Numbers PTA-187, PTA-189 and 203984 respectively; or a nucleotide sequence complementary to said nucleotide sequences.

2. A polynucleotide according to claim 1 which is DNA or RNA.

15 3. A polynucleotide according to claim 1 or 2 wherein said nucleotide sequence is at least 80% identical to that contained in SEQ ID NO : 1, SEQ ID NO : 3 or SEQ ID NO : 5.

4. A polynucleotide according to claim 3 wherein said nucleotide sequences comprise SNEPa, SNEPb or SNEPc polypeptides encoding sequence contained in SEQ ID NO : 1, SEQ ID NO : 3 or SEQ ID NO : 5.
 20

5. A polynucleotide according to claim 3 which is polynucleotide of SEQ ID NO : 1, SEQ ID NO : 3 or SEQ ID NO : 5.

6. A DNA or RNA molecule comprising an expression system, wherein said expression system is capable of producing SNEPa, SNEPb or SNEPc polypeptides comprising an amino acid sequence, which has at least 80% identity with the polypeptides of SEQ ID NO : 2, SEQ ID NO : 4 or SEQ ID NO : 6 when said expression system is present in a compatible host cell.
 25

7. A host cell comprising the expression system of claim 6.

30 8. A process for producing SNEPa, SNEPb or SNEPc polypeptides comprising culturing a host of claim 7 under conditions sufficient for the production of said polypeptides and recovering the polypeptides from the culture.

9. A process for producing a cell which produces SNEPa, SNEPb or SNEPc polypeptides thereof comprising transforming or transfecting a host cell with the expression system of claim 6 such that the host cell, under appropriate culture conditions, produces SNEPa, SNEPb or SNEPc polypeptides.
 35

10. Isolated SNEPa, SNEPb or SNEPc polypeptides comprising an amino acid sequence which is at least 80% identical to the amino acid sequences of SEQ ID NO : 2, SEQ ID NO : 4 or SEQ ID NO : 6 over its entire length.

40 11. Polypeptide according to claim 10 which comprises the amino acid sequences of SEQ ID NO : 2, SEQ ID NO : 4 or SEQ ID NO : 6.

12. Polypeptide according to claim 10 or 11 comprising an amino acid sequence which is at least 80% identical to the amino acid sequence encoded by the cDNAs contained in ATCC Deposit Nummbers PTA-187, PTA-189 or 203984.
 45

13. Antibodies immunospecific for the SNEPa, SNEPb or SNEPc polypeptides of any of claims 10 to 12.

14. A method for the treatment of a subject in need of enhanced activity or expression of SNEPa, SNEPb or SNEPc polypeptides of any of claims 10 to 12 comprising:
 50

(a) administering to the subject a therapeutically effective amount of an activator to said SNEPa, SNEPb or SNEPc polypeptides; and/or
 (b) providing to the subject a polynucleotide according to any of claims 1 to 5 in a form so as to effect production of said SNEPa, SNEPb or SNEPc polypeptides activity in vivo.
 55

15. A method for the treatment of a subject having need to inhibit activity or expression of SNEPa, SNEPb or SNEPc polypeptides of any of claims 10 to 12 comprising:

EP 1 069 188 A1

- (a) administering to the subject a therapeutically effective amount of an inhibitor to said SNEPa, SNEPb or SNEPc polypeptides; and/or
(b) administering to the subject a nucleic acid molecule that inhibits the expression of the nucleotide sequence encoding said SNEPa, SNEPb or SNEPc polypeptides; and/or
(c) administering to the subject a therapeutically effective amount of a polypeptide that competes with said SNEPa, SNEPb or SNEPc polypeptides for its substrate.

16. A process for diagnosing a disease or a susceptibility to a disease in a subject related to expression or activity of SNEPa, SNEPb or SNEPc polypeptides of any of claims 10 to 12 in a subject comprising:

- (a) determining the presence or absence of a mutation in the nucleotide sequence encoding said SNEPa, SNEPb or SNEPc polypeptides in the genome of said subject; and/or
(b) analyzing for the presence or amount of SNEPa, SNEPb or SNEPc polypeptides expression in a sample derived from said subject.

17. A method for identifying activator to SNEPa, SNEPb or SNEPc polypeptides of any of claims 10 to 12 comprising:

- (a) contacting cells produced by claim 9 with a candidate compound; and
(b) determining whether the candidate compound effects a signal generated by activation of the SNEPa, SNEPb or SNEPc polypeptides.

18. An activator identified by the method of claim 17.

19. The method for identifying inhibitors to SNEPa, SNEPb or SNEPc polypeptides of any of claims 10 to 12 comprising:

- (a) contacting said cell produced by claim 9 with an activator; and
(b) determining whether the signal generated by said agonist is diminished in the presence of a candidate compound.

20. An inhibitor identified by the method of claim 19.




Figure 1



Figure 2

BEST AVAILABLE COPY




Figure 2 (suite)

BEST AVAILABLE COPY




Figure 2 (suite)

BEST AVAILABLE COPY





Figure 2 (suite)

BEST AVAILABLE COPY



HECEIA, PRO
HECEIR, PRO
HXRIIA, PRO
HNRP, PRO
HPEX, PRO
HCEC, PRO
HXCE, PRO
SNEPA, PRO
SNEPI, PRO
SNEPC, PRO

Figure 2 (suite)

BEST AVAILABLE COPY

SNEPa.PRO




Figure 3

BEST AVAILABLE COPY

SNEPb.PRO




Figure 4

BEST AVAILABLE COPY

SNEPc.PRO




Figure 5

BEST AVAILABLE COPY



European Patent
Office

PARTIAL EUROPEAN SEARCH REPORT

Application Number

which under Rule 45 of the European Patent Convention shall be considered, for the purposes of subsequent proceedings, as the European search report

EP 99 40 1767

DOCUMENTS CONSIDERED TO BE RELEVANT			
Category	Citation of document with indication, where appropriate, of relevant passages	Relevant to claim	CLASSIFICATION OF THE APPLICATION (Int.Cl.7)
E	WO 99 53077 A (INST NAT SANTE RECH MED ;SCHWARTZ JEAN CHARLES (FR); GROS CLAUDE () 21 October 1999 (1999-10-21) * the whole document *	1-20	C12N15/57 C12N9/64 C12N5/10 C07K16/40 A61K38/48 A61K48/00 C12Q1/68 C12Q1/37
Y	EP 0 272 928 A (GENENTECH INC) 29 June 1988 (1988-06-29) * the whole document *	14-20	
X	EMBL/GENBANK DATABASES Accession no AI650385 Sequence reference AI650385 5 May 1999 "National Cancer Institute, Cancer Genome Anatomy Project..." XP002124823	1-13	
Y	* the whole document *	14-20	
			TECHNICAL FIELDS SEARCHED (Int.Cl.7)
			C12N A61K C12Q C07K
INCOMPLETE SEARCH			
<p>The Search Division considers that the present application, or one or more of its claims, does/do not comply with the EPC to such an extent that a meaningful search into the state of the art cannot be carried out, or can only be carried out partially, for these claims.</p> <p>Claims searched completely :</p> <p>Claims searched incompletely :</p> <p>Claims not searched :</p> <p>Reason for the limitation of the search: see sheet C</p>			
Place of search THE HAGUE		Date of completion of the search 21 December 1999	Examiner Van der Schaal, C
CATEGORY OF CITED DOCUMENTS		<p>T : theory or principle underlying the invention E : earlier patent document, but published on, or after the filing date D : document cited in the application L : document cited for other reasons</p> <p>& : member of the same patent family, corresponding document</p>	
<p>X : particularly relevant if taken alone Y : particularly relevant if combined with another document of the same category A : technological background O : non-written disclosure P : intermediate document</p>			

EPO FORM 1503 03.92 (Rev.07)

European Patent
OfficeINCOMPLETE SEARCH
SHEET CApplication Number
EP 99 40 1767

Although claims 14-16 are directed to a method of treatment of the human/animal body or to a diagnostic method practised on the human/animal body (Article 52(4) EPC), the search has been carried out and based on the alleged effects of the compound/composition.

Claim(s) searched incompletely:
20

Claim(s) not searched:
18

Reason for the limitation of the search:

Present claims 18 and 20 relate to a product defined by reference to a desirable characteristic or property, namely activating or inhibiting SNEP activity.

The claims cover all compounds having this characteristic or property, whereas the application provides support within the meaning of Article 84 EPC and/or disclosure within the meaning of Article 83 EPC only by a very general description ('drugs, antibodies or oligonucleotides or proteins which are closely related to the substrate of SNEP') of such inhibiting compounds and no support for such activating compounds. In the present case, the claims so lack support, and the application so lacks disclosure, that a meaningful search over the whole of the claimed scope is impossible. Independent of the above reasoning, the claims also lack clarity (Article 84 EPC). An attempt is made to define the product/compound by reference to a result to be achieved. Again, this lack of clarity in the present case is such as to render a meaningful search impossible. Consequently no search has been carried out for claim 20 and for claim 18 the search has been limited to antibodies against SNEP.

**ANNEX TO THE EUROPEAN SEARCH REPORT
ON EUROPEAN PATENT APPLICATION NO.**

EP 99 40 1767

This annex lists the patent family members relating to the patent documents cited in the above-mentioned European search report. The members are as contained in the European Patent Office EDP file on
The European Patent Office is in no way liable for these particulars which are merely given for the purpose of information.

21-12-1999

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
WO 9953077 A	21-10-1999	FR 2777291 A	15-10-1999
EP 0272928 A	29-06-1988	US 4960700 A	02-10-1990
		AT 119936 T	15-04-1995
		AU 616876 B	14-11-1991
		AU 8305787 A	30-06-1988
		AU 623845 B	28-05-1992
		AU 8305887 A	30-06-1988
		DE 3751169 D	20-04-1995
		DE 3751169 T	26-10-1995
		DK 684087 A	03-10-1988
		EP 0272929 A	29-06-1988
		EP 0596355 A	11-05-1994
		ES 2072251 T	16-07-1995
		IE 66333 B	27-12-1995
		IL 84928 A	27-02-1994
		JP 1172344 A	07-07-1989
		JP 2685468 B	03-12-1997
		NZ 223028 A	26-09-1990
		US 5780025 A	14-07-1998
		CA 1322160 A	14-09-1993
		DE 3751748 D	25-04-1996
		DE 3751748 T	14-11-1996
		DK 684487 A	07-10-1988
		IL 84929 A	04-04-1993
		NZ 223029 A	26-02-1990

EPO FORM P469

For more details about this annex : see Official Journal of the European Patent Office, No. 12/82